




DESIGN LOADING




- ▶ TREAD & SEAT AREA (GROSS AREA) 100psf.
- ▶ SEAT (PARALLEL SWAY) 25lb/ft²
- ▶ HANDRAILS (PERPENDICULAR) 50 lb/ft²
- ▶ HANDRAILS (VERTICAL) 100 lb/ft²
- ▶ WIND LOADS AS NOTED IN SECTION 1608 (IBC 2003)
- ▶ SEISMIC LOADS AS NOTED IN SECTION 1609 (IBC 2003)

NOTES

- ▶ STRUCTURAL SHAPES MEET ONE OF THE FOLLOWING ASTM SPECIFICATIONS: A36, A572-50, OR A500 GRADE B TYPE F3703-6
- ▶ ALL STEEL TO BE HOT DIP GALVANIZED
- ▶ TO ASTM A-123-89 OR DIPPED GALV AND ARE EQUAL TO OR GREATER THAN A-307
- ▶ NO CONNECTIONS UTILIZING HIGH STRENGTH BOLTS ARE CLASSIFIED AS SLIP CRITICAL
- ▶ ANODIZED ALUMINUM FINISH 1 1/4 NOMINAL
- ▶ THESE PLANS ARE NOT CERTIFIED TO MEET ALL ADA REQUIREMENTS.



- A = 2" X 10" ANODIZED ALUMINUM SEAT
- B = 2" X 4" MILL ALUMINUM TREAD
- C = 2" X 4" MILL ALUMINUM TREAD
- D = 2" X 4" MILL ALUMINUM TREAD
- E = 1 1/2" X 8" OLD PAUL ALUMINUM CONTRASTING NOSING
- F = 2" X 4" MILL ALUM. INTERLOCK HAUFSTEP - DECK W/ RISER
- G = 2" X 4" MILL ALUM. INTERLOCK HAUFSTEP - NOSE W/ RISER
- H = 2" X 4" MILL ALUM. INTERLOCK HAUFSTEP - NOSE W/ RISER
- I = 2" X 4" MILL ALUM. INTERLOCK HAUFSTEP - NOSE W/ RISER
- J = 2" X 4" MILL ALUM. INTERLOCK HAUFSTEP - NOSE W/ RISER
- K = 2" X 4" MILL ALUM. INTERLOCK HAUFSTEP - NOSE W/ RISER
- L = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- M = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- N = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- O = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- P = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- Q = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- R = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- S = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- T = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- U = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- V = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- W = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- X = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- Y = 1" X 12 1/2" ANODIZED ALUMINUM RISER
- Z = 1" X 12 1/2" ANODIZED ALUMINUM RISER



NO.	DATE	DESCRIPTION
1	11/12/07	ISSUE FOR PERMITS
2	06/20/23	ISSUE FOR CONSTRUCTION

SIDE VIEW
PROPOSED 5 ROW TO 8 ROW BLEACHERS
SAINT MARY'S COLLEGE HIGH SCHOOL
ALBANY, CALIFORNIA

NOT FOR CONSTRUCTION

Southern
BLEACHER COMPANY

PO Box One, Graham, Texas 76401
181 Park Street
Phone: 940/549-4723 Fax: 940/549-1365

ENGINEER 1346

DETAIL NUMBER
SHEET SHOWN ON
SHEET CUT FROM

THIS DRAWING AND ALL INFORMATION HEREON IS THE PROPERTY OF THE SOUTHERN BLEACHER COMPANY, AND IS CONFIDENTIAL AND NOT TO BE REPRODUCED OR COPIED. THIS DRAWING IS LOANED SUBJECT TO RETURN UPON DEMAND AND IS NOT TO BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO OUR INTERESTS.

ATTACHMENT E-1

