PUBLIC REVIEW DRAFT

UNIVERSITY VILLAGE AT SAN PABLO AVENUE PROJECT ENVIRONMENTAL IMPACT REPORT

STATE CLEARINGHOUSE NO. 2008042004

LSA

July 2009

PUBLIC REVIEW DRAFT

UNIVERSITY VILLAGE AT SAN PABLO AVENUE PROJECT ENVIRONMENTAL IMPACT REPORT

STATE CLEARINGHOUSE NO. 2008042004

Submitted to:

City of Albany
979 San Pablo Avenue
Albany, CA 94706

Prepared by:

LSA Associates, Inc.
2215 Fifth Street
Berkeley, CA 94710
510.540.7331

LSA

July 2009

TABLE OF CONTENTS

I. INTRODUCTION 1
- A. PURPOSE OF THIS EIR 1
- B. PROPOSED PROJECT 1
- C. PROJECT BACKGROUND 1
- D. EIR SCOPE 2
- E. REPORT ORGANIZATION 3

II. SUMMARY 5
- A. PROJECT UNDER REVIEW 5
- B. SUMMARY OF IMPACTS AND MITIGATION MEASURES 5
- C. SUMMARY TABLE 7

III. PROJECT DESCRIPTION 31
- A. PROJECT BACKGROUND 31
- B. PROJECT SITE 35
- C. PROJECT OBJECTIVES 38
- D. PROPOSED PROJECT 38
- E. USES OF THIS EIR 46

IV. SETTING, IMPACTS AND MITIGATION MEASURES 47
- A. TRANSPORTATION, CIRCULATION AND PARKING 49
- B. AIR QUALITY 129
- C. GLOBAL CLIMATE CHANGE 151
- D. NOISE 173
- E. BIOLOGICAL RESOURCES 191
- F. HYDROLOGY AND WATER QUALITY 211

V. ALTERNATIVES 227
- A. NO PROJECT ALTERNATIVE 227
- B. EXISTING ZONING ALTERNATIVE 229
- C. REDUCED RESIDENTIAL ALTERNATIVE 232
- D. ENVIRONMENTALLY SUPERIOR ALTERNATIVE 233

VI. CEQA-REQUIRED ASSESSMENT CONCLUSIONS 235
- A. EFFECTS FOUND NOT TO BE SIGNIFICANT 235
- B. GROWTH-INDUCING IMPACTS 239
- C. UNAVOIDABLE SIGNIFICANT ENVIRONMENTAL IMPACTS 240
- D. SIGNIFICANT IRREVERSIBLE CHANGES 240
- E. CUMULATIVE IMPACTS 241

VII. REPORT PREPARATION 245
- A. REPORT PREPARATION 245
- B. PRIMARY CITY CONTACTS 246
- C. REFERENCES 246
- D. COMMUNICATIONS 251

APPENDICES

Appendix A: Notice of Preparation, Comment Letters and Initial Study/Environmental Checklist
Appendix B: Traffic Data
Appendix C: Air Quality Data
Appendix D: Global Climate Change
Appendix E: Noise Data
Appendix F: Arborist Report

FIGURES

Figure III-1: Project Vicinity and Regional Location 32
Figure III-2: Phased Steps of 2004 Master Plan Construction 33
Figure III-3: Conceptual Site Plan 39
Figure III-4: Conceptual Elevations of Whole Foods Market and Creekside Retail 41
Figure III-5: Conceptual Modeling of Block B Building 42

Figure IV.A-1: Project Vicinity and Study Intersection Locations 50
Figure IV.A-2: Existing Pedestrian Facilities Near Project Site 55
Figure IV.A-3: Existing Pedestrian and Bicycle Intersection Volumes 57
Figure IV.A-4: Existing and Proposed Bicycle Facilities 59
Figure IV.A-5: Existing Transit Routes Near Project Site 63
Figure IV.A-6: Existing Parking Supply and Restrictions 64
Figure IV.A-7a: Existing (2008) Peak Hour Intersection Volumes 68
Figure IV.A-7b: Existing (2008) Saturday Peak Hour Intersection Volumes 69
Figure IV.A-8: Existing Traffic Controls and Lane Configurations 70
Figure IV.A-9a: Near-Term (2015) No Project Peak Hour Intersection Volumes 76
Figure IV.A-9b: Near-Term (2015) No Project Saturday Peak Hour Intersection Volumes 77
Figure IV.A-10a: Cumulative (2035) No Project Peak Hour Intersection Volumes 78
Figure IV.A-10b: Cumulative (2035) No Project Saturday Peak Hour Intersection Volumes 79
Figure IV.A-11: Project Trip Distribution 91
Figure IV.A-12a: Existing (2008) Plus Project Peak Hour Intersection Volumes 92
Figure IV.A-12b: Existing (2008) Plus Project Saturday Peak Hour Intersection Volumes 93
Figure IV.A-13a: Near Term (2015) Plus Project Peak Hour Intersection Volumes 99
Figure IV.A-13b: Near Term (2015) Plus Project Saturday Peak Hour Intersection Volumes 100
Figure IV.A-14a: Cumulative (2035) Plus Project Peak Hour Intersection Volumes 102
Figure IV.A-14b: Cumulative (2035) Plus Project Saturday Peak Hour Intersection Volumes 103
Figure IV.A-15: Site Plan Improvement Recommendations 115
Figure IV.A-16a: Conceptual Crossing Options on San Pablo Avenue at Dartmouth Street 119
Figure IV.A-16b: Conceptual Crossing Options on San Pablo Avenue at Dartmouth Street 120

Figure IV.D-1: Noise Monitoring Locations Map 181

Figure IV.E-1: Vegetation Cover and Streams 195

TABLES

Table II-1: Summary of Impacts and Mitigation Measures 8

Table III-1: Required Permits and Approvals 46

Table IV.A-1: Signalized Intersection Level of Service Definitions 52
Table IV.A-2: Unsignalized Intersection Level of Service Definitions 52
Table IV.A-3: AC Transit Service Summary 65
Table IV.A-4: AC Transit Loads, Boardings and Alightings (Average Weekday) 66
Table IV.A-5: Existing Conditions Peak Hour Intersection Level of Service 70
Table IV.A-5: Existing Conditions Peak Hour Intersection Level of Service 71
Table IV.A-6 Existing Peak Hour Signal Warrant Analysis 72
Table IV.A-7: Near-Term (2015) Conditions Peak Hour Intersection Level of Service 79
Table IV.A-7: Near-Term (2015) Conditions Peak Hour Intersection Level of Service 80
Table IV.A-8 Near-Term (2015) Conditions Peak Hour Signal Warrant Analysis 81
Table IV.A-9: Cumulative (2035) Conditions Peak Hour Intersection Level of Service 82
Table IV.A-10 Cumulative (2035) Conditions Peak Hour Signal Warrant Analysis 83
Table IV.A-11: Project Trip Generation Estimates 89
Table IV.A-12: Whole Foods Market Mode Choice Summary 90
Table IV.A-13: Existing Plus Project Conditions Peak Hour Intersection Level of Service 93
Table IV.A-13: Existing Plus Project Conditions Peak Hour Intersection Level of Service 94
Table IV.A-14: Impacted Intersection 95
Table IV.A-15: Existing Plus Project Conditions Peak Hour Signal Warrant Analysis 96
Table IV.A-16: CMP Designated System Impact Analysis – 2015 AM 107
Table IV.A-17: CMP Designated System Impact Analysis – 2015 PM 108
Table IV.A-18: CMP Designated System Impact Analysis – 2035 AM 109
Table IV.A-19: CMP Designated System Impact Analysis – 2035 PM 110
Table IV.A-20: Peak Hour Intersection Level of Service under Option 2 (Signalize Dartmouth Street/San Pablo Avenue intersection) 122
Table IV.A-21: Queuing under Option 2 (Signalize Dartmouth Street/San Pablo Avenue intersection) 122
Table IV.A-22: Estimated Project Transit Ridership 123
Table IV.A-23: Travel Times along San Pablo Avenue (With and Without Project) 123
Table IV.A-24: Project Parking Demand Estimate 125

Table IV.B-1: State and Federal Ambient Air Quality Standards 130
Table IV.B-2: Health Effects of Air Pollutants 131
Table IV.B-3: Bay Area Attainment Status 134
Table IV.B-4: Ambient Air Quality at the Sixth Street, Berkeley Monitoring Station 137
Table IV.B-5: CO Concentrations for Existing No Project and Existing Plus Project Conditions (Year 2008) 141
Table IV.B-6: CO Concentrations for Near-Term (2015) No Project and Project Conditions 142
Table IV.B-7: CO Concentrations for Cumulative (2035) No Project and Project Conditions 144
Table IV.B-8: Project Regional Emissions in Pounds per Day 145

Table IV.B-9: Project Construction Emissions in Pounds per Day 147

Table IV.C-1: Global Warming Potential of Greenhouse Gases 153
Table IV.C-2: University Village at San Pablo Avenue Project Greenhouse Gas Emissions . 167
Table IV.C-3: Project Compliance with Greenhouse Gas Emission Reduction Strategies 168

Table IV.D-1: Definitions of Acoustical Terms..... 175
Table IV.D-2: Typical A-Weighted Sound Levels 175
Table IV.D-3: Summary of EPA Noise Levels..... 176
Table IV.D-4: Summary of Human Effects in Areas Exposed to 55 dBA L_{dn} 177
Table IV.D-5: City of Albany Exterior and Interior Noise Exposure Standards for Receiving Land Use 179
Table IV.D-6: Short-Term Ambient Noise Monitoring Results, dBA, October 9, 2008..... 179
Table IV.D-7: Meteorological Conditions During Ambient Noise Monitoring 179
Table IV.D-8: Existing Traffic Noise Levels..... 180
Table IV.D-9: Typical Construction Equipment Maximum Noise Levels, L_{max} 185
Table IV.D-10: Existing Plus Project Traffic Noise Levels..... 188
Table IV.D-11: Cumulative (2035) without Project Traffic Noise Levels 188
Table IV.D-12: Cumulative (2035) Plus Project Traffic Noise Levels..... 189

Table IV.E-1: Special Status Species Potentially Occurring in the University Village Project Area 200

Table V-1: Existing Zoning Alternative Trip Generation Estimates 231

Table VI-1: Cumulative Projects..... 242