

CITY OF ALBANY
PLANNING AND ZONING AGENDA
STAFF REPORT

(No text change from March 9, 2010 staff report)

Agenda date: March 9 23, 2010
Prepared by: JB

ITEM/ ~~6d~~ 6b

SUBJECT: **Planning Application 10-006. Design Review. Parking Exception.**
The applicant is requesting Design Review approval to allow a 1,000 square foot two-story addition to the rear of the home. A parking exception to allow one off-street parking space in the front yard also is required.

SITE: **1111 Ordway Street**

**APPLICANT/
OWNER:** **Pam Tellew & Eric Fuller**

ZONING: **R-1 (Single-Family Residential)**

STAFF RECOMMENDATION

Staff recommends that the Planning and Zoning Commission approve the Design Review and Parking Exception, subject to the attached conditions of approval.

BACKGROUND/PROJECT DESCRIPTION

The subject property is a 7,519 square foot lot with a 1,207 square foot single-family home. The applicant is requesting Design Review approval to allow a 1,000 square foot two-story addition to the rear of the home. The maximum height of the home will increase from approximately 17 feet in height to approximately 24 feet. The home will maintain the existing style of home, with stucco walls and front gabled roof on the addition. One off-street parking is provided in the existing garage in the front yard setback. Approval of a parking exception for the second required parking space is required.

ENVIRONMENTAL ANALYSIS

Staff has determined that the proposed project is categorically exempt from the requirements of CEQA per Section 15303, "New Construction or Conversion of Small Structures" of the CEQA Guidelines, which exempts small additions.

DISCUSSION OF KEY ISSUES

Design Review

The existing home is a one-story stucco with a low-slope cross-gabled roof on a down-sloping lot. The most prominent feature of the home is a single car garage built into the slope in the front property.

The proposed design involves remodeling the rear of the home and adding a second story. The addition is designed with a front gabled roof and would be finished with stucco to match the existing home. A series of divided-light double-hung windows are proposed on all three sides of the proposed addition. The design does not involve any change to the front elevation of the home.

Attached is an email from the neighbor at 1113 Ordway expressing support for the proposal but noting implications on privacy. Neighbors at 1109 Ordway also contacted City staff with questions regarding the amount of grading required and the height of the proposed addition. The Commission may wish to consider whether use of dormers would be appropriate in this case, as suggested by the City's residential design guidelines.

It should be noted that the floor area ratio is low because of the extraordinarily large rear yard. If the same home were constructed on a standard 35' by 100' lot, the FAR would be 63%.

Parking

The existing garage has dimensions of 17'-6" by 11', and thus is adequate for a single vehicle. No change to the garage is proposed. Due to the slope of the lot, with a ten foot change in grade from the property line to the front door, it is not feasible to add off street parking without significant grading and loss of the juniper tree in the front yard. The site survey indicates that a small portion of the garage is within the public right-of-way. As a result, staff administratively will issue an encroachment permit to allow the existing condition, per the City's standard procedures.

Attachments:

1. Analysis of Zoning Requirements
2. Findings and Conditions of Approval
3. Project Application & Plans
4. Email from Kate Toran dated March 4, 2010

ATTACHMENT 1 - ANALYSIS OF COMPLIANCE WITH ZONING REQUIREMENTS

20.12 Zoning Districts and Permitted Uses

General Plan: Low Density Residential
Zoning: R-1 - Single-Family Residential

20.16 Land Use Classifications

Single family residential

Surrounding Property Use North - SFR East - St. Mary's College High School
South - SFR West - SFR

20.20.080 Secondary Residential Units.

Not applicable.

20.24.020 Table of Site Regulations by District.

	Existing (approx.)	Proposed Construction (approx.)	Requirement
Setbacks			
Front (west)	28' (garage 0')	No change	15'
Side (north)	4'1"	No change	3'6"
Side (south)	3'7"	No change	3'6"
Rear (east)	137'	128'	20'
Area			
Lot Size	7,519	No change	--
Lot Coverage	16%	22%	50%
Maximum Height	17'6"	24'	28' max.

20.24.030 Overlay District Regulations.

Not applicable.

20.24.040 Hillside Residential Regulations.

Not applicable.

20.24.050 Floor-Area-Ratio.

	Existing (approx.)	Proposed	Requirement
Lot Size	7,519	No change	--
Floor Area			
Garage	193	193	--
First-floor	1,207	1,457	--
Second-floor		750	
Shed	259	259	
Total	1,659	2,659	--
Total Counted	1,466	2,466	--
Floor Area Ratio	19%	33%	55%

* ___ sq. ft. exempted from "total counted" as permitted by MC 20.24.050 for enclosed stairs.

20.24.060 Setback Areas, Encroachments.

Not applicable.

20.24.100 Distances between Structures.

Not applicable.

20.24.110 Fences, Landscaping, Screening.

Not applicable.

20.24.130 Accessory Buildings.

Not applicable.

20.28 Off-Street Parking Requirement.

See Summary of Key Issues.

20.40 Housing Provisions

Not applicable.

20.44 Non-conforming Uses, Structures and Lot

Not applicable.

20.48 Removal of Trees

Not applicable.

20.52 Flood Damage Prevention Regulations

Not applicable.

20.100.030 Use Permits.

Not applicable.

20.100.040 Variances.

Not applicable.

20.100.010 Common Permit Procedures.

Public notice of this application was mailed on February 26, 2010, in the form of mailed notice, to property owners and occupants within a 100-foot radius, and posted in three locations.

20.100.050 Design Review.

See Summary of Key Issues.

ATTACHMENT - 2

FINDINGS AND CONDITIONS OF APPROVAL

Findings for Design Review approval (Per section 20.100.050.E of the AMC)

<i>Required Finding</i>	<i>Explanation</i>
1. <i>The project conforms to the General Plan, any applicable specific plan, applicable design guidelines adopted by the City of Albany, and all applicable provisions of this Chapter.</i>	The General Plan designates this area for residential development. Additionally, the project meets City zoning standards for location, intensity and type of development.
2. <i>Approval of project design is consistent with the purpose and intent of this section, which states "designs of projects...will result in improvements that are visually and functionally appropriate to their site conditions and harmonious with their surroundings, including natural landforms and vegetation. Additional purposes of design review include (but are not limited to): that retention and maintenance of existing buildings and landscape features are considered; and that site access and vehicular parking are sufficient."</i>	The proposal is in scale and harmony with existing development in the vicinity of the site. The architectural style, design and building materials are consistent with the existing dwelling and with the City's Residential Design Guidelines. The proposed project will provide safe and convenient access to the property for both vehicles and pedestrians.
3. <i>Approval of the project is in the interest of public health, safety and general welfare.</i>	The proposed project will not be detrimental to the health, safety, convenience and welfare of those in the area and would not adversely impact property, improvements or potential future development in the area.
4. <i>The project is in substantial compliance with applicable general and specific Standards for Review stated in Subsection 20.100.050.D.</i>	The project as designed is in substantial compliance with the standards as stated, including access, architecture, natural features, coordination of design details, retention and maintenance of buildings, and privacy.

Findings for Parking Exceptions (Per section 20.28.040.A.2 of the AMC)

<i>Required Finding</i>	<i>Explanation</i>
1. <i>Required spaces cannot be located in front or side yards.</i>	The lot has a sloping topography and narrow side yard setbacks, which does not allow entry to the side and rear yards without extensive grading.
2. <i>Space is not available to provide required parking facilities without</i>	The applicant would have to reduce the footprint of the house and complete an

<i>undue hardship.</i>	extensive amount of grading to allow access to the rear yard for parking. This is exceeding difficult and an "undue hardship."
3. <i>Provision of required parking spaces would be disruptive to landmark trees or would severely restrict private outdoor living space on the site.</i>	Not applicable.
4. <i>Creation of new off-street spaces would require the elimination of an equivalent or higher number of on-street parking spaces.</i>	Creation of a second front yard parking space would require a curb-cut, which would reduce on-street parking by an equivalent amount.
5. <i>The proposed reduction in parking requirements is appropriate to the total size of the dwelling unit upon completion of the proposed addition.</i>	The home will remain a single-family home and the existing garage will remain open and functional for cars to utilize for parking.

CONDITIONS OF APPROVAL

GENERAL PROJECT CONDITIONS

- Gen-1 **Project Approval.** This Design Review approval is for Pam Tellew & Eric Fuller, as substantially shown and described on the project plans, except as may be modified by conditions herein. Plans include plans prepared by Bob Theis, date received February 1, 2010, as presented to the Planning and Zoning Commission on March 9, 2010. For any condition herein that requires preparation of a Final Plan where the project developer has submitted a conceptual plan, the project developer shall submit final plan(s) in substantial conformance with the conceptual plan, but incorporate the modifications required by the conditions herein for approval by the City.
- Gen-2 **Project Approval Expiration.** This Design Review approval expire on March 23, 2011 (one year from the date on which this approval becomes effective) or at an alternate time specified as a condition of approval, unless a building permit has been issued and construction diligently pursued; a certificate of occupancy has been issued; the use is established; the use permit, variance or design review approval is renewed]. The approval may be renewed by the Community Development Director for a period up to an additional two (2) years, provided that, at least ten (10) days before expiration of one (1) year from the date when the approval becomes effective, an application for renewal of the approval is filed with the Community Development Department. The Community Development Director may grant a renewal of an approval where there is no change in the original application, or there is no request to change any condition of approval.
- Gen-3 **Fees.** The applicant shall pay any and all City and other related fees applicable to the property, as may be modified by conditions herein. Fees shall be based on the current fee structure in effect at the time the relevant permits are secured, and shall be paid before issuance of said permit or before any City Council final action approval. Notice shall be taken specifically of Plan Check, Engineering, Fire and Inspection Fees. The project developer shall also reimburse the City for direct costs of planning; building and engineering plan check and inspection, as mutually agreed between the City and developer.
- Gen-4 **Appeals.** The Albany Municipal Code provides that any action of the Planning staff may be appealed to the Planning and Zoning Commission, and any action of the Planning and Zoning Commission may be appealed to the City Council as per the procedures described in Section 20.100.080. The City Clerk will then schedule the matter for the next available City Council meeting.
- Gen-5 **Requirement for Building Permit.** Approval granted by the Planning and Zoning Commission does not constitute a building permit or authorization to begin any construction or demolish an existing structure. An appropriate permit issued by the Community Development Department must be obtained before

constructing, enlarging, moving, converting, or demolishing any building or structure within the City.

- Gen-6 **Fire Department Approval.** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Albany Fire Department have, or will be, met to the satisfaction of the AFD.
- Gen-7 **Engineering Approval.** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Public Works Department have, or will be, met to the satisfaction of the City Engineer.
- Gen-8 **Construction Hours.** Construction activity shall be restricted to the hours of 8:00 a.m. to 6:00 p.m. Mondays through Saturdays, and 10:00 a.m. to 6:00 p.m., Sundays and legal holidays, unless otherwise approved in writing by the City Engineer for general construction activity. Failure to comply with construction hours may result in stop work orders or other administrative actions.
- Gen-9 **Archeological Remains.** In the event subsurface archeological remains are discovered during any construction or preconstruction activities on the site, all land alteration work within 100 feet of the find shall be halted, the Community Development Department notified, and a professional archeologist, certified by the Society of California Archeology and/or the Society of Professional Archeology, shall be notified. Site work in this area shall not occur until the archeologist has had an opportunity to evaluate the significance of the find and to outline appropriate mitigation measures, if deemed necessary. If prehistoric archeological deposits are discovered during development of the site, local Native American organizations shall be consulted and involved in making resource management decisions.
- Gen-10 **Modifications to Approved Plans.** The project shall be constructed as approved. Planning staff may approve minor modifications in the project design, but not the permitted land use (per Albany Municipal Code 20.12). A change in an item requiring discretionary approval and any other changes deemed appropriate by the Planning staff shall require further Planning and Zoning Commission approval through the Design Review process.
- Gen-11 **Hold Harmless Agreement.** Pursuant to Government Code Section 66474.9, the applicant (including any agent thereof) shall defend, indemnify, and hold harmless, the City of Albany and its agents, officers and employees, from any claim, action, or proceeding against the City or its agents, officers or employees to attack, set aside, void, or annul the City's approval concerning this application, which action is brought within the time period provide for in Section 66499.37. The City will promptly notify the applicant of any such claim action or proceeding and cooperate fully in the defense.
- Gen-12 **Public Improvements Standards.** Public improvements shall be designed and constructed in accordance with the City's Standard Specifications and Standard Details, unless specifically waived in writing by the City Engineer.

- Gen-13 **Title 24 Standards.** All construction shall be designed and built in accordance with California Title 24 handicap accessibility standards. Appropriate details and specifications shall be incorporated into the plans and submitted at time of building permit application.
- Gen-14 **Energy Conservation Standards.** All buildings shall be designed in accordance with the State of California energy conservation standards for residential buildings. The necessary plans and documentation shall be submitted at time of building permit application.
- GEN-15 **Indemnity.** By accepting the permit or approval, applicant agrees to accept responsibility for defending against any third party challenge to the grant of this permit or approval. Except as provided by federal or state law, the applicant shall defend, indemnify and hold the City harmless from any costs, claims, penalties, fines, judgments or liabilities arising from the approval, including without limitation, any award or attorney's fees that might result from the third party challenge. Upon the occurrence of a challenge, or prior to a challenge, the City may require the applicant to execute an indemnity agreement and provide such security as the City may reasonably require.

For this purposes of this indemnity, the term "City" shall include the City of Albany, its officers, officials, employees, agents and representatives. For purposes of this indemnity, the term "challenge" means any legal or administrative action to dispute, contest, attack, set aside, limit, or modify the approval, project conditions, or any act upon which the approval is based, including any action alleging a failure to comply with the California Environmental Quality Act or other laws.

For this permit or approval to become effective, the applicant must, within thirty business days of the grant of the permit or approval, execute a form accepting the permit or approval with all conditions. Upon executing the form, the applicant may not challenge the imposition of any condition, except as otherwise provided by law.

ARCHITECTURAL CONDITIONS

- Arch-1 **Material Samples.** Samples of final exterior materials and the proposed color palette shall be submitted for review and approval by the Community Development Department as part of building permit application.
- Arch-2 **Final Architectural Drawings.** The applicant shall submit final architectural elevations, details and revisions for the review and approval of the Community Development Department as part of building permit application.
- Arch-3 **Window Recess.** All new windows shall be recessed two inches from face of building to provide adequate shade and shadow and to promote visual relief. Final window details shall be submitted for review and approval at the time of building permit application.

Arch-4 **Non-Reflective Glazing.** Any glazing material shall be non-reflective.

LIGHTING CONDITIONS

Lght-1 **Exterior Lighting.** All exterior lighting shall be installed in such a manner that glare is directed away from surrounding properties and rights-of-way. If required, exterior light fixtures shall be equipped with "cut off" lenses to minimize light and glare spill over onto adjacent properties.

Lght-2 **Shielding of Lighting.** Prior to the certificate of occupancy, all accent lighting shall be directed downward and, if necessary, fixed with cut-off lenses to ensure that no glare spills onto neighboring properties.

LANDSCAPING CONDITIONS

Lndsc-1 **Street Tree Requirement.** The applicant shall apply for one street tree before the issuance of the building permit. The City's Environmental Resource Assistance will determine the type and location of the tree and may waive this requirement if site conditions will not reasonably support establishment of a new tree.

PUBLIC WORKS DEPARTMENT CONDITIONS

General Engineering Conditions

Engr-1 **Backflow Device.** Any required water service for fire protection purposes shall be equipped with a City approved backflow device. Services for irrigation purposes also require a separate City approved backflow prevention device.

GRADING CONDITIONS

Grad-1 **Grading Permit.** Any grading required in association with the project shall require a grading permit from the Community Development Department. To obtain this permit, the applicant shall submit a grading plan, indicating the extent and volumes of earth proposed to be moved. A grading permit is subject to 2001 California Building, Appendix 33.

Grad-2 **Demolition Permit.** Site demolition shall not occur until construction permits are issued for the development project. All demolition shall be in accordance with permits issued by the City and Bay Area Air Quality Management District (BAAQMD).

Grad-3 **Water on Site.** The site shall be graded so as to prevent rainfall runoff originating from improved areas on the project site from crossing onto adjoining private property. Building floor elevations shall be above the FEMA-mapped 100-year flood plain as established by a licensed civil engineer. Provide the elevation and compaction certificates during and upon the completion of grading required by the California Building Code and in conformance with the recommendations of the geotechnical engineer's report. Shore and dewater all

excavations in accordance with the requirements of the geotechnical engineer's report.

- Grad-4 **Flooding Damages.** The project developer shall execute an assumption of risk, indemnification and hold harmless agreement as required by the City. The agreement, in substance, shall state that the project developer, and any successor in interest, shall assume all risk for damages to the project and to project improvements, flooding caused by surface water intrusion, stormwater runoff, or water under the ground surface pressing on or flowing or seeping through foundations, walls, floors, or paved surfaces, basements, whether paved or not, or windows, doors or other openings, and shall indemnify and hold the City harmless from any claims of such damages, including third-party claims, of such damage or of such damages or of damages arising from rainfall runoff which is not prevented from leaving the project site in violation of Condition GRAD-3.
- Grad-5 **Dust Control Program.** A dust control program shall be prepared by the project developer and approved by the Community Development Department and City Engineer before issuance of a grading permit. The dust control plan shall address such items as covering stockpiled material, frequent watering of graded areas, revegetating graded areas, speed limits for grading equipment and similar items.
- Grad-6 **Stormwater Pollution Prevention Plan.** The project developer shall submit a Stormwater Pollution Prevention Plan (SWPPP) for review by the City before the issuance of a building or grading and/or building permit. The SWPPP shall be consistent with standards adopted by the Regional Water Quality Control Board and the City of Albany Clean Water Program and implemented by the project general contractor, all subcontractors and suppliers of material and equipment. Construction site cleanup and control of construction shall also be addressed in the SWPPP. The project developer shall be responsible for SWPPP compliance. A copy of the SWPPP shall be kept at the construction site at all times.

INFRASTRUCTURE CONDITIONS

- Infr-1 **Sewer System Requirements.** The sewer system for the subject building shall comply with Chapter 15 of the Albany Municipal Code and to the satisfaction of the City Engineer before Final Inspection approval of the construction permit.
- Infr-2 **Two-Way Cleanout.** Installation of a two-way curbside cleanout shall be required per Chapter 15 of the Albany City Code. This applies to all properties, including properties with a valid upper sewer lateral certificate of compliance. All 2-way curbside clean outs shall be fitted with a loose cap in accordance with the City's standard detail SS6.
- Infr-3 **Property Run-off Requirements.** All runoff from impervious surfaces shall be intercepted at the project boundary and shall be collected and conducted via an approved drainage system through the project site to an approved storm drain facility, as determined by the City Engineer. Development that contributes additional water to the existing drainage system shall be required to complete a hydraulic study and make improvements to the system as required to

accommodate the expected ultimate peak water flow and to stabilize erosive banks that could be impacted by additional storm water flow.

Infr-4 **Roof Drainage.** Roof drainage from the structure shall be collected via a closed pipe and conveyed to an approved storm drain system off the street curb. No concentrated drainage of surface flow across sidewalks shall be permitted. Alternative natural treatment measures are subject review and approval by the City Engineer.

Infr-5 **Completion of Off-Site Improvements.** Off-site improvements, as required by the City Engineer, shall be complete before issuance of a Certificate of Occupancy unless alternatives are approved in writing by the Albany City Engineer.

PUBLIC IMPROVEMENTS CONDITIONS

Pubim-1 **Encroachment Permit.** The applicant shall obtain an encroachment permit from the Engineering Division before commencing any construction activities within any public right-of-way or easement.

Pubim-2 **Debris Removal.** All mud, dirt or construction debris carried off the construction site onto adjacent streets shall be removed each day. No materials shall be discharged onto a sidewalk, street, gutter, storm drain or creek.

Pubim-3 **Damage to Street Improvements.** Any damage to street improvements now existing or done during construction on or adjacent to the subject property, shall be repaired to the satisfaction of the City Engineer at the full expense of the applicant. This shall include sidewalk repair, slurry seal, street reconstruction or others, as may be required by the City Engineer.

Pubim-4 **Right-of-Way Construction Standards.** All improvements within the public right-of-way, including curb, gutter, sidewalks, driveways, paving and utilities, shall be reconstructed in accordance with approved standards and/or plans and shall comply with the standard plans and specification of the Community Development Department and Chapter 14 of the City Code.

FIRE DEPARTMENT CONDITIONS

Fire-1 **Construction of 1,500 Square Feet or Greater.** 1500 sq. ft. or more or any addition, remodel, rehabilitation, etc. is 50% of the existing sq. ft.:

- a) This dwelling will be required install an Automatic Fire Extinguishing System throughout the entire dwelling. Ordinance No. 94-010, Albany Municipal Code, Chapter 11, Section 11-2.3a(3)(a).
- b) Plans, information sheets on all sprinkler components and hydraulic calculations are required.
- c) A 110-volt interconnected smoke alarm system with a 10-year lithium battery back-up is acceptable with a fire suppression system.

- Fire-2 **Fire Rated Construction.** Any portion of a building five (5) feet or less from the property line shall comply with fire-rating requirements of the CBC.
- Fire-3 **Gallons-per-Minute Requirement.** The water system for fire protection shall comply with City of Albany Fire Department standards. Fire flow test data and water system plans must be provided at time of building plan check. The plans must include all equipment, components and layout of the system. Private fire protection water systems shall be supplied through an approved backflow device per City Engineering Division standards.

STRUCTURAL CONTROL MEASURES

- Struc-1 **Illegal Dumping to Storm Drain Inlets and Waterways.** On-site storm drain inlets shall be clearly marked with the words "No Dumping! Flows to Bay," or equivalent, using methods approved by the City of Albany.
- Struc-2 **Pesticide/Fertilizer Application** Landscaping shall be designed to minimize irrigation and runoff, promote surface infiltration where appropriate, and minimize the use of fertilizers and pesticides that can contribute to stormwater pollution. If a landscaping plan is required as part of a development project application, the plan shall meet the following conditions related to reduction of pesticide use on the project site:
- a) Where feasible, landscaping shall be designed and operated to treat stormwater runoff by incorporating elements that collect, detain, and infiltrate runoff. In areas that provide detention of water, plants that are tolerant of saturated soil conditions and prolonged exposure to water shall be specified.
 - b) Plant materials selected shall be appropriate to site specific characteristics such as soil type, topography, climate, amount and timing of sunlight, prevailing winds, rainfall, air movement, patterns of land use, ecological consistency and plant interactions to ensure successful establishment.
 - c) Existing native trees, shrubs, and ground cover shall be retained and incorporated into the landscape plan to the maximum extent practicable.
 - d) Proper maintenance of landscaping, with minimal pesticide use, shall be the responsibility of the property owner.

OPERATIONAL BEST MANAGEMENT PRACTICES (BMPS)

- Bmp-Gen1 **Stormwater Pollution Prevention Control Measures.** The project plans shall include stormwater pollution prevention and control measures for the operation and maintenance of the project during and after construction for the review and approval of the City or County Engineer. The project plan shall identify Best Management Practices (BMPs) appropriate to the uses conducted on-site in order to limit to the maximum extent practicable the entry of pollutants into stormwater runoff.
- Bmp-Gen2 **Erosion Control Measures.** The project plan shall also include erosion control measures to prevent soil, dirt and debris from entering the storm drain system, in accordance with the practices outlined in the ABAG *Erosion and Sediment*

- Bmp-Gen3 Responsibility of Contractors.** The applicant is responsible for ensuring that all contractors and subcontractors are aware of and implement all stormwater quality control measures. Failure to comply with the approved construction BMPs shall result in the issuance of correction notices, citations and/or a project stop order.
- Bmp-1 Paved Sidewalks and Parking Lots.** Sidewalks and parking lots shall be swept regularly to prevent the accumulation of litter and debris. Debris resulting from pressure washing shall be trapped and collected to prevent entry into the storm drain system. Washwater containing any soap, cleaning agent or degreaser shall be collected and discharged to the sanitary sewer and shall not be discharged to a storm drain. The applicant shall contact the City Engineer for specific connection and discharge requirements.
- Bmp-2a Private Streets, Utilities and Common Areas.** The owner of private streets and storm drains shall prepare and implement a plan for street sweeping of paved private roads and cleaning of all storm drain inlets.

GENERAL CONSTRUCTION BEST MANAGEMENT PRACTICES (BMPS)

- Bmp-Cnst1 Construction Access Routes.** Construction access routes shall be limited to those approved by the City Engineer and shall be shown on the approved grading plan.
- Bmp-Cnst2 Collection of Construction Debris.** Gather all construction debris on a regular basis and place them in a dumpster or other container which is emptied or removed on a weekly basis. When appropriate, use tarps on the ground to collect fallen debris or splatters that could contribute to stormwater pollution.
- Bmp-Cnst3 Removal of Waste.** Remove all dirt, gravel, rubbish, refuse and green waste from the sidewalk, street pavement, and storm drain system adjoining the project site. During wet weather, avoid driving vehicles off paved areas and other outdoor work.
- Bmp-Cnst4 Sweeping of Public Right-of-Way.** Broom sweep the sidewalk and public street pavement adjoining the project site on a daily basis. Caked on mud or dirt shall be scraped from these areas before sweeping.
- Bmp-Cnst5 Filter Materials at Storm Drain Inlet.** Install filter materials (such as sandbags, filter fabric, etc.) at the storm drain inlet nearest the downstream side of the project site prior to:
- a) start of the rainy season (October 1);
 - b) site dewatering activities;

- c) street washing activities;
 - d) saw cutting asphalt or concrete; and
 - e) order to retain any debris or dirt flowing into the City storm drain system.
- Filter materials shall be maintained and/or replaced as necessary to ensure effectiveness and prevent street flooding. Dispose of filter particles in the trash.

Bmp-Cnst6 **Containment of Materials.** Create a contained and covered area on the site for the storage of bags of cement, paints, flammables, oils, fertilizers, pesticides, or any other materials used on the project site that have the potential for being discharged to the storm drain system by wind or in the event of a material spill.

Bmp-Cnst7 **Cleaning of Equipment.** Never clean machinery, tools, brushes, etc. or rinse containers into a street, gutter, storm drain or stream. See the *Building Maintenance/Remodeling* flyer for more information.

Bmp-Cnst8 **Minimize Removal of Natural Vegetation.** Minimize removal of natural vegetation or ground cover from the site in order to minimize the potential for erosion and sedimentation problems. Replant the area as soon as possible. All cut and fill slopes shall be stabilized as soon as possible after grading is completed. No site grading shall occur between October 1 and April 15 unless approved erosion and sedimentation control measures are in place.

Appeals: The Albany Municipal Code provides that any action of the Planning and Zoning Commission may be appealed to the City Council, if such appeal is filed within 14 days of the date of the action. Appeals may be filed in the Community Development Department by completing the required form and paying the required fee. The City Clerk will then schedule the matter for the next available City Council meeting.

Planning Application #: 10-006

Date Received: 2/1/10
 Fee Paid: 2653.50
 Receipt #: 161876



City of Albany



PLANNING APPLICATION FORM FOR DESIGN REVIEW AND CONDITIONAL USE PERMITS FOR SINGLE-FAMILY RESIDENTIAL PROJECTS

For PLANNING & ZONING COMMISSION action:	
<input checked="" type="checkbox"/> Design Review** - residential additions or exterior modifications.	\$1784* / Admin. \$639*
<input checked="" type="checkbox"/> Parking Exceptions/Reductions** - see separate handout	\$Actual Cost/Min \$1784*
<input type="checkbox"/> Conditional Use Permit** - Non-Conforming Wall(s)	\$1784*

* When obtaining more than one planning approval, the full amount for the highest fee will apply and 1/2 fee will be charged for any other ones.
 ** General Plan Update Fee \$45 included in the fees above. This fee only need to be paid once for each separately submitted application.

The City of Albany Municipal Code has certain requirements for approving Design Review of additions to Single Family Residences. Please complete the following application to initiate the process. Please be aware that staff may have additional questions for you based on your responses. You should anticipate that planning staff and/or Planning and Zoning Commissioners will visit your site prior to your Planning and Zoning Commission meeting.

Job Site Address: <u>1111 Ordway Street</u>		Zone: <u>(R1)</u> R2 R3 R4 Other overlays:
Property Owner(s) Name: <u>Pamela J. Tellew</u> <u>Eric A. Fuller</u>	Phone: <u>510-527-1119</u> Fax: <u>510-367-6805</u> <u>510-524-9406</u>	Email: <u>pamtellew@lmi.net</u>
Mailing Address: <u>1111 Ordway Street</u>	City: <u>Albany</u>	State/Zip: <u>CA 94706</u>
Applicant(s) Name (contact person): <u>Pam Tellew</u>	Phone: <u>510-367-6805</u> Fax: <u>510-524-9406</u>	Email: <u>pamtellew@lmi.net</u>
Mailing Address: <u>same</u>	City:	State/Zip:

GENERAL INFORMATION (Please fill out this Chart - existing & proposed;)

Item	Required	Existing	Proposed
How big is your lot? Express in square feet.	N/A	7519.4	7519.4
What is the floor area of: your existing residence (see additional handout on how to measure this)		1207	2207
any detached buildings—garage, sheds, etc.		505.5	565.5
How many square feet is your addition?	N/A	N/A	1000
What is the Floor Area Ratio (FAR) ¹ (see additional handout on how to measure this)	55% maximum allowed	16%	29%
What is your lot coverage? ²	N/A	16%	21.8%
What is the amount of impervious surface on the lot?	N/A	1712.5sq	1962.5sq
What is the maximum height of your residence?	28 ft. maximum	16'6"	23'9"
How many dwelling units are on your site?	1 (2 with special permit)	1	1
How many parking spaces do you have in a garage? ³	see note 3 below	1	1
What are the interior dimensions of your garage?	7'6" by 16'	9'6" x 29'	9'6" x 29'
What is the narrowest width of your driveway?	6.5' is the narrowest allowed	8'	8'

PROJECT ADDRESS: 1111 Ordway St.

Item	Required	Existing	Proposed
Setbacks:			
Front yard: What is the minimum distance between the front wall of your house and the front property line?	15 feet minimum	29'	29'
Side yards: What is the shortest distance between a side wall of your house and a side property line?	10% of lot width; min. 3 ft; max. 5 ft. Corner lot 7 ft. 6 in	3.58'	3.58'
Rear Yards: What is the minimum distance between the rear wall of your house and the rear property line?	20 feet minimum	135.5'	126.6'
Hillside District only: What is the slope of your lot?			

Notes:

- 1 Floor Area Ratio (FAR) applies to single family residential development in all zones. It is defined as the ratio between the gross floor area of a building(s) on a lot compared to gross square feet of lot (see FAR Handout).
- 2 Lot Coverage is defined as the land area covered by all structures except uncovered decks, porches, landings, balconies or stairways that are less than 6 feet above grade as well as eaves, trellises and similar structures that do not have solid roofs.
- 3 The Albany Municipal Code requires that every residential unit must have 2 off-street parking spaces. Some exceptions may apply in your situation. See the parking section of the Zoning Ordinance for a complete list of possible exceptions.

(Please use additional sheets to explain any of your responses to the following).

1. Will the construction of the addition require the removal of any mature trees? No
If yes, please describe: _____
2. Are the architecture, materials and colors of the proposed addition consistent with the existing dwelling?
Yes
If yes, please describe how: Match stucco, trim, window style
3. Is the proposed addition sensitive to the size or mass of the surrounding properties? Yes.
If yes, please describe how: Barely visible from street; similar but smaller than neighbor on north; even w/ 2nd story, it's only 7' taller than existing building
4. If you have no garage, where do you park vehicles? _____

Story Poles - For new residential construction and exterior alterations that increase the height, an applicant is required to erect at least two "story poles", a temporary construction for the purpose of visually displaying the outer limits, including the height, of the proposed structural alterations. These poles shall be erected at least ten (10) days prior to the design review meeting, and shall be maintained in place through the date of the meeting.

The signature of the property owner is required for all projects. By executing this form you are affirming that you are the property owner.

[Signature] 2/1/10
Signature of Property Owner Date

Signature of Applicant (if different) Date

Community Development Department staff is available Monday, 8:30 AM to 7:00 PM, Tuesday through Thursday 8:30 AM to 5:00 PM, and Friday 8:30 AM to 12:30 PM at 979 San Pablo Avenue, 2nd Floor, Albany, CA 94706 (510) 528-5760.



City of Albany

Green Building Program Rating System for Remodeling Projects* Supplemental Application Form

*Please obtain other appropriate Green Point Checklist for projects other than Single Family Residential Remodeling Projects

Project Address: 1111 Ordway St.

Checklist Prepared By: _____

Date Prepared: _____

	INPUT	Resources	Energy	IAQ/Health
--	-------	-----------	--------	------------

A. Site

1. Recycle Job Site Construction & Demolition Waste

65% = 1 point; 75% = 2 points; 80% = 4 points

2. Salvage Reusable Building Materials

3. Remodel for Mixed Use, Adaptive Reuse, and Historic Preservation

4. Protect Native Soil

5. Minimize Disruption of Existing Plants & Trees

6. Implement Construction Site Stormwater Practices

7. Protect Water Quality with Landscape Design

8. Design Resource-Efficient Landscapes and Gardens

9. Reuse Materials/Use Recycled Content Materials for Landscape Areas

10. Install High-Efficiency Irrigation Systems

11. Provide for On-Site Water Catchment / Retention

up to 4 Resource pts

4 Resource pts y=yes

4 Resource pts y=yes

2 Resource pts y=yes

1 Resource pt y=yes

2 Resource pts y=yes

2 Resource pts y=yes

4 Resource pts y=yes

2 Resource pts y=yes

2 Resource pts y=yes

2 Resource pts y=yes

4			
1			
2			

B. Foundation

1. Incorporate Recycled Flyash in Concrete

25% Recycled Flyash = 2 points; Add 1 point for every 10% increase of flyash, up to 5 points

2. Use Recycled Content Aggregate

3. Insulate Foundation/Slab before backfill

up to 5 Resource pts

2 Resource pts y=yes

3 Energy pts y=yes

C. Structural Frame

1. Substitute Solid Sawn Lumber with Engineered Lumber

2. Use FSC Certified Wood for framing

(For every 10% of FSC lumber used = 2 points, up to 10)

3. Use Wood I-Joists for Floors and Ceilings

4. Use Web Floor Trusses

5. Design Energy Heels on Trusses 6" or more

6. Use Finger-Jointed Studs for Vertical Applications

7. Use Engineered Studs for Vertical Applications

8. Use Recycled Content Steel Studs for Interior Framing

9. Use Structural Insulated Panels (SIPs)

a. Floors

b. Wall

c. Roof

3 Resource pts y=yes

up to 10 Resource pts.

2 Resource pts y=yes

2 Resource pts y=yes

2 Energy pts y=yes

2 Resource pts y=yes

2 Resource pts y=yes

2 Resource pts y=yes

3 Energy pts y=yes

3 Energy pts y=yes

3 Energy pts y=yes

			INPUT	Resources	Energy	IAQ/Health
10. Apply Advanced Framing Techniques	4 Resource pts	y=yes				
11. Use Reclaimed Lumber for Non Structural Applications	3 Resource pts	y=yes				
12. Use OSB						
a. Subfloors	1 Resource pt	y=yes				
b. Sheathing	1 Resource pt	y=yes				

D. Exterior Finish

1. Use Sustainable Decking Materials						
a. Recycled content	3 Resource pts	y=yes				
b. FSC Certified Wood	3 Resource pts	y=yes				
2. Use Treated Wood That Does Not Contain Chromium/Arsenic	1 IAQ/Health pt	y=yes				
3. Install House Wrap under Siding	1 IAQ/Health pt	y=yes	Y			1
4. Use Fiber-Cement Siding Materials	1 Resource pt	y=yes				

E. Plumbing

1. Install Water Heater Jacket	1 Energy pt	y=yes	Y	1		
2. Insulate Hot and Cold Water Pipes	2 Energy pts	y=yes				
3. Retrofit all Faucets and Showerheads with Flow Reducers						
a. Faucets (1 point each, up to 2 points)	Up to 2 Resource pts.					
b. Showerheads (1 point each, up to 2 points)	Up to 2 Resource pts.		Y	2		
4. Replace Toilets with Ultra-Low Flush Toilets (1 point each, up to 3 points)	Up to 3 Resource pts.					
5. Install Chlorine Filter on Showerhead	1 IAQ/Health pt	y=yes				
6. Convert Gas to Tankless Water Heater	4 Energy pts	y=yes				
7. Install Water Filtration Units at Faucets (2 points each, up to 4 points)	Up to 4 IAQ/Health pts.		Y			2
8. Install On-Demand Hot Water Circulation Pump	4 Resource pts	y=yes				

F. Electrical

1. Install Compact Fluorescent Light Bulbs (CFLs) (6 bulbs=2 points, 10 bulbs=3 points, 12 bulbs = 4 points)	Up to 4 Energy pts.					
2. Install IC-AT Recessed Fixtures with CFLs (1 point each, up to 5 points)	Up to 5 Energy pts.					
3. Install Lighting Controls (1 point per fixture, up to 4 points)	Up to 4 Energy pts.					
4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	Up to 4 Energy pts.					

G. Appliances

1. Install Energy Star Dishwasher	1 Energy pt	y=yes	Y		1	
2. Install Washing Machine with Water and Energy Conservation Features	1 Energy pt	y=yes				
3. Install Energy Star Refrigerator	1 Energy pt	y=yes				
4. Install Built-in Recycling Center	3 Resource pts	y=yes				

H. Insulation

1. Upgrade Insulation to Exceed Title 24 Requirements						
a. Walls	2 Energy pts	y=yes				
b. Ceilings	2 Energy pts	y=yes				

			INPUT	Resources	Energy	IAQ/Health
2. Install Floor Insulation over Crawl Space	4 Energy pts	y=yes				
3. Install Recycled-Content, Fiberglass Insulation with No Added Formaldehyde	3 IAQ/Health pts	y=yes				
4. Use Advanced Infiltration Reduction Practices	2 Energy pts	y=yes				
5. Use Cellulose Insulation						
a. Walls	4 Resource pts	y=yes				
b. Ceilings	4 Resource pts	y=yes				
6. Alternative Insulation Products (Cotton, spray-foam)						
a. Walls	4 Resource pts	y=yes	y	4		
b. Ceilings	4 Resource pts	y=yes	y	4		
I. Windows						
1. Install Energy-Efficient Windows						
a. Double-Paneled	1 Energy pt	y=yes				
b. Low-Emissivity (Low-E)	2 Energy pts	y=yes				
c. Low-Conductivity Frames	2 Energy pts	y=yes				
2. Install Low Heat Transmission Glazing	1 Energy pt	y=yes				
J. Heating Ventilation and Air Conditioning						
1. Use Duct Mastic on All Duct Joints	2 Energy pts	y=yes				
2. Install Ductwork within Conditioned Space	3 Energy pts	y=yes				
3. Vent Range Hood to the Outside	1 IAQ/Health pt	y=yes				
4. Clean all Ducts Before Occupancy	2 IAQ/Health pts	y=yes				
5. Install Solar Attic Fan	2 Energy pts	y=yes				
6. Install Attic Ventilation Systems	1 Energy pt	y=yes				
7. Install Whole House Fan	4 Energy pts	y=yes				
8. Install Sealed Combustion Units						
a. Furnaces	3 IAQ/Health pts	y=yes				
b. Water Heaters	3 IAQ/Health pts	y=yes				
9. Replace Wall-Mounted Electric and Gas Heaters with Through-the-Wall Heat Pumps	3 Energy pts	y=yes				
10. Install 13 SEER/11 EER or higher AC with a TXV	3 Energy pts	y=yes				
11. Install AC with Non-HCFC Refrigerants	2 Resource pts	y=yes				
12. Install 90% Annual Fuel Utilization Efficiency (AFUE) Furnace	2 Energy pts	y=yes	y		2	
13. Retrofit Wood Burning Fireplaces						
a. Install EPA certified wood stoves/inserts	1 IAQ/Health pt	y=yes				
b. Install/Replace Dampers	1 Energy pt	y=yes				
c. Install Airtight Doors	1 Energy pt	y=yes				
14. Install Zoned, Hydronic Radiant Heating	3 Energy pts	y=yes				
15. Install High Efficiency Filter	4 IAQ/Health pts	y=yes				
16. Install Heat Recovery Ventilation Unit (HRV)	5 IAQ/Health pts	y=yes				
17. Install Separate Garage Exhaust Fan	3 IAQ/Health pts	y=yes				
K. Renewable Energy and Roofing						
1. Pre-Plumb for Solar Water Heating	4 Energy pts	y=yes				
2. Install Solar Water Heating System	10 Energy pts	y=yes	y		10	
3. Pre-Wire for Future Photovoltaic (PV) Installation	4 Energy pts	y=yes				
4. Install Photovoltaic (PV) System (1.2 kw = 6 points, 2.4 kw = 12 points, 3.6 kw = 18 points)	Up to 18 Energy pts		y		12	

		INPUT	Resources	Energy	IAQ/Health	
6. Select Safe and Durable Roofing Materials	1 Resource pt	y=yes				
7. Install Radiant Barrier	3 Energy pts	y=yes				
L. Natural Heating and Cooling						
1. Incorporate Passive Solar Heating	5 Energy pts	y=yes				
2. Install Overhangs or Awnings over South Facing Windows	3 Energy pts	y=yes				
3. Plant Deciduous Trees on the West and South Sides	3 Energy pts	y=yes				
M. Indoor Air Quality and Finishes						
1. Use Low/No-VOC Paint	1 IAQ/Health pts	y=yes				
2. Use Low VOC, Water-Based Wood Finishes	2 IAQ/Health pts	y=yes				
3. Use Low/No VOC Adhesives	3 IAQ/Health pts	y=yes				
4. Use Salvaged Materials for Interior Finishes	3 Resource pts	y=yes	y	3		
5. Use Engineered Sheet Goods with no added Urea Formaldehyde	6 IAQ/Health pts	y=yes				
6. Use Exterior Grade Plywood for Interior Uses	1 IAQ/Health pts	y=yes				
7. Seal all Exposed Particleboard or MDF	4 IAQ/Health pts	y=yes				
8. Use FSC Certified Materials for Interior Finish	4 Resource pts	y=yes				
9. Use Finger-Jointed or Recycled-Content Trim	1 Resource pts	y=yes				
10. Install Whole House Vacuum System	3 IAQ/Health pts	y=yes				
N. Flooring						
1. Select FSC Certified Wood Flooring	8 Resource pts	y=yes	y	8		
2. Use Rapidly Renewable Flooring Materials	4 Resource pts	y=yes				
3. Use Recycled Content Ceramic Tiles	4 Resource pts	y=yes				
4. Install Natural Linoleum in Place of Vinyl	5 IAQ/Health pts	y=yes				
5. Use Exposed Concrete as Finished Floor	4 Resource pts	y=yes				
6. Install Recycled Content Carpet with Low VOCs	4 Resource pts	y=yes				
O. City of Albany Incentives						
1. Additions less than 50% increase in floor area	20 Resource pts	y=yes				
2. Additions less than 200sq.ft. or resulting in less than 1,500sq.ft.	10 Resource pts	y=yes				
3. Seismic upgrade of existing building	25 Resource pts	y=yes				
4. For having a hybrid or zero emissions vehicle	2 IAQ/Health pts	y=yes	y		2	
5. For having no automobile	5 Resource pts	y=yes				
6. Plant more than one street tree when feasible	2 IAQ/Health pts	y=yes				
7. Earthquake kit	2 IAQ/Health pts	y=yes	y		2	
TOTAL POINTS ACCUMULATED:			50 points total Req'd	29	25	7
(50 Points REQUIRED from all 3 columns)						

61 total

Jeff Bond

From: Kate Toran [kate.toran@gmail.com]
Sent: Thursday, March 04, 2010 4:46 PM
To: Jeff Bond
Cc: Pam Tellew
Subject: Design Review: 1111 Ordway Street

Jeff,

I am writing to you to submit formal comments for the design review meeting for the proposed project at 1111 Ordway Street on Tuesday, March 9th. I live at 1113 Ordway Street, directly south of 1111 Ordway.

Our houses are extremely close together, and we have a concern with the current design which proposes to increase the number of windows at the back south side of the house from one to seven. This is a dramatic change and we are concerned about privacy, and feeling like we live in a fishbowl.

I expressed these concerns to Pam and Eric and they took them seriously, and we discussed a couple of possible ways to mitigate the impact, such as putting opaque glass in the back closet window, and planting non-invasive, clumping bamboo along the border between our houses. I appreciate those suggestions and feel that they would be helpful, but that other steps could be taken as well. I asked that Pam discuss my concern with the architect and see if there are some other mitigations that they could suggest. One suggestion that I made would be to have one window in each downstairs room instead of the proposed two windows, which would be consistent with how it is now. I'm not attached to that as a solution, it's just one example. There may be other creative suggestions, and we are open to hearing them.

We also want to support Pam and Eric on their project, and we are confident that we can come to a reasonable solution, that works for all of us.

Please call me at 409-9022 if you have any questions about this matter.

Kate Toran

ATTACHMENT #4