CITY OF ALBANY PLANNING AND ZONING AGENDA STAFF REPORT

Agenda date November 9, 2010 Prepared by JB

ITEM/ 6a

SUBJECT Planning Application 10-028. Design Review & Parking Exception. The

applicant is requesting approval of a 546 square foot two story addition at the rear of the house. The applicant also is requesting an exception to parking standards to allow one off street parking space where two are generally required

SITE: 818 San Carlos

APPLICANT/

OWNER Robert Wolf for Scott McCormick & Denise Navellier

ZONING. R-1 (Single-Family Residential)

STAFF RECOMMENDATION

Staff recommends that the Planning and Zoning Commission approve the request for design review, parking exception, subject to the attached findings and conditions of approval

BACKGROUND/PROJECT DESCRIPTION

The subject property is a 2,500 square foot lot with an existing 829 square foot residence. The applicant is requesting approval of a 546 square foot two-story addition at the rear of the house. The existing home is approximately 18 feet in height. The addition would feature a flat roof and stucco finish to match the existing home. The addition would be approximately 21 feet in height. The applicant also is requesting an exception to parking standards to allow one off street parking space where two are generally required.

ENVIRONMENTAL ANALYSIS

Staff has determined that the proposed project is categorically exempt from the requirements of CEQA per Section 15303, "New Construction or Conversion of Small Structures" of the CEQA Guidelines, which exempts small additions

DISCUSSION OF KEY ISSUES

Design Review

The existing home is a small two-level stucco residence on a 2,500 square foot with a flat roof and one car garage. The lower level has ceiling heights that do not meet current or future code requirements for habitable heights. In the rear of the home, there is a large deck/sunioom attached to the main level of the home. The north wall of the home is on the property line.

The proposal is to add remove the deck/sunroom and construct a two-story addition with a family room on the lower level and a master bedroom on the upper level. The addition would have a stucco finish and flat roof to match the existing home. The second level will cantilever about 18 inches over the lower level on the rear elevation. Decorative brackets will support the cantilever. No changes would be made to the front of the home.

The complies with the City's Residential Design Guidelines by expanding the first floor and by designing the addition into existing home so that it appears to have been part of the original structure. Removal of the existing deck and sunroom with fully enclosed addition would appear to improve privacy considerations with neighboring residences.

Parking

The existing garage is adequate for one vehicle. Due to the width of the lot and setback, the side yards and front yard are not adequate for vehicle access. Thus, per the Planning and Zoning Code, the application is seeking approval for a parking exception to waive the second required parking space.

Attachments:

- 1 Analysis of Zoning Requirements
- 2 Project Application & Plans

ATTACHMENT 1 - ANALYSIS OF COMPLIANCE WITH ZONING REQUIREMENTS

20 12 Zoning Districts and Permitted Uses

General Plan

Low Density Residential

Zoning

R-1 - Single-Family Residential

20 16 Land Use Classifications

Single family residential

Surrounding

North - SFR

East - SFR

Property Use S

South - SFR

West - SFR

20 20 080 Secondary Residential Units

Not applicable

20 24 020 Table of Site Regulations by District

	Existing Proposed Construction (approx.)		Requirement
Setbacks	(approxi)	(арртох)	
Front (east)	13'7"	No change	15'
Side (north)	0	4' 2"	3'
Side (south)	3′ 5″	5′ 0″	3′
Rear (east)	21'	21′	20"
Area			
Lot Size	2,500	No change	
Lot Coverage	39%	48%	50%
Maximum Height	18′ 4″	24′ 4″	28′ max

20 24 030 Overlay District Regulations

Not applicable

20 24 040 Hillside Residential Regulations

Not applicable

20 24 050 Floor-Area-Ratio

	Existing (approx.)	Proposed	Requirement
Lot Size	2,500	No change	
Floor Area			
Garage*	167	167	
Lower Level Non-Habitable*	542	542	
Lower Level Habıtable		257	
Maın Level	849	1,138	
Total	1,558	2,104	
Total Counted*	849	1 363	
Floor Area Ratio*	34	55	60

^{* 199} sq ft exempted from "total counted" as permitted by MC 20 24 050 for garage and stairs

20 24 060 Setback Areas, Encroachments Not applicable

20 24 100 Distances between Structures Not applicable

20 24 110 Fences, Landscaping, Scieening Not applicable

20 24 130 Accessory Buildings Not applicable

20 28 Off-Street Parking Requirement See Summary of Key Issues

20 40 Housing Provisions Not applicable

<u>20 44 Non-conforming Uses, Structures and Lot</u> Not applicable

20 48 Removal of Trees Not applicable

<u>20 52 Flood Damage Prevention Regulations</u> Not applicable

20 100 030 Use Permits Not applicable

20 100 040 Variances

Not applicable

20 100 010 Common Permit Procedures

Public notice of this application was mailed on October 29, 2010, in the form of mailed notice, to property owners and occupants within a 100-foot radius, and posted in three locations

20 100 050 Design Review See Summary of Key Issues

ATTACHMENT 2 - FINDINGS

Findings for Design Review approval (Per section 20.100.050.E of the AMC)

Requir	red Finding	Explanation
1	The project conforms to the General Plan, any applicable specific plan, applicable design guidelines adopted by the City of Albany, and all applicable provisions of this Chapter	The General Plan designates this area for residential development. Additionally, the project meets City zoning standards for location, intensity and type of development.
2	Approval of project design is consistent with the purpose and intent of this section, which states "designs of projects" will result in improvements that are visually and functionally appropriate to their site conditions and harmonious with their surroundings, including natural landforms and vegetation. Additional purposes of design review include (but are not limited to) that retention and maintenance of existing buildings and landscape features are considered, and that site access and vehicular parking are sufficient."	The proposal is in scale and harmony with existing development near the site. The architectural style, design and building materials are consistent with the City's Residential Design Guidelines. The project will not require significant grading or excavation. The project will not create a visual detriment at the site or the neighborhood. The proposed addition is attractive and is in scale with the surrounding neighbors. The design is complementary with the existing home.
3	Approval of the project is in the interest of public health, safety and general welfare	The proposed project will not be detrimental to the health, safety, convenience and welfare of those in the area and would not adversely impact property, improvements or potential future development in the area. The proposed addition will result in a home less than 22 feet in height. The addition will create an attractive home with an FAR of 55%, which is modest in scale, and fitting for the neighborhood.
4	The project is in substantial compliance with applicable general and specific Standards for Review stated in Subsection 20 100 050 D	The project as designed is in substantial compliance with the standards as stated, including harmonious materials, and well proportioned massing

Findings for Parking Exceptions (Per section 20.28.040.A.2 of the AMC)

Requir	red Finding	Explanation
1	Required spaces cannot be located in front or side yards	The lot has a 3 foot 5 inch side yard setback and 13 foot 7 inch front yard setback
2	Space is not available to provide required parking facilities without undue hardship	The applicant would have to life the entire structure and move it back on the lot to meeting partking standards. This is exceeding difficult and an "undue hardship."
3	Provision of required parking spaces would be disruptive to landmark trees or would severely restrict private outdoor living space on the site	Not applicable
4	Creation of new off-street spaces would require the elimination of an equivalent or higher number of on-street parking spaces	Creation of a second front yard parking space would require a curb-cut, which would reduce on-street parking by an equivalent amount
5	The proposed reduction in parking requirements is appropriate to the total size of the dwelling unit upon completion of the proposed addition	The home will remain a single-family home and the existing garage and driveway will remain open and functional for cars to utilize for parking

ATTACHMENT 3 COMMUNITY DEVELOPMENT DEPARTMENT CONDITIONS OF APPROVAL

GENERAL PROJECT CONDITIONS

- Gen-1 Project Approval This Design Review approval is for Scott McCormick & Denise Navellier, as substantially shown and described on the project plans, except as may be modified by conditions herein. Plans include preliminary master site plan prepared by R.A.W. Concepts, date received November 5, 2010, architectural plans (project perspectives, building sections, and floor plans, all as presented to the Planning and Zoning Commission on November 9, 2010. For any condition herein that requires preparation of a Final Plan where the project developer has submitted a conceptual plan, the project developer shall submit final plan(s) in substantial conformance with the conceptual plan, but incorporate the modifications required by the conditions herein for approval by the City.
- Project Approval Expiration This Design Review approval expire on November 23, 2011 (one year from the date on which this approval becomes effective) or at an alternate time specified as a condition of approval, unless [a building permit has been issued and construction diligently pursued, a certificate of occupancy has been issued, the use is established, the use permit, variance or design review approval is renewed. The approval may be renewed by the Community Development Director for a period up to an additional two (2) years, provided that, at least ten (10) days before expiration of one (1) year from the date when the approval becomes effective, an application for renewal of the approval is filed with the Community Development Department. The Community Development Director may grant a renewal of an approval where there is no change in the original application, or there is no request to change any condition of approval.
- Gen-3 FEES The applicant shall pay all City and other related fees applicable to the property, as may be modified by conditions herein. Fees shall be based on the current fee structure in effect at the time the relevant permits are secured, and shall be paid before issuance of said permit or before any City Council final action approval. Notice shall be taken specifically of Plan Check, Engineering, Fire and Inspection Fees. The project developer shall also reimburse the City for direct costs of planning, building and engineering plan check and inspection, as mutually agreed between the City and developer.
- Appeals The Albany Municipal Code provides that any action of the Planning staff may be appealed to the Planning and Zoning Commission, and any action of the Planning and Zoning Commission may be appealed to the City Council as per the procedures described in Section 20 100 080. The City Clerk will then schedule the matter for the next available City Council meeting.
- GEN-5 Requirement for Building Permit Approval granted by the Planning and Zoning Commission does not constitute a building permit or authorization to begin any construction or demolish an existing structure An appropriate permit

issued by the Community Development Department must be obtained before constructing, enlarging, moving, converting, or demolishing any building or structure within the City

- GEN-6 **Fire Department Approval** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Albany Fire Department have, or will be, met to the satisfaction of the AFD
- GEN-7 Engineering Approval As part of a building permit application, the applicant shall submit written documentation that all requirements of the Public Works Department have, or will be, met to the satisfaction of the City Engineer
- GEN-8 Construction Hours Construction activity shall be restricted to the hours of 8 00 a m to 6 00 p m Mondays through Saturdays, and 10 00 a m to 6 00 p m, Sundays and legal holidays, unless otherwise approved in writing by the City Engineer for general construction activity. Failure to comply with construction hours may result in stop work orders or other administrative actions.
- GEN-9 Archeological Remains In the event subsurface archeological remains are discovered during any construction or preconstruction activities on the site, all land alteration work within 100 feet of the find shall be halted, the Community Development Department notified, and a professional archeologist, certified by the Society of California Archeology and/or the Society of Professional Archeology, shall be notified. Site work in this area shall not occur until the archeologist has had an opportunity to evaluate the significance of the find and to outline appropriate mitigation measures, if deemed necessary. If prehistoric archeological deposits are discovered during development of the site, local Native American organizations shall be consulted and involved in making resource management decisions.
- GEN-10 Modifications to Approved Plans The project shall be constructed as approved Planning staff may approve minor modifications in the project design, but not the permitted land use (per MC 20 12). A change in an item requiring discretionary approval and any other changes deemed appropriate by the Planning staff shall require further Planning and Zoning Commission approval through the Design Review process.
- GEN-11 Hold Harmless Agreement Pursuant to Government Code Section 66474 9, the applicant (including any agent thereof) shall defend, indemnify, and hold harmless, the City of Albany and its agents, officers and employees, from any claim, action, or proceeding against the City or its agents, officers or employees to attack, set aside, void, or annul the City's approval concerning this application, which action is brought within the time period provide for in Section 66499 37. The City will promptly notify the applicant of any such claim action or proceeding and cooperate fully in the defense.
- GEN-12 **Public Improvements Standards** Public improvements shall be designed and constructed in accordance with the City's Standard Specifications and Standard Details, unless specifically waived in writing by the City Engineer

- GEN-13 **Title 24 Standards** All construction shall be designed and built in accordance with California Title 24 handicap accessibility standards. Appropriate details and specifications shall be incorporated into the plans and submitted at time of building permit application.
- GEN-14 Energy Conservation Standards All buildings shall be designed in accordance with the State of California energy conservation standards for non-residential buildings. The necessary plans and documentation shall be submitted at time of building permit application.

ARCHITECTURE CONDITION

- ARCH-1 Material Samples Samples of final exterior materials and the proposed color palette shall be submitted for review and approval by the Community Development Department as part of building permit application
- ARCH-2 Final Architectural Drawings The applicant shall submit final architectural elevations, details and revisions for the review and approval of the Community Development Department as part of building permit application
- ARCH-3 Window Recess All new windows shall be recessed two inches from face of building to provide adequate shade and shadow and to promote visual relief Final window details shall be submitted for review and approval at the time of building permit application
- ARCH-4 Non-Reflective Glazing Any glazing material shall be non-reflective

LIGHTING CONDITIONS

- LGHT-1 Exterior Lighting All exterior lighting shall be installed in such a manner that glare is directed away from surrounding properties and rights-of-way. If required, exterior light fixtures shall be equipped with "cut off" lenses to minimize light and glare spill over onto adjacent properties.
- LGHT-2 Shielding of Lighting Prior to the certificate of occupancy, all accent lighting shall be directed downward and, if necessary, fixed with cut-off lenses to ensure that no glare spills onto neighboring properties

LANDSCAPING CONDITIONS

LNDSC-1 Street Tree Requirement The applicant shall apply for one street tree before the issuance of the building permit. The City's Environmental Resource Assistance will determine the type and location of the tree and may waive this requirement if site conditions will not reasonably support establishment of a new tree.

PUBLIC WORKS DEPARTMENT CONDITIONS

GENERAL ENGINEERING CONDITIONS

- ENGR-1 Title Report A recent preliminary title report for the property, prepared within six months of the date of application, shall be submitted to the City Engineer for review. If any interior lot line(s) exist, the applicant must obtain approval of a minor lot line adjustment from the City to remove the interior lot line(s), and cause that lot line adjustment to be recorded before any building permits will be issued.
- ENGR-2 Geo-Technical Report The applicant shall submit, as part of a building permit application, a geotechnical investigation report prepared by a California certified engineering geologist and geotechnical engineer, if determined necessary by the City Engineer The investigation shall specifically address any hazards of surface fault rupture in accordance with the Alquist-Pholo Special Study Zones Act. Any mitigation measures or conditions requiring further review noted during the Planning process shall be fully addressed prior to plan check.
- ENGR-3 **Backflow Device** Any required water service for fire protection purposes shall be equipped with a City approved backflow device. Services for irrigation purposes also require a separate City approved backflow prevention device.

GRADING CONDITIONS

- GRAD-1 Grading Permit Any grading required in association with the project shall require a grading permit from the Community Development Department. To obtain this permit, the applicant shall submit a grading plan, indicating the extent and volumes of earth proposed to be moved. A grading permit is subject to 2001 California Building, Appendix 33
- GRAD-2 **Demolition Permit** Site demolition shall not occur until construction permits are issued for the development project. All demolition shall be in accordance with permits issued by the City and Bay Δiea Aii Quality Management District (BAAQMD)
- GRAD-3 Water on Site. The site shall be graded to prevent rainfall runoff originating from improved areas on the project site from crossing onto adjoining private property. Building floor elevations shall be above the FEMA-mapped 100-year flood plain as established by a licensed civil engineer. Provide the elevation and compaction certificates during and upon the completion of grading required by the Uniform Building Code and in conformance with the recommendations of the geotechnical engineer's report. Shore and dewater all excavations in accordance with the requirements of the geotechnical engineer's report.
- GRAD-4 Flooding Damages The project developer shall execute an assumption of risk, indemnification and hold harmless agreement as required by the City The agreement, in substance, shall state that the project developer, and any successor in interest, shall assume all risk for damages to the project and to project

improvements, flooding caused by surface water intrusion, stormwater runoff, or water under the ground surface pressing on or flowing or seeping through foundations, walls, floors, or paved surfaces, basements, whether paved or not, or windows, doors or other openings, and shall indemnify and hold the City harmless from any claims of such damages, including third-party claims, of such damage or of such damages or of damages arising from rainfall runoff which is not prevented from leaving the project site in violation of Condition GRAD-3

- GRAD-5 **Dust Control Program** A dust control program shall be prepared by the project developer and approved by the Community Development Department and City Engineer before issuance of a grading permit. The dust control plan shall address such items as covering stockpiled material, frequent watering of graded areas, revegetating graded areas, speed limits for grading equipment and similar items.
- Stormwater Pollution Prevention Plan The project developer shall submit a Stormwater Pollution Pievention Plan (SWPPP) for review by the City before the issuance of a building or grading and/or building permit. The SWPPP shall be consistent with standards adopted by the Regional Water Quality Control Board and the City of Albany Clean Water Program and implemented by the project general contractor, all subcontractors and suppliers of material and equipment Construction site cleanup and control of construction shall also be addressed in the SWPPP. The project developer shall be responsible for SWPPP compliance. A copy of the SWPPP shall be kept at the construction site at all times.

INFRASTRUCTURE CONDITIONS

- INFR-1 Sewer System Requirements The sewer system for the subject building shall comply with Chapter 15 of the Albany Municipal Code and to the satisfaction of the City Engineer before Final Inspection approval of the construction permit
- INFR-2 **Two-Way Cleanout** Installation of a two-way curbside cleanout shall be required per Chapter 15 of the Albany City Code This applies to all properties, including properties with a valid upper sewer lateral certificate of compliance All 2-way curbside clean outs shall be fitted with a loose cap in accordance with the City's standard detail SS6
- INFR-3 Property Run-off Requirements All runoff from impervious surfaces shall be intercepted at the project boundary and shall be collected and conducted via an approved drainage system through the project site to an approved storm drain facility, as determined by the City Engineer Development that contributes additional water to the existing drainage system shall be required to complete a hydraulic study and make improvements to the system as required to accommodate the expected ultimate peak water flow and to stabilize erosive banks that could be impacted by additional storm water flow
- INFR-4 Roof Drainage Roof drainage from the structure shall be collected via a closed pipe and conveyed to an approved storm drain system off the street curb No concentrated drainage of surface flow across sidewalks shall be permitted

Alternative natural treatment measures are subject review and approval by the City Engineei

- INFR-5 Hydraulic Calculations The applicant shall submit hydraulic calculations, prepared by a California licensed civil engineer, necessary to determine if the existing water and sewer mains that serve this lot have available capacity for the addition of the proposed development. If capacity is not available, sewer and water mains of adequate size shall be designed and secured prior to issuance of building permits and constructed in a manner acceptable to the City Engineer prior to occupancy release, unless determined otherwise by the City Engineer
- INFR-6 Completion of Off-Site Improvements Off-site improvements, as required by the City Engineer, shall be complete before issuance of a Certificate of Occupancy unless alternatives are approved in writing by the Albany City Engineer

PUBLIC IMPROVEMENTS CONDITIONS

- PUBIM-1 Encroachment Permit The applicant shall obtain an encroachment permit from the Engineering Division before commencing any construction activities within any public right-of-way or easement
- PUBIM-2 **Debris Removal.** All mud, dirt or construction debris carried off the construction site onto adjacent streets shall be removed each day. No materials shall be discharged onto a sidewalk, street, gutter, storm drain or creek
- PUBIM-3 Damage to Street Improvements Any damage to street improvements now existing or done during construction on or adjacent to the subject property, shall be repaired to the satisfaction of the City Engineer at the full expense of the applicant. This shall include sidewalk repair, slurry seal, street reconstruction or others, as may be required by the City Engineer.
- PUBIM-4 Right-of-Way Construction Standards All improvements within the public right-of-way, including curb, gutter, sidewalks, driveways, paving and utilities, shall be reconstructed in accordance with approved standards and/oi plans and shall comply with the standard plans and specification of the Community Development Department and Chapter 14 of the City Code

FIRE DEPARTMENT CONDITIONS

- FIRE-1 Construction of 1,500 Square Feet or Greater 1500 sq ft or more or any addition, remodel, rehabilitation, etc. is 50% of the existing sq ft
 - a) This dwelling will be required install an Automatic Fire Extinguishing System throughout the entire dwelling Ordinance No 94-010, Albany Municipal Code, Chapter 11, Section 11-2 3a(3)(a)
 - b) Plans, information sheets on all sprinkler components and hydraulic calculations are required
 - c) A 110-volt interconnected smoke alarm system with a 10-year lithium battery back up is acceptable with a fire suppression system

- Fire **Rated Construction** Any portion of a building five (5) feet or less from the property line shall comply with fire-rating requirements of the CBC
- Gallons-per-Minute Requirement The water system for fire protection shall comply with City of Albany Fire Department standards. Fire flow test data and water system plans must be provided at time of building plan check. The plans must include all equipment, components and layout of the system. Private fire protection water systems shall be supplied through an approved backflow device per City Engineering Division standards.
- FIRE-5 **Distance From Fire Hydrant** Before building permit issuance the distance from existing fire hydrants to the building shall be verified and if necessary a new hydrant shall be shown on the plans and installed piior to combustible construction

STRUCTURAL CONTROL MEASURES

- STRUC-1 Illegal Dumping to Storm Drain Inlets and Waterways On-site storm drain inlets shall be clearly marked with the words "No Dumping! Flows to Bay," or equivalent, using methods approved by the City of Albany
- Pesticide/Fertilizer Application Landscaping shall be designed to minimize imagation and runoff, promote surface infiltration where appropriate, and minimize the use of fertilizers and pesticides that can contribute to stormwater pollution. If a landscaping plan is required as part of a development project application, the plan shall meet the following conditions related to reduction of pesticide use on the project site.
 - a) Where feasible, landscaping shall be designed and operated to treat stormwater runoff by incorporating elements that collect, detain, and infiltrate runoff. In areas that provide detention of water, plants that are tolerant of saturated soil conditions and prolonged exposure to water shall be specified.
 - b) Plant materials selected shall be appropriate to site specific characteristics such as soil type, topography, climate, amount and timing of sunlight, prevailing winds, rainfall, air movement, patterns of land use, ecological consistency and plant interactions to ensure successful establishment
 - c) Existing native tiees, shrubs, and ground cover shall be retained and incorporated into the landscape plan to the maximum extent practicable
 - d) Proper maintenance of landscaping, with minimal pesticide use, shall be the responsibility of the property owner

OPERATIONAL BEST MANAGEMENT PRACTICES (BMPS)

BMP-GEN1 Stormwater Pollution Prevention Control Measures The project plans shall include stormwater pollution prevention and control measures for the operation and maintenance of the project during and after construction for the review and approval of the City or County Engineer. The project plan shall identify Best

Management Practices (BMPs) appropriate to the uses conducted on-site in order to limit to the maximum extent practicable the entry of pollutants into stormwater runoff

- BMP-GEN2 Erosion Control Measures The project plan shall also include erosion control measures to prevent soil, dirt and debris from entering the storm drain system, in accordance with the practices outlined in the ABAG Erosion and Sediment Control Handbook, California Storm Water Best Management Practice Handbooks, and Regional Water Quality Control Board's Erosion and Sediment Control Field Manual
- BMP-GEN3 Responsibility of Contractors The applicant is responsible for ensuring that all contractors and subcontractors are aware of and implement all stormwater quality control measures Failure to comply with the approved construction BMPs shall result in the issuance of correction notices, citations and/or a project stop order
- Paved Sidewalks and Parking Lots Sidewalks and paiking lots shall be swept regularly to prevent the accumulation of litter and debris. Debris resulting from pressure washing shall be trapped and collected to prevent entry into the storm drain system. Washwater containing any soap, cleaning agent or degreaser shall be collected and discharged to the sanitary sewer and shall not be discharged to a storm drain. The applicant shall contact the City Engineer for specific connection and discharge requirements.
- BMP-2A **Private Streets, Utilities and Common Areas** The owner of private streets and storm drains shall prepare and implement a plan for street sweeping of paved private roads and cleaning of all storm drain inlets

GENFRAL CONSTRUCTION BEST MANAGEMENT PRACTICES (BMPS)

- BMP-CNST1 Construction Access Routes Construction access routes shall be limited to those approved by the City Engineer and shall be shown on the approval grading plan
- BMP-CNST2 Collection of Construction Debris Gather all construction debris on a regular basis and place them in a dumpster or other container that is emptied or removed on a weekly basis. When appropriate, use tarps on the ground to collect fallen debris or splatters that could contribute to stormwater pollution.
- BMP-CNST3 Removal of Waste Remove all dirt, gravel, rubbish, refuse and green waste from the sidewalk, street pavement, and storm drain system adjoining the project site During wet weather, avoid driving vehicles off paved areas and other outdoor work
- BMP-CNST4 **Sweeping of Public Right-of-Way** Broom sweep the sidewalk and public street pavement adjoining the project site on a daily basis. Caked on mud or dirt shall be scraped from these areas before sweeping

BMP-CNST5 **Filter Materials at Storm Drain Inlet** Install filter materials (such as sandbags, filter fabric, etc.) at the storm drain inlet nearest the downstream side of the project site prior to

- a) start of the rainy season (October 1),
- b) site dewatering activities,
- c) street washing activities,
- d) saw cutting asphalt or concrete, and
- e) order to retain any debris or dirt flowing into the City storm drain system Filter materials shall be maintained and/or replaced as necessary to ensure effectiveness and prevent street flooding. Dispose of filter particles in the trash

BMP-CNST6 Containment of Materials Create a contained and covered area on the site for the storage of bags of cement, paints, flammables, oils, fertilizers, pesticides, or any other materials used on the project site that have the potential for being discharged to the storm drain system by wind or in the event of a material spill

BMP-CNST7 Cleaning of Equipment Never clean machinery, tools, brushes, etc., rinse containers into a street, gutter, storm drain, or stream. See the *Building Maintenance/Remodeling* flyer for more information.

BMP-CNST8 Minimize Removal of Natural Vegetation Minimize removal of natural vegetation or ground cover from the site in order to minimize the potential for erosion and sedimentation problems. Replant the area as soon as possible. All cut and fill slopes shall be stabilized as soon as possible after grading is completed. No site grading shall occur between October 1 and April 15 unless approved erosion and sedimentation control measures are in place.

SPECIAL CONDITIONS

SPECIAL I None

Appeals The Albany Municipal Code provides that any action of the Planning and Zoning Commission may be appealed to the City Council, if such appeal is filed within 14 days of the date of the action. Appeals may be filed in the Community Development Department by completing the required form and paying the required fee. The City Clerk will then schedule the matter for the next available City Council meeting.







PLANNING APPLICATION FORM (GENERAL PROJECTS)

For PLANNING & ZONING	For ADMINISTRATIVE action:
COMMISSION action:	
Conditional Use Permit* Design Review (residential, residential additions, commercial, office and multifamily*,) General Plan Amendment from to	 Admin. Lot Line Relocation Home Occupations Sign Review Other.
Parcel Map/ Tentative Map/ Vesting Tentative Map, Lot Line Relocation Parking Exceptions/Reductions Precise Development Plan Second Unit Use Permit * Variance * Zone Change from to Other:	

The City of Albany Municipal Code has certain requirements for Planning Applications Your answering the following questions will help staff assess how to process your application Thus, we may have additional questions based on your responses below Additionally, after your application is accepted for processing, staff and Planning and Zoning Commissioners will likely make at least one field visit to your house and neighborhood.

Job Site Address: 618 GAN CAPLO	Zone: P-1	
Property Owner(s) Name SCOTT NC COPMICK DENISE NAVELLER	Phone: (516)647 -2477 Fax.	rmail (
Mailing Address.	City:	State/Zıp:
Applicant(s) Name (contact person): POBERT ALAN NOLF	Phone (510) 525-0211 Fax: (510) 525-1011	.:mail. robertw @rawconcepts. net
Mailing Address: 1650-A SOLANO AVENUE	CITY ALBANY	State/Zip: CA 94707

Please complete the appropriate Supplemental Questionnaire

PROJECT DESCRIPTION (Please use back of sheet or attach extra sheets, if necessary): TO PEMODEL EXIGTING HOUSE AND ADDITION OF APPROX. 546 SA. FT. AT REAR OF THE EXISTING HOMSE, CONSISTING OF

FAMILY BOOM, MASTER BEDROOM AND MASTER BATH.

GENERAL INFORMATION (Please fill out this section if you are asking for approval of a project that will require construction).

Item	Existing	Proposed
Lot size (square feet)	2,500	
Size of structure(s) or commercial space (square feet)	96354	1, 193 48
Height and No of stories		1, 192 34
Lot coverage 1	969 4F	1, 375 4F (55%)
Floor Area Ratio (FAR) ² Impervious Area ³	824 or (37%) 1, 535 4F	1.8595F
Slope Density4	<u> </u>	
No of dwelling units Parking ⁵ Number of off-street spaces	0	* 1
Number of spaces in garage	6-6 × 18-0*	0'-6'× 10'-0'
Size of spaces	0.07.100	11 - H AL -

¹ Lot Coverage applies to all zoning districts. It is defined as the land area covered by all the structures on a site including all projections, except portions of uncovered decks, porches or landings balconies or stairways that are less than six feet above grade and are not enclosed by walls on more than two sides eaves trellises and similar structures that do not have solid roofs

Restrictions Are there any deed restrict	ons, easements, etc. that affect the property,
and, if so what are they? In some instance	es, you may be required to provide a little
The continue of the continue o	
The tag is the tag is a second of tag i	
The state of the s	Signature of Applicant
Signature of Property Owner	Signature of Applicant
10.15.10	6/16/10
	Date
Date Dengatment	staff is available between 8 30 a.m. an
Community Development Department	shough 5:00 p.m. on Tuesdays through
7.00 p.m. on Mondays, 8:30 a.m.	through 5:00 pm. on Tuesdays through
Thursdays, and 8:30 am to 12:	30 p.m on Fridays at 1000 San Pab

Avenue, Albany, CA 94706, TEL: (510) 528-5760

08/08/07 J\\orms\Planning\PlanApp

² Floor Area Ratio (FAR) is defined as the proportion of building floar area per area of the parcel of land upon which the building rests See the informational handout How to Calculate Floor Area Ratio" for details on what is included and excluded

³ Impervious Area includes the total square footage of building footprint(s) driveway(s) patio(s) parking lots, walkway(s), and any other impervious surfaces

¹ Slope Density requirements apply in the HD Zoning District pursuant to Measu e K. See handout on how to measure slope density in this area

⁵ Minimum parking requirements were enacted under Measure D This Measure requires that all residential development must have a minimum of two aff-street parking spaces. Some exceptions may apply to your project, see residential development handout

JUN 1 8 2010



City of Albany

COMMUNITY DEVELOPMENT DEPARTMENT

Green Building Program Rating System for Remodeling Projects* Supplemental Application Form

*Please obtain other appropriate Green Po	int Checklist for projects other than Single FIB BAN CAPLOS AVE, AL	amily Residential R	Remodeling Pr	rojects
	DISERT ALAN WOLF	<i>Prin</i> - 1 = .	H	
The entire tropared by	1.14.10	-		
	INPL	UT Resources	Energy	IAQ/Health
A. Site		<u> </u>	5114.9)	(alt (III)
1. Recycle Job Site Construction & Demolition Waste			1	
65% = 1 point, 75% = 2 points, 80% = 4 points	up to 4 Resource pts			İ
2. Salvage Reusable Building Materials	4 Resource pts y=yes			!
3 Remodel for Mixed Use, Adaptive Reuse, and		——		ł
Historic Preservation	4 Resource pts y=yes	ļ		l
4 Protect Native Soil	2 Resource pts y=yes	7 2		ł
5 Minimize Disruption of Existing Plants & Trees	1 Resource pt y=yes	7 1	1	İ
6 Implement Construction Site Stormwater Practices		2		l
7 Protect Water Quality with Landscape Design	2 Resource pts y=yes		1	
8. Design Resource-Efficient Landscapes and Garden	4 Resource pts y=yes			ł
9 Reuse Materials/Use Recycled Content Materials			1 1	
for Landscape Areas	2 Resource pts y=yes		1 1	
10 Install High-Efficiency Imgation Systems	2 Resource pts y=yes		1 1	
11 Provide for On-Site Water Catchment / Retention	2 Resource pts y=yes			
·		,		
3. Foundation			· · · · · · · · · · · · · · · · · · ·	·····
Incorporate Recycled Flyash in Concrete				
25% Recycled Flyash = 2 points, Add 1 point for every	1	Ì	1 1	
ncrease of flyash, up to 5 points	up to 5 Resource pts		1 1	İ
2 Use Recycled Content Aggregate	2 Resource pts y=yes		1 1	
Insulate Foundation/Slab before backfill	3 Energy pts y=yes			
N 04				
Structural Frame			· · · · · · · · · · · · · · · · · · ·	
Substitute Solid Sawn Lumber with Engineered Lum	per 3 Resource pts y=yes		1	
Use FSC Certified Wood for framing	0) 40 D		1	
For every 10% of FSC lumber used = 2 points, up to 1 Use Wood I-Joists for Floors and Ceilings			! !	
Use Web Floor Trusses	2 Resource pts y=yes Y		1	
	2 Resource pts y=yes		1 1	
Design Energy Heels on Trusses 6" or more	2 Energy pts y=yes		1 !	
Use Finger-Jointed Studs for Vertical Applications	2 Resource pts y=yes			ļ
Use Engineered Studs for Vertical Applications	2 Resource pts y=yes		1 1	
Use Recycled Content Steel Study for Interior Frami	9 2 Resource pts y=yes		1)	
Use Structural Insulated Panels (SIPs)	,			
a. Floors	3 Energy pts y=yes		1 1	
b Wall	3 Energy pts y=yes			
c Roof	3 Energy pts y=yes	1	1	

2004 Checklist Modified by City of Albany Incentives - Approved July 2, 2007

		INPUT	Resources	Energy	IAQ/Health
10 Apply Advanced Framing Techniques	4 Resource pts	y=yes]
11. Use Reclaimed Lumber for Non Structural Applications	3 Resource pts	y=yes			1
12 Use OSB					1
a. Subfloors	1 Resource pt	y=yes Y	1		1
b Sheathing	1 Resource pt	y=yes Y			
D Exterior Finish					,
Use Sustainable Decking Materials			1		1
a Recycled content	3 Resource pts	y=yes	1		1
b FSC Certified Wood	3 Resource pts	y=yes Y	7	1	
2 Use Treated Wood That Does Not Contain Chromium/Arsenic	1 IAQ/Health pt	y=yes]		1
3 Install House Wrap under Siding	1 IAQ/Health pt	y=yes	1	1	
Use Fiber-Cement Siding Materials	1 Resource pt	y=yes			
E. Plumbing				_	1
Install Water Heater Jacket	1 Energy pt	y=yes Y	4		
2 Insulate Hot and Cold Water Pipes	2 Energy pts	y=yes Y	4	1	
3 Retrofit all Faucets and Showerheads with Flow Reducers			4	1	
a Faucets (1 point each, up to 2 points)	Up to 2 Reso		4	1	
b Showerheads (1 point each, up to 2 points)	Up to 2 Reso	ource pts	4	1	
4. Replace Toilets with Ultra-Low Flush Toilets				ı	
(1 point each, up to 3 points)	Up to 3 Reso		-		1
5 Install Chlorine Filter on Showerhead	1 IAQ/Health p		-{	l	
6 Convert Gas to Tankless Water Heater	4 Energy pts	y=yes	-	1	1
7 Install Water Filtration Units at Faucets	Up to 4 IAQ/h	lealth nts	1	1	1
(2 points each, up to 4 points)	4 Resource pts	y=yes	1		
8 Install On-Demand Hot Water Circulation Pump	4 Nesource pro	, y			
F. Electrical		<u> </u>		Т.	
1 Install Compact Fluorescent Light Bulbs (CFLs)	Hato 4 F	nergy pts \		V	1
(6 bulbs=2 points, 10 bulbs =3 points, 12 bulbs = 4 points)	Op 10 4 E	incigy pio			1
2 Install IC-AT Recessed Fixtures with CFLs (1 point each, up to	Up to 5 E	nergy pts		1	
5 points)	•	nergy pts Y		9	
Install Lighting Controls (1 point per fixture, up to 4 points) Install High Efficiency Ceiling Fans with CFLs	•		7		i
(1 point each, up to 4 points)	Up to 4 E	nergy pts			
(1 point caus, up to 1 points)					
G Appliances	1 Energy pt	y=yes Y		1	
1. Install Energy Star Dishwasher	i Elloig) pi	′′	1	1	1
2 Install Washing Machine with Water and Energy	1 Energy pt	y=yes	_1		l
Conservation Features	1 Energy pt	y=yes Y		1 (
Install Energy Star Refrigerator Install Built-in Recycling Center	3 Resource pt				
4 maidiff builtern recogning contor					
H. Insulation					
Upgrade Insulation to Exceed Title 24 Requirements					
a Walls	2 Energy pts	y=yes	_		
b Ceilings	2 Energy pts	y=yes		1	•

		IN	PUT	Resources	Energy	IAQ/Health
2 Install Floor Insulation over Crawl Space	4 Energy pts	y=yes				
Install Recycled-Content, Fiberglass Insulation with	, chorgy pro	′ ´				
No Added Formaldehyde	3 IAQ/Health pts	y=yes	j			1
4 Use Advanced Infiltration Reduction Practices	2 Energy pts	y=yes				
5 Use Cellulose Insulation						1
a Walls	4 Resource pts	y=yes	Y	4		1
b Ceilings	4 Resource pts	y=yes	Y	4		1
6 Alternative Insulation Products (Cotton, spray-foam)		L				1
a Walis	4 Resource pts	y=yes				1
b Ceitings	4 Resource pts	y=yes				
I. Windows						
1 Install Energy-Efficient Windows		Γ				1
a, Double-Paned	1 Energy pt	y=yes				1 1
b Low-Emissivity (Low-E)	2 Energy pts	y=yes			j	1 1
c Low. Conductivity Frames	2 Energy pts	y=yes		1		1 1
2 Install Low Heat Transmission Glazing	1 Energy pt	y=yes				
Z mstan Low Floor, Floo						
J. Heating Ventilation and Air Conditioning						
	2 Energy pts	y=yes				
Use Duct Mastic on All Duct Joints Use A la Duct Acade within Conditioned Space.	3 Energy pts	y=yes		1		1 1
2 Install Ductwork within Conditioned Space	1 IAQ/Health pt	y=yes	Y	1]	1 1
3 Vent Range Hood to the Outside	2 IAQ/Health pts			1	l	1 1
4 Clean all Ducts Before Occupancy	2 Energy pts	y=yes		1	1	1 1
5 Install Solar Attic Fan	1 Energy pt	y=yes		1	1	1 1
6 Install Attic Ventilation Systems 7 Install Whole House Fan	4 Energy pts	y=yes	······································	1	1	1 1
8 Install Sealed Combustion Units				1	1	1 . 1
	3 IAQ/Health pt	s y=yes	Y	1		7
a Furnaces	3 IAQ/Health pt		Ý	1		7
b Water Heaters	,			1	1	1
9 Replace Wall-Mounted Electric and Gas Heaters with	3 Energy pts	y=yes		1	1	
Through-the-Wall Heat Pumps 10 Install 13 SEER/11 EER or higher AC with a TXV	3 Energy pts	y=yes		1	1	1
10 Install 13 SEER IT EER OF Higher AC Will a 1777	2 Resource pts	y=yes		1	1	
11 Install AC with Non-HCFC Refrigerants	2,1000				l	
12 Install 90% Annual Fuel Utilization Efficiency (AFUE) Furnace	2 Energy pts	y=yes			1	
13 Retrofit Wood Burning Fireplaces				_	1	
a Install EPA certified wood stoves/inserts	1 IAQ/Health p	t y=yes				
b Install/Replace Dampers	1 Energy pt	y=yes		_	1	1
c Install Airtight Doors	1 Energy pt	y=yes		_}		1
14 Install Zoned, Hydronic Radiant Heating	3 Energy pts	y=yes				
15 Install High Efficiency Filter	4 IAQ/Health p	ts y=yes		_		1
16 Install Heat Recovery Ventilation Unit (HRV)	5 IAQ/Health pl	s y=yes		_	1	1
17 Install Separate Garage Exhaust Fan	3 IAQ/Health p	ts y=yes		<u> </u>		<u> </u>
K Renewable Energy and Roofing						
Pre-Plumb for Solar Water Heating	4 Energy pts	y=yes	·	_	1	
2 Install Solar Water Heating System	10 Energy pts	y=yes	š	_	1	
3 Pre-Wire for Future Photovoltaic (PV) Installation	4 Energy pts	y=yes	5	4		
A Install Photovoltaic (PV) System			1		l	1
(1 2 kw = 6 points, 2 4 kw = 12 points, 3.6 kw = 18 points)	Up to 18	Energy pt	s		1	1

			INPUT	Resources	Energy	IAQ/Health
6. Select Safe and Durable Roofing Materials	1 Resource pt	y=yes				
7 Install Radiant Barner	3 Energy pts	y=yes				
Netural Heating and Cooling						
L. Natural Heating and Cooling	5 Energy pts	y=yes				
1 Incorporate Passive Solar Heating	•••					
2 Install Overhangs or Awnings over South Facing Windows3 Plant Deciduous Trees on the West and South Sides	3 Energy pts 3 Energy pts	y=yes y=yes				
3 Plant Deciduous Trees on the West and South Sides	o Energy pro	j−j₩				
M. Indoor Air Quality and Finishes						
1, Use Low/No-VOC Paint	1 IAQ/Health pts					'
2 Use Low VOC, Water-Based Wood Finishes	2 IAQ/Health pts	•				3
3 Use Low/No VOC Adhesives	3 IAQ/Health pts			{		′
4 Use Salvaged Matenals for Interior Finishes	3 Resource pts	y=yes	ļ	1		
5 Use Engineered Sheet Goods with no added Urea	0110011 111					
Formaldehyde	6 IAQ/Health pts			1		
6 Use Extenor Grade Plywood for Intenor Uses	1 IAQ/Health pts			{		
7 Seal all Exposed Particleboard or MDF	4 IAQ/Health pts			1 1	l	· '
8 Use FSC Certified Materials for Interior Finish	4 Resource pts	y=yes		4]	
9 Use Finger-Jointed or Recycled-Content Trim	1 Resource pts	y=yes			 	
10 Install Whole House Vacuum System	3 IAQ/Health pts	y=yes			<u></u>	
N Flooring						
Select FSC Certified Wood Flooring	8 Resource pts	y=yes	3			1
Use Rapidly Renewable Flooring Materials	4 Resource pts	y=yes	;]		
3 Use Recycled Content Ceramic Tiles	4 Resource pts	y=yes]	1	
4 Install Natural Linoleum in Place of Vinyl	5 IAQ/Health pts	y=yes]	1	
5 Use Exposed-Concrete as Finished Floor	4 Resource pts	y=yes				
6 Install Recycled Content Carpet with Low VOCs	4 Resource pts	y=yes	1	1 +	<u> </u>	
,						
O. C.b. of Albany Incentives				1		
O. City of Albany Incentives	20 Pagauras nta	V=VA			T T	
1 Additions less than 50% increase in floor area	20 Resource pts	y=ye:	17	10		1
2 Additions less than 200sq ft or resulting in less than 1,500sq ft	10 Resource pts	y=ye		1 "	1	1
3 Seismic upgrade of existing building	25 Resource pts	y=ye		-{	1	1
4 For having a hybrid or zero emissions vehicle	2 IAQ/Health pts	y=ye		-	[Į
5 For having no automobile	5 Resource pts	y=ye		-	1	l
6 Plant more than one street tree when feasible	2 IAQ/Health pts	y=ye		-{	1	1
7 Earthquake kit	2 IAQ/Health pts	y=ye	3	<u> </u>		
			ŧ			
				64	<u> </u>	· · · · · · · · · · · · · · · · · · ·
TOTAL POINTS ACCUMULATED:						
TOTAL POINTS ACCOMPLATED.	50 points total I	Req'd		P		