


1010 PERALTA 1014 PERALTA 1012 PERALTA 1016 PERALTA 1008 PERALTA

PERALTA AVE. STREETSCAPE
NTS



1010 PERALTA 1012 PERALTA 1014 PERALTA 1016 PERALTA

TEVLIN ST. STREETSCAPE
NTS

PROJECT DATA

KATHLEEN & DAVID NORRIS
1012 PERALTA AVE.
ALBANY, CA 94706

APN: 65-2417-6
LOT AREA: 4,375 SQ. FT.
ZONE: R1
OCCUPANCY: R-3
CONSTRUCTION TYPE: V-S W/ FIRE SPRINKLERS
(NFAISD AUTOMATIC FIRE EXTINGUISHING SYSTEM)

	TO EXISTING HOUSE	TO PROPOSED ADDITION	REQUIRED
MAX. RIDGE HEIGHT TO GRADE:	18'-7"	19'-11"	28'-0" MAX.
FRONT SETBACK:	10'-9"	N/A	15'-0" MIN.
SIDE SETBACK (NORTH):	2'-2 1/2"	3'-6"	3'-6" MIN.
SIDE SETBACK (SOUTH):	8'-6"	7'-3 1/2"	3'-6" MIN.
REAR SETBACK:	65'-0"	54'-6"	20'-0" MIN.

SQUARE FOOTAGE CALCULATIONS:	EXISTING	PROPOSED	NEW TOTAL
MAIN FLR. AREA	1,079 SQ. FT.	+188 SQ. FT.	1,267 SQ. FT.
LOWER FLOOR AREA (CONDITIONED)	0 SQ. FT.	+652 SQ. FT.	652 SQ. FT.
LOWER FLR. STOR. (UNCONDITIONED)	0 SQ. FT.	+450 SQ. FT.	450 SQ. FT.
TOTAL	1,079 SQ. FT.	+1,290 SQ. FT.	2,369 SQ. FT.
LOWER FLR. STOR. (6'-0" H.)	0 SQ. FT.	+275 SQ. FT.	275 SQ. FT.
UNENCLOSED FRONT PORCH	49.5 SQ. FT.	NO CHANGE	49.5 SQ. FT.
DETACHED GARAGE	168.0 SQ. FT.	-168.0 SQ. FT.	0 SQ. FT.
BLDG. FOOTPRINT:	1,312 SQ. FT.	+135 SQ. FT.	1,447 SQ. FT.
IMPERVIOUS COVERAGE (PAVING):	276 SQ. FT.	+794 SQ. FT.	1,070 SQ. FT.

LOT COVERAGE & F.A.R. CALCULATIONS:

(E) LOT COVERAGE (EXISTING BUILDING FOOTPRINT + LOT AREA):
1,312 SQ. FT. + 4,375.00 SQ. FT. = 30%



(N) LOT COVERAGE (NEW BUILDING FOOTPRINT + LOT AREA):
1,447 SQ. FT. + 4,375.00 SQ. FT. = 33%

(E) FLOOR AREA RATIO (EXISTING HABITABLE FLOOR AREA TOTAL + LOT AREA):
1,079 SQ. FT. + 4,375.00 SQ. FT. = 25%

(N) FLOOR AREA RATIO (NEW HABITABLE FLOOR AREA TOTAL + LOT AREA):
2,369 SQ. FT. + 4,375.00 SQ. FT. = 54%

SCOPE OF WORK

- GENERAL:**
- NEW 632 SQ. FT. LOWER FLOOR ADDITION TO INCLUDE: (N) MASTER BEDROOM, (N) BATHROOM, (N) BEDROOM 3, (N) LAUNDRY CLOSET, (N) STAIRWELL TO MAIN FLOOR (SEE BELOW FOR DETAILS)
 - DEMO PREVIOUS 85.75 SQ. FT. ADDITION AT MAIN FLOOR
 - NEW ADDITION AT EXISTING MAIN FLOOR TO INCLUDE: (N) FAMILY ROOM, (R) BEDROOM 2 (SEE BELOW FOR DETAILS)
 - MAIN FLOOR REMODEL (SEE BELOW FOR DETAILS)
 - EXCAVATE TO ACHIEVE 6'-4" FIN. CLG. HT. AT (N) LOWER FLOOR (NEW RETAINING WALL HEIGHTS @ LOWER FLOOR PERIMETER TO VARY FROM APPROXIMATELY 5'-8" H. AT THE MAXIMUM TO 2'-0" H. AT THE MINIMUM) WITH SLAB ON GRADE PER STR. 2" TH. SANDBED, VAPOR BARRIER AND 4" TH. COMPACTED BASE ROCK
 - (N) STRUCTURAL FRAMING & FOUNDATION AT AREA OF ADDITION
 - FOUNDATION REPLACEMENT @ ENTIRE NORTH SIDE OF HOUSE, AND APPROX. 1/2 OF SOUTH SIDE
 - FURR WALLS W/ PT. 2X4 FLAT STUDS & 1 1/2" TH. RIGID INSULATION @ LOWER FLOOR TO HIDE FOUNDATION ENCROACHMENT, TYP. JAMB EXTENSIONS & ADDITIONAL CRIPPLE WALL FRAMING REQUIRED AT ALL (N) LOWER FLOOR WINDOWS
 - (N) STUCCO @ ADDITION TO MATCH (E)
 - (N) CLASS A ASPHALT COMP. SHINGLES AT NEW ROOF (CALIFORNIA FRAMED OVER (E) ROOF HIP & SLOPED TO MATCH EXISTING)
 - (N) INTERIOR PAINT THROUGHOUT
 - (N) EXTERIOR PAINT @ (E) & (N) STUCCO, WOOD TRIMS, WINDOW FRAMES & SASHES
 - (N) CLAD WOOD EXTERIOR DOORS AND WINDOWS PER EXT. ELEVATIONS, MFRD. BY JELD-WEN PREMIUM, SIERRA PACIFIC, OR EQUAL
 - (N) INTERIOR DOORS AS SHOWN ON PLAN
 - 2 (N) VELUX SKYLIGHTS
 - PATCH OR REPLACE (E) FINISHES @ ALL (E) SURFACES DISTURBED & AS NECESSARY THROUGHOUT (i.e. PLASTER/ DRYWALL, BASEBOARDS, MOULDINGS, ETC.)
 - (N) FINISHES PER FINISH SCHEDULE
- BUILDING SYSTEMS:**
- RELOCATE (E) WATER HEATER TO CRAWLSPACE @ FRONT OF HOUSE WHERE HT. ALLOWS (PROVIDE LIGHT AND OUTLET)
 - (N) FAU AT CRAWLSPACE TO SERVE BOTH FLOORS, ZONED SEPARATELY (PROVIDE LIGHT AND OUTLET)
 - (N) ELECTRICAL OUTLETS, SWITCHES & LIGHT FIXTURES AS INDICATED ON PLANS AND AS REQUIRED FOR CODE COMPLIANCE
 - UPGRADE TO ARC-FAULT CIRCUIT INTERRUPTOR DEVICES AT ALL BEDROOMS
 - (N) PLUMBING FIXTURES & FITTINGS AS IMPLIED BY PLANS AND AS REQUIRED FOR BATH COMPLIANCE
 - (N) NFPA 13D AUTOMATIC FIRE SPRINKLER SYSTEM W/ ALARM AND INTERCONNECTED SMOKE DETECTORS THROUGHOUT
 - (N) INSULATION @ ALL (E) EXT. WALLS, ROOFS, AND FLOORS DISTURBED AND AT ALL (N) EXT. WALLS, ROOFS, AND FLOORS
 - (N) DUCTWORK & HEAT REGISTERS AS REQUIRED
 - (N) UTILITY LINES FOR CABLE DATA, AND TELEPHONE AS REQUIRED
 - (N) WATERPROOFINGS AND SUBGRADE DRAINAGE AS REQUIRED
 - (N) SEWER LATERAL UPGRADE AS REQUIRED W/ 2 WAY SEWER CLEANOUT AND BACKFLOW PREVENTION DEVICE - NOTE SEWER IS TO REAR AND DOWNHILL AT TEVLIN ST.
 - (N) GUTTERS AND DOWNSPOUTS AS REQUIRED (INCLUDING (N) GUTTER & DOWNSPOUT AT (N) WATERPROOF ROOF DECK) - (N) DOWNSPOUT DRAINAGE TO DISCHARGE BY GRAVITY TO CURBS AT TEVLIN ST.
- MAIN FLOOR:**
- (E) KITCHEN:
- DEMO SOUTH AND WEST WALLS PER FLOOR PLAN; PROVIDE (N) BEAMS AT (N) OPENINGS TO HALLWAY AND (N) FAMILY ROOM
 - REMOVE WASHER & DRYER, RELOCATE TO (N) LAUNDRY CLOSET @ (N) LOWER FLOOR
 - (N) HARDWOOD FLOOR
 - (N) VELUX SKYLIGHT PER WINDOW SCHEDULE
- (N) FAMILY ROOM:
- (N) OPENING TO KITCHEN
 - 2 (N) WINDOWS (3 SASH TOTAL)
 - (N) OUTSWING PATIO DOOR TO (N) WATERPROOF DECK
 - (N) HARDWOOD FLOOR
 - LIGHTING & ELEC.
- (R) BEDROOM 2:
- DEMO AREA OF PREVIOUS ADDITION AND CLOSET
 - REPLACE (E) ALUM. SINGLE GLAZED WINDOW W/ (N) CLAD WOOD SASH- REPLACEMENT WINDOW (3 SASH MULLED TOGETHER W/ MULL POCKETS & DIVIDED LITES TO MATCH EXISTING)
 - (N) HARDWOOD FLOOR
 - (N) DOOR TO HALLWAY
 - LIGHTING & ELEC.
- (E) DINING ROOM:
- REMODEL OPENING BETWEEN DINING ROOM & LIVING ROOM PER PLAN
- (E) LIVING ROOM:
- REMODEL OPENING BETWEEN DINING ROOM & LIVING ROOM PER PLAN
 - REPLACE (E) ALUM. SINGLE GLAZED WINDOW W/ (N) CLAD WOOD SASH- REPLACEMENT WINDOW (3 SASH MULLED TOGETHER W/ MULL POCKETS & DIVIDED LITES TO MATCH EXISTING)
 - PATCH HARDWOOD FLOOR WHERE HEAT REGISTER IS TO BE REMOVED
- (E) ENTRY:
- (N) 52" HIGH COAT CLOSET WITH (N) DOORS, 1 POLE, AND A PAINTED WOOD TOP BELOW (E) WINDOW TO REMAIN
- (E) BEDROOM 1:
- REPLACE (E) ALUM. SINGLE GLAZED WINDOW W/ (N) CLAD WOOD SASH- REPLACEMENT WINDOW (2 SASH MULLED TOGETHER W/ MULL POCKET)
- (N) STAIR & MAIN FLOOR HALL:
- (N) HARDWOOD @ (N) FLOOR; PATCH & REFINISH HARDWOOD @ (E) FLOOR
 - (N) STAIR WITH 15 EQ. RISERS, 12 EQ. TREADS & 2 MID-LANDINGS
 - (N) SOLID OAK TREADS, PAINTED WOOD RISERS, LOW WALLS W/ PAINTED WOOD CAPS AS GUARDRAILS, AND 1 1/2" DIA. HANDRAILS
 - (N) PAINTED WOOD BOOKCASE FACING LOWER RUN OF STAIR AS SHOWN ON PLAN
 - (N) WINDOW W/ TRANSOM ABOVE
 - (N) LEDGE W/ PAINTED WOOD CAP BELOW WINDOW TO CONCEAL FOUNDATION ENCROACHMENT
 - (N) VELUX SKYLIGHT
 - LIGHTING & ELEC.
- LOWER FLOOR:**
- (N) LOWER FLOOR HALL:
- (N) UNDER-STAIR STORAGE CLOSET BELOW UPPER RUN OF STAIR W/ DOOR FROM HALLWAY
 - (N) LAUNDRY CLOSET WITH WASHER/DRYER HOOKUPS, 1 SHELF, AND LOUVERED DOORS TO HALLWAY
 - (N) PREFINISHED CLICK-IT WOOD FLOOR
 - 6" D. SOFFIT FOR DUCT PASSAGE; CHAMFER CEILING AT START OF STAIR AS NECESSARY TO ACHIEVE PROPER HEAD HEIGHT
 - LIGHTING & ELEC.
- (N) BATH:
- ALL NEW FINISHES, FIXTURES, FITTINGS, & CABINETS (COUNTERTOP, CABINETS W/ SINK, TALL LINEN CABINET, MIRROR, TOILET)
 - (N) SHOWER W/ BENCH & TEMP. GLASS SHOWER DOOR/ ENCLOSURE
 - (N) WINDOW (TEMPERED, OBSCURE GLASS)
 - (N) TILE @ SHOWER SURROUND & BATH FLOOR
 - (N) DOOR TO HALLWAY
 - LIGHTING & ELEC. INCLUDING (N) WALL SCONCE LIGHTS WITH VACANCY SENSOR/SWITCH
- (N) MASTER BEDROOM:
- (N) CLOSET W/ (N) CLOSET SLIDER DOORS & SHELF/POLE COMBO
 - 2 (N) WINDOWS
 - (N) PAIR OF OUTSWING PATIO DOORS
 - (N) PREFINISHED CLICK-IT WOOD FLOOR
 - (N) DOOR TO HALLWAY
 - LIGHTING & ELEC.
- (N) BEDROOM 3:
- (N) CLOSET W/ (N) CLOSET SLIDER DOORS & SHELF/POLE COMBO, OPEN TO DEEP UNDERSTAIR STORAGE BELOW LOWER RUN OF STAIR
 - (N) WINDOW (3 SASH TOTAL)
 - (N) PAIR OF OUTSWING PATIO DOORS
 - (N) PREFINISHED CLICK-IT WOOD FLOOR
 - (N) DOOR TO HALLWAY
 - (N) CORNER SHELVES AS SHOWN ON PLAN
 - LIGHTING & ELEC.
- (N) STORAGE:
- EXCAVATE 725 SQ. FT. OF CRAWLSPACE BELOW (E) HOUSE TO ACHIEVE 6'-4" HIGH UNCONDITIONED STORAGE WHERE SHOWN ON PLAN, AND 5'-0" HIGH UNCONDITIONED STORAGE WHERE SHOWN ON PLAN
 - EXPOSED CONCRETE FLOOR, PLYWOOD OR DRYWALL AT WALLS, DRYWALL AT CEILING
 - ROUGH FLOOR LEVEL IS TO ALIGN WITH ROUGH FLOOR LEVEL AT NEW LOWER FLOOR ADDITION
 - ALL (N) FOUNDATION
- SITE IMPROVEMENTS:**
- DEMO (E) GARAGE
 - (N) WATERPROOF ROOF DECK OVER LIVING SPACE TO CONSIST OF WOOD DECKING OVER TAPERED SLEEPERS OVER WATERPROOFING SYSTEM OVER TAPERED JOISTS
 - (N) 42" H. WOOD GUARDRAIL AT WATERPROOF ROOF DECK
 - (N) WOOD STAIR FROM WATERPROOF ROOF DECK TO PATIO W/ 2 CONC. STEPS & CONC. LANDING @ BOTTOM OF STAIR
 - (N) PATIO, SLOPED 1/4" PER FOOT DOWNHILL TOWARDS TEVLIN STREET W/ SIDE RETAINING WALLS WHERE NATURAL GRADE IS HIGHER THAN PATIO (HIGHEST RET. WALL EXTENDS APPROX. 4'-0" ABOVE PATIO LEVEL)
 - (2) NEW PARKING SPACES ACCESSED FROM TEVLIN ST. - TREATMENT OF WHICH SHALL BE SIMILAR TO SOUTH NEIGHBOR AT 1014 PERALTA
 - (N) WOOD FENCE & PEDESTRIAN GATE NEXT TO PARKING SPACES WHERE SHOWN ON SITE PLAN



PARTIES INVOLVED

OWNER: KATHLEEN & DAVID NORRIS
1012 PERALTA AVE.
ALBANY, CA 94706
(510) 524-6340

ARCHITECT: JASON KALDIS ARCHITECT, INC.
1250 ADDISON STREET, STUDIO 210
BERKELEY, CA 94702
(510) 549-3584
(510) 549-3574 FAX
CONTACT: JASON OR MARIA
jason@kaldisarchitect.com or
maria@kaldisarchitect.com

DRAWING INDEX

SHEET	DESCRIPTION
SHEET 1:	SITE PLAN W/ ROOF PLAN @ 1/8" = 1'-0"
	PROJECT DATA
	PARTIES INVOLVED
	SCOPE OF WORK
	SANBORN MAP
	STREETSCAPES
SHEET 2:	MAIN FLOOR PLAN @ 1/4" = 1'-0"
	LOWER FLOOR PLAN @ 1/4" = 1'-0"
	ARCHITECTURAL LEGEND
	WINDOW DETAILS
SHEET 2A:	EXISTING FLOOR PLANS @ 1/4" = 1'-0"
	(FOR REFERENCE ONLY)
SHEET 3:	EXTERIOR ELEVATIONS @ 1/4" = 1'-0"
	SITE SECTION @ 1/8" = 1'-0"
SHEET 3A:	TYPICAL EXTERIOR BUILDING MATERIALS
	EXISTING EXTERIOR ELEVATIONS @ 1/4" = 1'-0"
	(FOR REFERENCE ONLY)




DESIGN REVIEW SET

DATE: 10.29.10
DRAWN BY: JKH



JASON KALDIS ARCHITECT, INC.
1250 ADDISON STREET - STUDIO 210
BERKELEY, CA 94702
PH (510) 549-3584 FX (510) 549-3574
JASON@KALDISARCHITECT.COM

PROJECT: ADDITION FOR KATHLEEN & DAVID NORRIS
1012 PERALTA AVE.
ALBANY, CA 94706

1
OF 1
DATE PLOTTED: 02/03/11



TYPICAL WINDOW DETAILS



ARCHITECTURAL LEGEND

- NEW (N) WALL
- EXISTING (E) WALL TO REMAIN
- EXISTING (E) WALL TO BE REMOVED
- LINE ABOVE
- LINE BELOW OR BEYOND
- PROPERTY LINE
- SECTION
- DETAIL NUMBER
- SHEET NUMBER
- WINDOW KEY
- DOOR KEY
- REVISION

DESIGN REVIEW SET

JOB ADDRESS: ADDITION FOR KATHLEEN & DAVID NORRIS, 1012 PERALTA AVE., ALBANY, CA 94706

DATE: 10.26.10



DESIGNED BY: JKH

DRAWING TITLE: MAIN FLOOR PLAN @ 1/4" = 1'-0", LOWER FLOOR PLAN @ 1/4" = 1'-0", TYPICAL WINDOW DETAILS


ARCHITECTURAL LEGEND

JASON KALDIS ARCHITECT, INC.
1230 ADDISON STREET - STUDIO 210
BERKELEY, CA 94702
PH: (510) 549-3584 FAX: (510) 549-3574
JASON@KALDISARCHITECT.COM

SHEET 2 OF 2





EXISTING MAIN FLOOR PLAN
(FOR REFERENCE ONLY) 1/4" = 1'-0"




DESIGN REVIEW SET

JOB ADDRESS ADDITION FOR KATHLEEN & DAVID NORRIS 1012 PERALTA AVE. ALBANY, CA 94706	DATE 10-25-10 DRAWN BY MM
JASON KALDIS ARCHITECT, INC. 1250 ADDISON STREET - STUDIO 210 BERKELEY CA 94702 PH (510) 549-3584 FX (510) 549-3574 JASON@JKALDISARCHITECT.COM	
DRAWING TITLE (5) FLOOR PLAN @ 1/4" = 1'-0" FOR REFERENCE ONLY	SHEET 2A OF FOR NUMBER 09034




NORTH ELEVATION
1/4"=1'-0"




WEST ELEVATION
1/4"=1'-0"


- TYPICAL EXTERIOR BUILDING MATERIALS**
MATCH EXISTING TYP:
- (N) ASPHALT COMPOSITION SHINGLE ROOF
 - (N) STUCCO
 - (N) WOOD TRIMS, PAINTED
 - (N) CLAD WOOD WINDOWS & PATIO DOORS
 - (N) SKYLIGHTS, MANUFACTURED BY VELUX
 - (N) WATERPROOF DECK W/ WOOD DECKING & WOOD STAIRS
 - (N) WOOD GUARDRAILS @ DECK & STAIR
 - (N) PAINTED WOOD BOARD & BATTEN DETAIL @ GABLE END
 - (N) HIDDEN GUTTER & METAL DOWNSPOUTS, PAINTED
 - (N) WOOD BRACKETS @ GABLE END



SOUTH ELEVATION
1/4"=1'-0"



EAST ELEVATION
1/4"=1'-0"



DESIGN REVIEW SET

JOB ADDRESS: ADDITION FOR KATHLEEN & DAVID NORRIS, 1012 PERALTA AVE., ALBANY, CA 94706

DATE: 10.25.10


DRAWN BY: MH

JASON KALDIS ARCHITECT, INC.
1250 ADDISON STREET - STUDIO 210, BERKELEY, CA 94702
PH: (510) 549-3584 | FX: (510) 549-3574 | JASON@JKALDISARCHITECT.COM


DRAWING TITLE: EXT. ELEVATIONS @ 1/4" = 1'-0"
SITE SECTION @ 1/8" = 1'-0"
TYP. EXT. BUILDING MATERIALS

SHEET: 3 OF 3


JOB NUMBER: C2034




EXISTING NORTH ELEVATION
1/4" = 1'-0"




EXISTING WEST ELEVATION
1/4" = 1'-0"



EXISTING SOUTH ELEVATION
1/4" = 1'-0"



EXISTING EAST ELEVATION
1/4" = 1'-0"



DESIGN REVIEW SET


FOR ADDRESS ADDITION FOR KATHLEEN & DAVID NORRIS 1012 PERALTA AVE. ALBANY, CA 94706	DATE 10.26.10 DRAWN BY JH
JASON KALDIS ARCHITECT, INC. 1250 ADDISON STREET - STUDIO 210 BERKELEY, CA 94702 PH (510) 549-3584 FX (510) 549-3574 JASON@JKALDISARCHITECT.COM	
DRAWING TITLE EXISTING EXT. ELEV. @ 1/4" = 1'-0" FOR REFERENCE ONLY	SHEET 3A OF 3 10/26/10

NOTE

THIS MAP WAS PREPARED FOR THE EXCLUSIVE USE OF KATHLEEN NORRIS.
USE BY ANY OTHER PARTY FOR ANY PURPOSE WHATSOEVER IS PROHIBITED AND NOT WARRANTED.
ON SITE UNDERGROUND ITEMS EXIST. CONTRACTOR SHALL VERIFY
THE LOCATION OF ALL THE UTILITIES AND UNDERGROUND STRUCTURES PRIOR
TO CONSTRUCTION. CALL U.S.A. 800-227-2600 PRIOR TO ANY CONSTRUCTION.
ANY EASEMENTS WHICH MAY ENCUMBER THIS PROPERTY ARE NOT SHOWN HEREON.
DIMENSIONS FROM BUILDING CORNERS SHOWN HEREON ARE TAKEN FROM THE OUTSIDE
FINISHED SURFACE OR TRIM AT EACH CORNER. DIMENSIONS FROM BUILDING FOUNDATIONS WILL DIFFER.

T E V L L I N S T R E E T

N 1678' E 35'



N 1678' E 35'


CONCRETE SIDEWALK

FACE OF CURB

P E R A L T A A V E N U E

FOUND CITY OF ALBANY BRASS DISC MONUMENT IN SIDEWALK


FOUND CITY OF ALBANY BRASS DISC MONUMENT IN SIDEWALK



ALBANY TERRACE


B L O C K 7

GRAPHIC SCALE



REVISIONS

JOB: 10057
 SCALE: 1"=8'
 ENGINEER: D.V.
 DATE: 9/7/10



HOUSE LOCATION
 FOR KATHLEEN NORRIS
 "KEY ROUTE TERRACE NO. 2" - (21 M 52)
 LOT 6, BLK. 7, 1012 PERALTA AVENUE
 ALBANY - ALAMEDA COUNTY - CALIFORNIA

LAND SURVEYOR
 3527 MT. DIABLO BLVD., #568
 LAFAYETTE, CALIFORNIA
 925-947-1051

DONALD VEGVARY

SHEET 1
 OF 1 SHEETS

10057-NORRIS-9/8/10