## **Green Points Rating System for Remodeling Projects**

Due to the diversity of remodeling project types, assigning a "total points" value to a project to be considered environmentally friendly is not feasible. However, 25 measures have been highlighted to signify that every effort should be made to incorporate them into your projects. These items have been chosen based upon their impact on the environment and the health of the home in coordination with ease of implementation and relative low cost. These measures can be used as a starting point for "greening" your project.

## **Project Address:**

A. Site		INPUT	Resources	Energy	IAQ/Health
1. Recycle Job Site Construction & Demolition Waste 65% = 1 point; 75% = 2 points; 80% = 4 points	to 4 December				
· · · · · · · · · · · · · · · · · · ·	up to 4 Resource				
Salvage Reusable Building Materials	4 Resource pts y=y	es			
Remodel for Mixed Use, Adaptive Reuse, and     Historic Preservation	4 December 11				
Protect Native Soil	4 Resource pts y=y				
Ninimize Disruption of Existing Plants & Trees	2 Resource pts y=y 1 Resource pt y=y				
Implement Construction Site Stormwater Practices			-		
7. Protect Water Quality with Landscape Design					
Design Resource-Efficient Landscapes and Gardens					
Reuse Materials/Use Recycled Content Materials	4 Resource pts y=y	C3			
for Landscape Areas	2 Resource pts y=y	201			
10. Install High-Efficiency Irrigation Systems	2 Resource pts y=y		•		
11. Provide for On-Site Water Catchment / Retention	2 Resource pts y=y		•		
	2 Hosouros pis y j	03			
B. Foundation					
				1	
Incorporate Recycled Flyash in Concrete					
25% Recycled Flyash = 2 points; Add 1 point for every 10%					
increase of flyash, up to 5 points	up to 5 Resource				
Use Recycled Content Aggregate     Insulate Foundation/Slab before backfill	2 Resource pts y=y				
3. Ilisulate i odiluation/siab betole backiii	3 Energy pts y=y	es			
C. Structural Frame					
Substitute Solid Sawn Lumber with Engineered Lumber	3 Resource pts y=y	es			
2. Use FSC Certified Wood for framing	. 40 D				
(For every 10% of FSC lumber used = 2 points, up to 10) 3. Use Wood I-Joists for Floors and Ceilings	up to 10 Resource p				
Use Web Floor Trusses	2 Resource pts y=y				
	2 Resource pts y=y	es			
5. Design Energy Heels on Trusses 6" or more	2 Energy pts y=y	es			
6. Use Finger-Jointed Studs for Vertical Applications	2 Resource pts y=y				
7. Use Engineered Studs for Vertical Applications	2 Resource pts y=y				
8. Use Recycled Content Steel Studs for Interior Framing	2 Resource pts y=y	es			
9. Use Structural Insulated Panels (SIPs)					
a. Floors	3 Energy pts y=y				
b. Wall	3 Energy pts y=y				
c. Roof	3 Energy pts y=y				
10. Apply Advanced Framing Techniques	4 Resource pts y=y				
11. Use Reclaimed Lumber for Non Structural Applications	3 Resource pts y=y	es			
12. Use OSB	1 Decement				
a. Subfloors b. Sheathing	1 Resource pt y=y		-		
b. Sheathing	1 Resource pt y=y	es			

			INPUT	Resources	Energy	IAQ/Health
D. Exterior Finish			IIVFUI	Resources	Lifergy	IAQ/Health
Use Sustainable Decking Materials						
a. Recycled content	3 Resource pts	y=yes				
b. FSC Certified Wood		y=yes				
Use Treated Wood That Does Not Contain Chromium/Arsenic		· ·				
Install House Wrap under Siding	· · · · ·	y=yes				
Histair House wrap under Sluing     Use Fiber-Cement Siding Materials	· · · · ·	y=yes				
4. Use Fiber Sement Stating Waterials	1 Resource pt y=	yes				
E. Dhambia a						
E. Plumbing						
1. Install Water Heater Jacket		y=yes				
Insulate Hot and Cold Water Pipes	2 Energy pts	y=yes				
3. Retrofit all Faucets and Showerheads with Flow Reducers						
a. Faucets (1 point each, up to 2 points)	Up to 2 Resourc					
b. Showerheads (1 point each, up to 2 points)	Up to 2 Resourc	e pts.				
4. Replace Toilest with Ultra-Low Flush Toilets						
(1 point each, up to 3 points)	Up to 3 Resourc	e pts.				
5. Install Chlorine Filter on Showerhead	1 IAQ/Health pt	y=yes				
6. Convert Gas to Tankless Water Heater	4 Energy pts	y=yes				
7. Install Water Filtration Units at Faucets		ľ				
(2 points each, up to 4 points)	Up to 4 IAQ/Healt	h pts.				
8. Install On-Demand Hot Water Circulation Pump	4 Resource pts	y=yes				
F. EIECTRICAL						
Install Compact Fluorescent Light Bulbs (CFLs)						
(6 bulbs=2 points, 10 bulbs =3 points, 12 bulbs = 4 points)	Up to 4 Energ	y pts.				
2. Install IC-AT Recessed Fixtures with CFLs (1 point each, up to						
5 points)	Up to 5 Energ	y pts.				
3. Install Lighting Controls (1 point per fixture, up to 4 points)	Up to 4 Energy pts.					
4. Install High Efficiency Ceiling Fans with CFLs						
(1 point each, up to 4 points)	Up to 4 Energ	y pts.				
G. Appliances				-		
Install Energy Star Dishwasher	1 Energy pt	y=yes				
2. Install Washing Machine with Water and Energy						
Conservation Features	1 Energy pt	y=yes				
3.Install Energy Star Refrigerator	1 Energy pt	y=yes				
4. Install Built-In Recycling Center	3 Resource pts	y=yes				
H. Insulation						
1. Upgrade Insulation to Exceed Title 24 Requirements						
a. Walls	2 Energy pts	y=yes				
b. Ceilings	2 Energy pts	y=yes				
2. Install Floor Insulation over Crawl Space	4 Energy pts	y=yes				
3. Install Recycled-Content, Fiberglass Insulation with						
No Added Formaldehyde	-	y=yes				
4. Use Advanced Infiltration Reduction Practices	2 Energy pts	y=yes				
5. Use Cellulose Insulation						
a. Walls		y=yes				
b. Ceilings	4 Resource pts	y=yes				
6. Alternative Insulation Products (Cotton, spray-foam)		ļ				
a. Walls		y=yes				
b. Ceilings	4 Resource pts	y=yes				

			INDUT	Daggurage	Enormy	IAO/Hoolth
I. Windows			INPUT	Resources	Energy	IAQ/Health
Install Energy-Efficient Windows						I
a. Double-Paned	1 Energy pt	y=yes				
b. Low-Emissivity (Low-E)	2 Energy pts	y=yes		1		
c. Low. Conductivity Frames	2 Energy pts	y=yes		1		
Install Low Heat Transmission Glazing	1 Energy pts	y=yes		1		
, and the second	r Energy pt	<i>y</i> yes				
J. Heating Ventilation and Air Conditioning						
Use Duct Mastic on All Duct Joints	2 Energy pts	V VOC				Γ
Install Ductwork within Conditioned Space	3 Energy pts	y=yes				
Vent Range Hood to the Outside	1 IAQ/Health pt	y=yes y=yes		1		
Clean all Ducts Before Occupancy	2 IAQ/Health pts	y=yes y=yes		1		
5. Install Solar Attic Fan	2 Energy pts	y=yes		1		
6. Install Attic Ventilation Systems	1 Energy pt	y=yes		1		
7. Install Whole House Fan	4 Energy pts	y=yes		1		
8. Install Sealed Combustion Units	r Energy pto	<i>y y y y y y y y</i>		1		
a. Furnaces	3 IAQ/Health pts	v=ves		1		
b. Water Heaters	3 IAQ/Health pts			1		
9. Replace Wall-Mounted Electric and Gas Heaters with	o ii i <b>c</b> ritodiii pio	, , , ,		1		
Through-the-Wall Heat Pumps	3 Energy pts	y=yes				
10. Install 13 SEER/11 EER or higher AC with a TXV	3 Energy pts	y=yes		1		
11. Install AC with Non-HCFC Refrigerants	2 Resource pts	y=yes		1		
	•	, ,		1		
12. Install 90% Annual Fuel Utilization Efficiency (AFUE) Furnace	2 Energy pts	y=yes				
13. Retrofit Wood Burning Fireplaces	•			1		
a. Install EPA certified wood stoves/inserts	1 IAQ/Health pt	y=yes		1		
b. Install/Replace Dampers	1 Energy pt	y=yes		1		
c. Install Airtight Doors	1 Energy pt	y=yes		1		
14. Install Zoned, Hydronic Radiant Heating	3 Energy pts	y=yes		]		
15. Install High Efficiency Filter	4 IAQ/Health pts	y=yes				
16. Install Heat Recovery Ventilation Unit (HRV)	5 IAQ/Health pts	y=yes				
17. Install Separate Garage Exhaust Fan	3 IAQ/Health pts	y=yes				
K. Renewable Energy and Roofing						
Pre-Plumb for Solar Water Heating	4 Energy pts	y=yes				
2. Install Solar Water Heating System	10 Energy pts	y=yes				
3. Pre-Wire for Future Photovoltaic (PV) Installation	4 Energy pts	y=yes				
4. Install Photovoltaic (PV) System						
(1.2 kw = 6 points, 2.4 kw = 12 points, 3.6 kw = 18 points)	Up to 18 Ene	ergy pts				
6. Select Safe and Durable Roofing Materials	1 Resource pt	y=yes				
7. Install Radiant Barrier	3 Energy pts	y=yes				
I. National Heating and Coaling						
L. Natural Heating and Cooling						•
1. Incorporate Passive Solar Heating	5 Energy pts	y=yes				
2. Install Overhangs or Awnings over South Facing Windows	3 Energy pts	y=yes				
3. Plant Deciduous Trees on the West and South Sides	3 Energy pts	y=yes				

			INPUT	Resources	Energy	IAQ/Health
M. Indoor Air Quality and Finishes						•
1. Use Low/No-VOC Paint	1 IAQ/Health pts	y=yes				
2. Use Low VOC, Water-Based Wood Finishes	2 IAQ/Health pts	y=yes				
3. Use Low/No VOC Adhesives	3 IAQ/Health pts	y=yes				
4. Use Salvaged Materials for Interior Finishes	3 Resource pts	y=yes				
5. Use Engineered Sheet Goods with no added Urea						
Formaldehyde	6 IAQ/Health pts	y=yes				
6. Use Exterior Grade Plywood for Interior Uses	1 IAQ/Health pts	y=yes				
7. Seal all Exposed Particleboard or MDF	4 IAQ/Health pts	y=yes				
8. Use FSC Certified Materials for Interior Finish	4 Resource pts	y=yes				_
Use Finger-Jointed or Recycled-Content Trim	1 Resource pts	y=yes				
10. Install Whole House Vacuum System	3 IAQ/Health pts	y=yes				
N. Flooring						
Select FSC Certified Wood Flooring	8 Resource pts	y=yes				
2. Use Rapidly Renewable Flooring Materials	4 Resource pts	y=yes				
3. Use Recycled Content Ceramic Tiles	4 Resource pts	y=yes				
4. Install Natural Linoleum in Place of Vinyl	5 IAQ/Health pts	y=yes				
5. Use Exposed Concrete as Finished Floor	4 Resource pts	y=yes				
6. Install Recycled Content Carpet with Low VOCs	4 Resource pts	y=yes				
		, ,				
O. City of Albany Incentives				ı		
Additions less than 50% increase in floor area	20 Decourse ats	V V00				
2. Additions less than 200sq.ft. or resulting in less than 1,500sq.ft.	20 Resource pts	y=yes				
Seismic upgrade of existing building	10 Resource pts 25 Resource pts	y=yes				
Sersime apprate of existing building     4.For having a hybrid or zero emissions vehicle	2 IAQ/Health pts	y=yes				
5. For having no automobile	5 Resource pts	y=yes				
Plant more than one street tree when feasible	2 IAQ/Health pts	y=yes				
7. Earhquake kit	2 IAQ/Health pts	y=yes y=yes				
· · ·	2 IAQ/I Icaliii pis	y-yes				