

**CITY OF ALBANY
PLANNING AND ZONING AGENDA
STAFF REPORT**

Agenda date: 6/9/09
Prepared by: LJ
Reviewed by: AC

ITEM/ **4b**
SUBJECT: **Planning Application 09-023. Design Review. Request for Design Review approval of a new 1,793 square foot single-family home on a vacant parcel.**

SITE: **944 Pomona**

**APPLICANT/
OWNER:** **Heidi Stettner**

ZONING: **R-3 (Multi-Family Residential)**

STAFF RECOMMENDATION

Staff recommends that the Planning and Zoning Commission approve the request for design review approval to allow construction of a new 1,793 square foot single-family home on a vacant parcel.

BACKGROUND/PROJECT DESCRIPTION

The subject property is a 3,600 square foot vacant parcel. The applicant is requesting Design Review approval to construct a new 1,793 square foot two-story, single-family home. The home has a 3' side (northern) yard setback, a 5' side (southern) yard setback, and a 41' rear yard setback, with a wooden deck that extends 8' from the rear of the home. The home has a maximum proposed height of 23'-7". There is a one-car garage proposed at north end of the lot and a second required space located next to the garage in the form of an open space. All development requirements are met and only Design Review is requested.

This project was first reviewed on May 12, 2009. Overall the Commission supported the design. They preferred that the garage did not dominate the front façade; however, understood the constraints of a narrow lot. The Commission recommended design elements like metal sunscreens added to the walkway or elevations, with crawling vines, windows over the garage, etc. They also requested that an accurate site plan showing location of gates, property lines and the curb cut.

ENVIRONMENTAL ANALYSIS

Staff has determined that the proposed project is categorically exempt from the requirements of California Environmental Quality Act (CEQA) per CEQA Guidelines Section 15303, "New Construction or Conversion of Small Structures," which exempts single family residences in a residential zone.

DISCUSSION OF KEY ISSUES

Design Review

See "attachment 1" for full discussion of Design Review. The applicant has submitted a revised site plan that shows a reduced grasscrete area for the required second off-street parking space, and added a mesh sunscreen/awning to accent the entry. See attachment 5 for photos of the sunscreen/awning model, which will be brought to the public hearing. A narrower sunscreen is proposed to span the length of the south elevation to create more aesthetic interest on the south elevation. A multi-panel Clopay garage door is proposed, and which complements the contemporary style of the home well. Details of the grasscrete pavers and building finishes are also attached (see attachment 5).

Staff believes that the applicant has submitted the details and corrections, as requested by the Commission at the May 12 public hearing. The additional information provides a clearer idea of what is proposed for the home. Staff continues to believe that the home is of an appropriate size and design thus recommends approval of the projects, subject to the attached conditions of approval.

Green Building Requirements

The applicant has provided a green points checklist and has received 151 green points, which exceeds the minimum required green points threshold of 50 points. Items such as energy-efficient windows, a solar water heating system, and low-flush toilets are just a few of the measures the applicant will implement to meet the City's green building requirements.

Appeals:

The Albany Municipal Code provides that any action of the Planning and Zoning Commission may be appealed to the City Council if such appeal is filed within 14 days of the date of action. Appeals may be filed in the Community Development Department by completing the required form and paying the required fee.

Attachments:

1. Analysis of Zoning Requirements
2. Findings
3. Conditions
4. Staff Report from May 12, 2009
5. Application
6. Project Detail
7. Green Points Checklist

ATTACHMENT 1 - ANALYSIS OF COMPLIANCE WITH ZONING REQUIREMENTS

20.12 Zoning Districts and Permitted Uses

General Plan: Low Density Residential
 (designated as a housing opportunity site in the General Plan Housing Element)

Zoning: R-1 - Single-Family Residential

20.16 Land Use Classifications

Single family residential

Surrounding North - SFR East - SFR
 Property Use South - SFR West - SFR

20.20.080 Secondary Residential Units.

Not applicable.

20.24.020 Table of Site Regulations by District.

| | Existing (approx.) | Proposed (approx.) | Requirement |
|----------------|--------------------|--------------------|-------------|
| Setbacks | | | |
| Front (east) | N/A | 15' | 15' |
| Side (north) | N/A | 3' | 3' |
| Side (south) | N/A | 5' | 3' |
| Rear (west) | N/A | 41' | 20' |
| Area | | | |
| Lot Size | 3,600 | No change | -- |
| Lot Coverage | N/A | 31.4% | 50% |
| Maximum Height | N/A | 23'-7" | 28' max. |

20.24.030 Overlay District Regulations.

Not applicable.

20.24.040 Hillside Residential Regulations.

Not applicable.

20.24.050 Floor-Area-Ratio.

| | Existing (approx.) | Proposed | Requirement |
|------------------|-------------------------------|-----------------|--------------------|
| Lot Size | 3,600 | No change | -- |
| Floor Area | | | |
| First-floor | N/A | 1,131 | -- |
| Second-floor | N/A | 600 | |
| Total | N/A | 1,731 | -- |
| Total Counted | N/A | 1,466* ** | -- |
| Floor Area Ratio | N/A | .41 | .55 |

* 220 sq. ft. exempted from "total counted" as permitted by MC 20.24.050 for enclosed parking spaces.

** 45 sq. ft. exempted from "total counted" as permitted by MC 20.24.050 for enclosed staircases.

20.24.060 Setback Areas, Encroachments.

Not applicable.

20.24.100 Distances between Structures.

Not applicable.

20.24.110 Fences, Landscaping, Screening.

See Discussion of Key Issues.

20.24.130 Accessory Buildings.

Not applicable

20.28 Off-Street Parking Requirement.

See project description.

20.40 Housing Provisions

Not applicable.

20.44 Non-conforming Uses, Structures and Lot

The parcel is non-conforming in size and width. Per Code Section 20.44.020.C (Permitted Use of Nonconforming Lot) , a nonconforming lot may be occupied by a permitted use, subject to customary site regulations.

20.48 Removal of Trees

See Discussion of Key Issues.

20.52 Flood Damage Prevention Regulations

Not applicable.

20.58 Art in Public Places Program

Depending on the value of construction, project may be subject to Art in Public Places requirements.

20.68 Green Building Program

Depending on the value of construction, project may be subject to Art in Public Places requirements.

20.100.030 Use Permits.

Not applicable.

20.100.040 Variances.

Not applicable.

20.100.010 Common Permit Procedures.

Public notice of this application was provided on May 1, 2009 in the form of mailed notice to property owners and occupants within a 100-foot radius, and posted in three locations. This agenda item was continued to a "date certain" of June 9, 2009 at the May 12, 2009 hearing date.

20.100.050 Design Review.

See Discussion of Key Issues.

ATTACHMENT 2 - FINDINGS

Findings for Design Review approval (Per section 20.100.050.E of the Albany Muni. Code)

| <i>Required Finding</i> | <i>Explanation</i> |
|---|---|
| <p>1. <i>The project conforms to the General Plan, any applicable specific plan, applicable design guidelines adopted by the City of Albany, and all applicable provisions of this Chapter.</i></p> | <p>The General Plan designates this area for residential development. Additionally, the project meets City zoning standards for location, intensity and type of development.</p> |
| <p>2. <i>Approval of project design is consistent with the purpose and intent of this section, which states "designs of projects...will result in improvements that are visually and functionally appropriate to their site conditions and harmonious with their surroundings, including natural landforms and vegetation. Additional purposes of design review include (but are not limited to): that retention and maintenance of existing buildings and landscape features are considered; and that site access and vehicular parking are sufficient."</i></p> | <p>The proposal is in scale and harmony with existing development in the vicinity of the site. The architectural style, design and building materials are consistent with the City's Residential Design Guidelines. The project will not require significant grading or excavation. Most of the existing trees on-site will remain, and only those that are necessary to remove for the completion of the project will be removed. The project will not create a visual detriment at the site or the neighborhood.</p> <p>The proposed home is attractive in appearance and is in scale with the surrounding neighbors. The applicant has made a conscious effort to add attractive architectural design elements, and the project is an appropriate utilization of the vacant lot.</p> |
| <p>3. <i>Approval of the project is in the interest of public health, safety and general welfare.</i></p> | <p>The proposed project will not be detrimental to the health, safety, convenience and welfare of those in the area and would not adversely impact property, improvements or potential future development in the area. The project meets all development requirements. The proposed addition has conforming setbacks on all sides of the home. It has a maximum height of 23'-7", which is consistent with the height of other homes in the neighborhood. The addition will create an attractive home with an FAR of 41%, which is modest in scale, and fitting for the neighborhood.</p> |
| <p>4. <i>The project is in substantial compliance with applicable general and specific Standards for Review stated in Subsection 20.100.050.D.</i></p> | <p>The project as designed is in substantial compliance with the standards as stated, including access, architecture, natural features, coordination of design details, and privacy.</p> |

ATTACHMENT - 3

COMMUNITY DEVELOPMENT DEPARTMENT CONDITIONS OF APPROVAL

GENERAL PROJECT CONDITIONS

- Gen-1 **Project Approval.** This Design Review approval is for Heidi Settner, as substantially shown and described on the project plans, except as may be modified by conditions herein. Plans include preliminary master site plan prepared by Greg Armitage, dated received April 9, 2009 and June 2, 2009, architectural plans (project perspectives, building sections, and floor plans, all as presented to the Planning and Zoning Commission on June 9, 2009. For any condition herein that requires preparation of a Final Plan where the project developer has submitted a conceptual plan, the project developer shall submit final plan(s) in substantial conformance with the conceptual plan, but incorporate the modifications required by the conditions herein for approval by the City.
- GEN-2 **Project Approval Expiration.** This Design Review approval expire on June 23, 2010 (one year from the date on which this approval becomes effective) or at an alternate time specified as a condition of approval, unless [a building permit has been issued and construction diligently pursued; a certificate of occupancy has been issued; the use is established; the use permit, variance or design review approval is renewed]. The approval may be renewed by the Community Development Director for a period up to an additional two (2) years, provided that, at least ten (10) days before expiration of one (1) year from the date when the approval becomes effective, an application for renewal of the approval is filed with the Community Development Department. The Community Development Director may grant a renewal of an approval where there is no change in the original application, or there is no request to change any condition of approval.
- Gen-3 **FEES.** The applicant shall pay all City and other related fees applicable to the property, as may be modified by conditions herein. Fees shall be based on the current fee structure in effect at the time the relevant permits are secured, and shall be paid before issuance of said permit or before any City Council final action approval. Notice shall be taken specifically of Plan Check, Engineering, Fire and Inspection Fees. The project developer shall also reimburse the City for direct costs of planning; building and engineering plan check and inspection, as mutually agreed between the City and developer.
- GEN-4 **Appeals.** The Albany Municipal Code provides that any action of the Planning staff may be appealed to the Planning and Zoning Commission, and any action of the Planning and Zoning Commission may be appealed to the City Council as per the procedures described in Section 20.100.080. The City Clerk will then schedule the matter for the next available City Council meeting.

- GEN-5 **Requirement for Building Permit.** Approval granted by the Planning and Zoning Commission does not constitute a building permit or authorization to begin any construction or demolish an existing structure. An appropriate permit issued by the Community Development Department must be obtained before constructing, enlarging, moving, converting, or demolishing any building or structure within the City.
- GEN-6 **Fire Department Approval.** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Albany Fire Department have, or will be, met to the satisfaction of the AFD.
- GEN-7 **Engineering Approval.** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Public Works Department have, or will be, met to the satisfaction of the City Engineer.
- GEN-8 **Construction Hours.** Construction activity shall be restricted to the hours of 8:00 a.m. to 6:00 p.m. Mondays through Saturdays, and 10:00 a.m. to 6:00 p.m., Sundays and legal holidays, unless otherwise approved in writing by the City Engineer for general construction activity. Failure to comply with construction hours may result in stop work orders or other administrative actions.
- GEN-9 **Archeological Remains.** In the event subsurface archeological remains are discovered during any construction or preconstruction activities on the site, all land alteration work within 100 feet of the find shall be halted, the Community Development Department notified, and a professional archeologist, certified by the Society of California Archeology and/or the Society of Professional Archeology, shall be notified. Site work in this area shall not occur until the archeologist has had an opportunity to evaluate the significance of the find and to outline appropriate mitigation measures, if deemed necessary. If prehistoric archeological deposits are discovered during development of the site, local Native American organizations shall be consulted and involved in making resource management decisions.
- GEN-10 **Modifications to Approved Plans.** The project shall be constructed as approved. Planning staff may approve minor modifications in the project design, but not the permitted land use (per MC 20.12). A change in an item requiring discretionary approval and any other changes deemed appropriate by the Planning staff shall require further Planning and Zoning Commission approval through the Design Review process.
- GEN-11 **Hold Harmless Agreement.** Pursuant to Government Code Section 66474.9, the applicant (including any agent thereof) shall defend, indemnify, and hold harmless, the City of Albany and its agents, officers and employees, from any claim, action, or proceeding against the City or its agents, officers or employees to attack, set aside, void, or annul the City's approval concerning this application, which action is brought within the time period provide for in Section 66499.37. The City will promptly notify the applicant of any such claim action or proceeding and cooperate fully in the defense.

- GEN-12 **Public Improvements Standards.** Public improvements shall be designed and constructed in accordance with the City's Standard Specifications and Standard Details, unless specifically waived in writing by the City Engineer.
- GEN-13 **Title 24 Standards.** All construction shall be designed and built in accordance with California Title 24 handicap accessibility standards. Appropriate details and specifications shall be incorporated into the plans and submitted at time of building permit application.
- GEN-14 **Energy Conservation Standards.** All buildings shall be designed in accordance with the State of California energy conservation standards for non-residential buildings. The necessary plans and documentation shall be submitted at time of building permit application.

ARCHITECTURE CONDITION

- ARCH-1 **Material Samples.** Samples of final exterior materials and the proposed color palette shall be submitted for review and approval by the Community Development Department as part of building permit application.
- ARCH-2 **Final Architectural Drawings.** The applicant shall submit final architectural elevations, details and revisions for the review and approval of the Community Development Department as part of building permit application.
- ARCH-3 **Window Recess.** All new windows shall be recessed two inches from face of building to provide adequate shade and shadow and to promote visual relief. Final window details shall be submitted for review and approval at the time of building permit application.
- ARCH-4 **Non-Reflective Glazing.** Any glazing material shall be non-reflective.

LIGHTING CONDITIONS

- LGHT-1 **Exterior Lighting.** All exterior lighting shall be installed in such a manner that glare is directed away from surrounding properties and rights-of-way. If required, exterior light fixtures shall be equipped with "cut off" lenses to minimize light and glare spill over onto adjacent properties.
- LGHT-2 **Shielding of Lighting.** Prior to the certificate of occupancy, all accent lighting shall be directed downward and, if necessary, fixed with cut-off lenses to ensure that no glare spills onto neighboring properties.

LANDSCAPING CONDITIONS

- LNDSC-1 **Street Tree Requirement.** The applicant shall apply for one street tree before the issuance of the building permit. The City's Environmental Resource Assistance will determine the type and location of the tree and may waive this requirement if site conditions will not reasonably support establishment of a new tree.

PUBLIC WORKS DEPARTMENT CONDITIONS

GENERAL ENGINEERING CONDITIONS

- ENGR-1 **Title Report.** A recent preliminary title report for the property, prepared within six months of the date of application, shall be submitted to the City Engineer for review. If any interior lot line(s) exist, the applicant must obtain approval of a minor lot line adjustment from the City to remove the interior lot line(s), and cause that lot line adjustment to be recorded before any building permits will be issued.
- ENGR-2 **Geo-Technical Report.** The applicant shall submit, as part of a building permit application, a geotechnical investigation report prepared by a California certified engineering geologist and geotechnical engineer, if determined necessary by the City Engineer. The investigation shall specifically address any hazards of surface fault rupture in accordance with the Alquist-Priolo Special Study Zones Act. Any mitigation measures or conditions requiring further review noted during the Planning process shall be fully addressed prior to plan check.
- ENGR-3 **Backflow Device.** Any required water service for fire protection purposes shall be equipped with a City approved backflow device. Services for irrigation purposes also require a separate City approved backflow prevention device.

GRADING CONDITIONS

- GRAD-1 **Grading Permit.** Any grading required in association with the project shall require a grading permit from the Community Development Department. To obtain this permit, the applicant shall submit a grading plan, indicating the extent and volumes of earth proposed to be moved. A grading permit is subject to 2001 California Building, Appendix 33.
- GRAD-2 **Demolition Permit.** Site demolition shall not occur until construction permits are issued for the development project. All demolition shall be in accordance with permits issued by the City and Bay Area Air Quality Management District (BAAQMD).
- GRAD-3 **Water on Site.** The site shall be graded so as to prevent rainfall runoff originating from improved areas on the project site from crossing onto adjoining private property. Building floor elevations shall be above the FEMA-mapped 100-year flood plain as established by a licensed civil engineer. Provide the elevation and compaction certificates during and upon the completion of grading required by the Uniform Building Code and in conformance with the recommendations of the geotechnical engineer's report. Shore and dewater all excavations in accordance with the requirements of the geotechnical engineer's report.
- GRAD-4 **Flooding Damages.** The project developer shall execute an assumption of risk, indemnification and hold harmless agreement as required by the City. The

agreement, in substance, shall state that the project developer, and any successor in interest, shall assume all risk for damages to the project and to project improvements, flooding caused by surface water intrusion, stormwater runoff, or water under the ground surface pressing on or flowing or seeping through foundations, walls, floors, or paved surfaces, basements, whether paved or not, or windows, doors or other openings, and shall indemnify and hold the City harmless from any claims of such damages, including third-party claims, of such damage or of such damages or of damages arising from rainfall runoff which is not prevented from leaving the project site in violation of Condition GRAD-3.

GRAD-5 **Dust Control Program.** A dust control program shall be prepared by the project developer and approved by the Community Development Department and City Engineer before issuance of a grading permit. The dust control plan shall address such items as covering stockpiled material, frequent watering of graded areas, revegetating graded areas, speed limits for grading equipment and similar items.

GRAD-6 **Stormwater Pollution Prevention Plan.** The project developer shall submit a Stormwater Pollution Prevention Plan (SWPPP) for review by the City before the issuance of a building or grading and/or building permit. The SWPPP shall be consistent with standards adopted by the Regional Water Quality Control Board and the City of Albany Clean Water Program and implemented by the project general contractor, all subcontractors and suppliers of material and equipment. Construction site cleanup and control of construction shall also be addressed in the SWPPP. The project developer shall be responsible for SWPPP compliance. A copy of the SWPPP shall be kept at the construction site at all times.

INFRASTRUCTURE CONDITIONS

INFR-1 **Sewer System Requirements.** The sewer system for the subject building shall comply with Chapter 15 of the Albany Municipal Code and to the satisfaction of the City Engineer before Final Inspection approval of the construction permit.

INFR-2 **Two-Way Cleanout.** Installation of a two-way curbside cleanout shall be required per Chapter 15 of the Albany City Code. This applies to all properties, including properties with a valid upper sewer lateral certificate of compliance. All 2-way curbside clean outs shall be fitted with a loose cap in accordance with the City's standard detail SS6.

INFR-3 **Property Run-off Requirements.** All runoff from impervious surfaces shall be intercepted at the project boundary and shall be collected and conducted via an approved drainage system through the project site to an approved storm drain facility, as determined by the City Engineer. Development that contributes additional water to the existing drainage system shall be required to complete a hydraulic study and make improvements to the system as required to accommodate the expected ultimate peak water flow and to stabilize erosive banks that could be impacted by additional storm water flow.

INFR-4 **Roof Drainage.** Roof drainage from the structure shall be collected via a closed pipe and conveyed to an approved storm drain system off the street curb. No

concentrated drainage of surface flow across sidewalks shall be permitted. Alternative natural treatment measures are subject review and approval by the City Engineer.

INFR-5 **Hydraulic Calculations.** The applicant shall submit hydraulic calculations, prepared by a California licensed civil engineer, necessary to determine if the existing water and sewer mains that serve this lot have available capacity for the addition of the proposed development. If capacity is not available, sewer and water mains of adequate size shall be designed and secured prior to issuance of building permits and constructed in a manner acceptable to the City Engineer prior to occupancy release, unless determined otherwise by the City Engineer.

INFR-6 **Completion of Off-Site Improvements.** Off-site improvements, as required by the City Engineer, shall be complete before issuance of a Certificate of Occupancy unless alternatives are approved in writing by the Albany City Engineer.

PUBLIC IMPROVEMENTS CONDITIONS

PUBIM-1 **Encroachment Permit.** The applicant shall obtain an encroachment permit from the Engineering Division before commencing any construction activities within any public right-of-way or easement.

PUBIM-2 **Debris Removal.** All mud, dirt or construction debris carried off the construction site onto adjacent streets shall be removed each day. No materials shall be discharged onto a sidewalk, street, gutter, storm drain or creek.

PUBIM-3 **Damage to Street Improvements.** Any damage to street improvements now existing or done during construction on or adjacent to the subject property, shall be repaired to the satisfaction of the City Engineer at the full expense of the applicant. This shall include sidewalk repair, slurry seal, street reconstruction or others, as may be required by the City Engineer.

PUBIM-4 **Right-of-Way Construction Standards.** All improvements within the public right-of-way, including curb, gutter, sidewalks, driveways, paving and utilities, shall be reconstructed in accordance with approved standards and/or plans and shall comply with the standard plans and specification of the Community Development Department and Chapter 14 of the City Code.

FIRE DEPARTMENT CONDITIONS

FIRE-1 **Construction of 1,500 Square Feet or Greater.** 1500 sq. ft. or more or any addition, remodel, rehabilitation, etc. is 50% of the existing sq. ft.:

- a) This dwelling will be required install an Automatic Fire Extinguishing System throughout the entire dwelling. Ordinance No. 94-010, Albany Municipal Code, Chapter 11, Section 11-2.3a(3)(a).
- b) Plans, information sheets on all sprinkler components and hydraulic calculations are required.

- c) A 110-volt interconnected smoke alarm system with a 10-year lithium batter back-up is acceptable with a fire suppression system.

FIRE-2 Fire Rated Construction. Any portion of a building five (5) feet or less from the property line shall comply with fire-rating requirements of the California Building Code.

FIRE-3 Gallons-per-Minute Requirement. The water system for fire protection shall comply with City of Albany Fire Department standards. Fire flow test data and water system plans must be provided at time of building plan check. The plans must include all equipment, components and layout of the system. Private fire protection water systems shall be supplied through an approved backflow device per City Engineering Division standards.

FIRE-5 Distance From Fire Hydrant. Before building permit issuance the distance from existing fire hydrants to the building shall be verified and if necessary a new hydrant shall be shown on the plans and installed prior to combustible construction.

STRUCTURAL CONTROL MEASURES

STRUC-1 Illegal Dumping to Storm Drain Inlets and Waterways. On-site storm drain inlets shall be clearly marked with the words "No Dumping! Flows to Bay," or equivalent, using methods approved by the City of Albany.

STRUC-2 Pesticide/Fertilizer Application Landscaping shall be designed to minimize irrigation and runoff, promote surface infiltration where appropriate, and minimize the use of fertilizers and pesticides that can contribute to stormwater pollution. If a landscaping plan is required as part of a development project application, the plan shall meet the following conditions related to reduction of pesticide use on the project site:

- a) Where feasible, landscaping shall be designed and operated to treat stormwater runoff by incorporating elements that collect, detain, and infiltrate runoff. In areas that provide detention of water, plants that are tolerant of saturated soil conditions and prolonged exposure to water shall be specified.
- b) Plant materials selected shall be appropriate to site specific characteristics such as soil type, topography, climate, amount and timing of sunlight, prevailing winds, rainfall, air movement, patterns of land use, ecological consistency and plant interactions to ensure successful establishment.
- c) Existing native trees, shrubs, and ground cover shall be retained and incorporated into the landscape plan to the maximum extent practicable.
- d) Proper maintenance of landscaping, with minimal pesticide use, shall be the responsibility of the property owner.

OPERATIONAL BEST MANAGEMENT PRACTICES (BMPs)

- BMP-GEN1 **Stormwater Pollution Prevention Control Measures.** The project plans shall include stormwater pollution prevention and control measures for the operation and maintenance of the project during and after construction for the review and approval of the City or County Engineer. The project plan shall identify Best Management Practices (BMPs) appropriate to the uses conducted on-site in order to limit to the maximum extent practicable the entry of pollutants into stormwater runoff.
- BMP-GEN2 **Erosion Control Measures.** The project plan shall also include erosion control measures to prevent soil, dirt and debris from entering the storm drain system, in accordance with the practices outlined in the ABAG *Erosion and Sediment Control Handbook*, California Storm Water Best Management Practice Handbooks, and Regional Water Quality Control Board's *Erosion and Sediment Control Field Manual*
- BMP-GEN3 **Responsibility of Contractors.** The applicant is responsible for ensuring that all contractors and subcontractors are aware of and implement all stormwater quality control measures. Failure to comply with the approved construction BMPs shall result in the issuance of correction notices, citations and/or a project stop order.
- BMP-1 **Paved Sidewalks and Parking Lots.** Sidewalks and parking lots shall be swept regularly to prevent the accumulation of litter and debris. Debris resulting from pressure washing shall be trapped and collected to prevent entry into the storm drain system. Washwater containing any soap, cleaning agent or degreaser shall be collected and discharged to the sanitary sewer and shall not be discharged to a storm drain. The applicant shall contact the City Engineer for specific connection and discharge requirements.
- BMP-2A **Private Streets, Utilities and Common Areas.** The owner of private streets and storm drains shall prepare and implement a plan for street sweeping of paved private roads and cleaning of all storm drain inlets.

GENERAL CONSTRUCTION BEST MANAGEMENT PRACTICES (BMPs)

- BMP-CNST1 **Construction Access Routes.** Construction access routes shall be limited to those approved by the City Engineer and shall be shown on the approved grading plan.
- BMP-CNST2 **Collection of Construction Debris.** Gather all construction debris on a regular basis and place them in a dumpster or other container which is emptied or removed on a weekly basis. When appropriate, use tarps on the ground to collect fallen debris or splatters that could contribute to stormwater pollution.
- BMP-CNST3 **Removal of Waste.** Remove all dirt, gravel, rubbish, refuse and green waste from the sidewalk, street pavement, and storm drain system adjoining the project site. During wet weather, avoid driving vehicles off paved areas and other outdoor work.

- BMP-CNST4 **Sweeping of Public Right-of-Way.** Broom sweep the sidewalk and public street pavement adjoining the project site on a daily basis. Caked on mud or dirt shall be scraped from these areas before sweeping.
- BMP-CNST5 **Filter Materials at Storm Drain Inlet.** Install filter materials (such as sandbags, filter fabric, etc.) at the storm drain inlet nearest the downstream side of the project site before:
- a) start of the rainy season (October 1);
 - b) site dewatering activities;
 - c) street washing activities;
 - d) saw cutting asphalt or concrete; and
 - e) order to retain any debris or dirt flowing into the City storm drain system.
- Filter materials shall be maintained and/or replaced as necessary to ensure effectiveness and prevent street flooding. Dispose of filter particles in the trash.
- BMP-CNST6 **Containment of Materials.** Create a contained and covered area on the site for the storage of bags of cement, paints, flammables, oils, fertilizers, pesticides, or any other materials used on the project site that have the potential for being discharged to the storm drain system by wind or in the event of a material spill.
- BMP-CNST7 **Cleaning of Equipment.** Never clean machinery, tools, brushes, etc. or rinse containers into a street, gutter, storm drain or stream. See the *Building Maintenance/ Remodeling* flyer for more information.
- BMP-CNST8 **Minimize Removal of Natural Vegetation.** Minimize removal of natural vegetation or ground cover from the site in order to minimize the potential for erosion and sedimentation problems. Replant the area as soon as possible. All cut and fill slopes shall be stabilized as soon as possible after grading is completed. No site grading shall occur between October 1 and April 15 unless approved erosion and sedimentation control measures are in place.

Special Conditions

- SPECIAL-1 **Tree Planting.** Removal of existing trees and planting of new trees shall follow approved plans, and new trees must be planted prior to issuance of a certificate of occupancy.
- SPECIAL-2 **Stair Details.** As part of the application for a building permit, the applicant shall provide detailed drawings of the stairs and landing, including guardrails.

Appeals: The Albany Municipal Code provides that any action of the Planning and Zoning Commission may be appealed to the City Council, if such appeal is filed within 14 days of the date of the action. Appeals may be filed in the Community Development Department by completing the required form and paying the required fee. The City Clerk will then schedule the matter for the next available City Council meeting.

**CITY OF ALBANY
PLANNING AND ZONING AGENDA
STAFF REPORT**

Agenda date: 5/12/09

Prepared by: LJ

Reviewed by: AC

ITEM/ 6c
SUBJECT: Planning Application 09-023. Design Review. Request for Design Review approval of a new 1,793 sq.ft. single-family home on a vacant parcel.

SITE: 944 Pomona

**APPLICANT/
OWNER:** Heidi Stettner

ZONING: R-3 (Multi-Family Residential)

STAFF RECOMMENDATION

Staff recommends that the Planning and Zoning Commission approve the request for design review approval to allow construction of a new 1,793 sq.ft. single-family home on a vacant parcel.

BACKGROUND/PROJECT DESCRIPTION

The subject property is a 3,600sq.ft. vacant parcel. The applicant is requesting Design Review approval to construct a new 1,793sq.ft. two-story, single-family home. The home has a 3' side (northern) yard setback, a 5' side (southern) yard setback, and a 41' rear yard setback, with a wooden deck that extends 8' from the rear of the home. The home has a maximum proposed height of 23'-7". There is a one-car garage proposed at north end of the lot and a second required space located next to the garage in the form of an open space. All development requirements are met and only Design Review is requested.

ENVIRONMENTAL ANALYSIS

Staff has determined that the proposed project is categorically exempt from the requirements of CEQA per Section 15303, "New Construction or Conversion of Small Structures" of the CEQA Guidelines, which exempts small additions.

DISCUSSION OF KEY ISSUES

Design Review

The architectural style of the home will be contemporary with alternating shed roofs made of composition shingle. The home will have various roof heights that terrace down towards the rear of the home, with the maximum roof height at the front façade. It will also have varying

wall depths, and a mix of siding materials. It will predominantly be finished in two shades of plaster, but will also include horizontal wood siding accents.

The front (east) elevation will have a sharply angled roofline, and a bay along the upper story that extends approximately 1'-6" from the wall of the home, and wraps around to the southern wall. This bay will be finished with horizontal wood siding, and will have two vertically elongated fiberglass windows along the front (east) side. The front elevation will also include a glass-paneled garage door with aluminum framing.

The main entrance of the home is proposed to face the southern side of the property, and is recessed towards the middle of the home, not visible from the front façade. A separate door leading to the living room, does face towards the front of the property, but is recessed towards the back of the home, and sits approximately 62' from the front property line. The applicant is also proposing a new 7'-high fence and gate at the front of the home, which closes off the entrance from the street-view, and makes access to the second off-street parking space more difficult. Staff believes that the proposed entrance to the home and the fence do not encourage a front porch or entryway to create a transition between the public street and the private home, which is written into the Residential Design Guidelines. It should also be noted that the maximum allowed height for a fence is 6', and it may not encroach into the front setback.

The southern side elevation has varying wall planes, which add to the visual interest of the home. As mentioned, the front entryway as proposed is also along this façade. This elevation has several large fiberglass windows with perforated metal sunscreens overhead. These windows are on the side of the home that sits farther from the property line, and face the rear of the southern neighbors' property (on a corner lot), so they will likely not pose an intrusion on the neighbors, but their large size should be noted. The northern side elevation, which sits closer to the property line, has smaller horizontally elongated windows with matching aluminum framing. Most of the windows along this elevation are towards the upper portion of the home. This northern elevation will also include the installation of four trellises with climbing vines.

The rear (western) elevation will have only one window, with a perforated metal sunscreen that wraps around from the southern side of the home. This elevation will also include a set of sliding glass doors with aluminum framing, and a sunscreen overhead. The varying rooflines are visible from this elevation.

Overall, staff believes that the applicant has proposed an attractive project that is an appropriate size and mass for the neighborhood. The home is in scale with other homes in the neighborhood, have an FAR of 41% and a lot coverage of 31.4%, which is well below the maximum allowed FAR and lot coverage. Staff therefore recommends the project's approval, subject to the conditions regarding the issues as discussed.

Tree Removal

The applicant is proposing to remove three mature juniper trees at the front of the property. There are several other existing trees on site, all proposed to remain. The trees that will be removed sit directly where the front façade of the home will be, and staff believes that their removal is appropriate.

Green Building Requirements

The applicant has provided a green points checklist and has received 151 green points, which well exceeds the minimum required green points threshold of 50 points. Items such as energy-efficient windows, a solar water heating system, and low-flush toilets are just a few of the measures the applicant will implement to meet the City's green building requirements.

Appeals:

The Albany Municipal Code provides that any action of the Planning and Zoning Commission may be appealed to the City Council if such appeal is filed within 14 days of the date of action. Appeals may be filed in the Community Development Department by completing the required form and paying the required fee.

Attachments:

1. Analysis of Zoning Requirements
2. Findings
3. Conditions
4. Application
5. Green Points Checklist

ATTACHMENT 1 - ANALYSIS OF COMPLIANCE WITH ZONING REQUIREMENTS

20.12 Zoning Districts and Permitted Uses

General Plan: Low Density Residential
 Zoning: R-1 - Single-Family Residential

20.16 Land Use Classifications

Single family residential

Surrounding North - SFR East - SFR
 Property Use South - SFR West - SFR

20.20.080 Secondary Residential Units.

Not applicable.

20.24.020 Table of Site Regulations by District.

| | Existing (approx.) | Proposed (approx.) | Requirement |
|----------------|-------------------------------|-------------------------------|--------------------|
| Setbacks | | | |
| Front (east) | N/A | 15' | 15' |
| Side (north) | N/A | 3' | 3'-6" |
| Side (south) | N/A | 5' | 3'-6" |
| Rear (west) | N/A | 41' | 20' |
| Area | | | |
| Lot Size | 3,600 | No change | -- |
| Lot Coverage | N/A | 31.4% | 50% |
| Maximum Height | N/A | 23'-7" | 28' max. |

20.24.030 Overlay District Regulations.

Not applicable.

20.24.040 Hillside Residential Regulations.

Not applicable.

20.24.050 Floor-Area-Ratio.

| | Existing (approx.) | Proposed | Requirement |
|------------------|--------------------|-----------|-------------|
| Lot Size | 3,600 | No change | -- |
| Floor Area | | | |
| First-floor | N/A | 1,131 | -- |
| Second-floor | N/A | 600 | |
| Total | N/A | 1,731 | -- |
| Total Counted | N/A | 1,466* ** | -- |
| Floor Area Ratio | N/A | .41 | .55 |

* 220 sq. ft. exempted from "total counted" as permitted by MC 20.24.050 for enclosed parking spaces.

** 45 sq. ft. exempted from "total counted" as permitted by MC 20.24.050 for enclosed staircases.

20.24.060 Setback Areas, Encroachments.

Not applicable.

20.24.100 Distances between Structures.

Not applicable.

20.24.110 Fences, Landscaping, Screening.

See Discussion of Key Issues.

20.24.130 Accessory Buildings.

Not applicable

20.28 Off-Street Parking Requirement.

See project description.

20.40 Housing Provisions

Not applicable.

20.44 Non-conforming Uses, Structures and Lot

Not applicable.

20.48 Removal of Trees

See Discussion of Key Issues.

20.52 Flood Damage Prevention Regulations

Not applicable.

20.58 Art in Public Places Program

Depending on the value of construction, project may be subject to Art in Public Places requirements.

20.100.030 Use Permits.

Not applicable.

20.100.040 Variances.

Not applicable.

20.100.010 Common Permit Procedures.

Public notice of this application was provided on May 1, 2009 in the form of mailed notice to property owners and occupants within a 100-foot radius, and posted in three locations.

20.100.050 Design Review.

See Discussion of Key Issues.

ATTACHMENT 2 - FINDINGS

Findings for Design Review approval (Per section 20.100.050.E of the AMC)

| <i>Required Finding</i> | <i>Explanation</i> |
|---|---|
| <p>1. <i>The project conforms to the General Plan, any applicable specific plan, applicable design guidelines adopted by the City of Albany, and all applicable provisions of this Chapter.</i></p> | <p>The General Plan designates this area for residential development. Additionally, the project meets City zoning standards for location, intensity and type of development.</p> |
| <p>2. <i>Approval of project design is consistent with the purpose and intent of this section, which states "designs of projects...will result in improvements that are visually and functionally appropriate to their site conditions and harmonious with their surroundings, including natural landforms and vegetation. Additional purposes of design review include (but are not limited to): that retention and maintenance of existing buildings and landscape features are considered; and that site access and vehicular parking are sufficient."</i></p> | <p>The proposal is in scale and harmony with existing development in the vicinity of the site. The architectural style, design and building materials are consistent with the City's Residential Design Guidelines. The project will not require significant grading or excavation. Most of the existing trees on-site will remain, and only those that are necessary to remove for the completion of the project will be removed. The project will not create a visual detriment at the site or the neighborhood.</p> <p>The proposed home is attractive in appearance and is in scale with the surrounding neighbors. The applicant has made a conscious effort to add attractive architectural design elements, and the project is an appropriate utilization of the vacant lot.</p> |
| <p>3. <i>Approval of the project is in the interest of public health, safety and general welfare.</i></p> | <p>The proposed project will not be detrimental to the health, safety, convenience and welfare of those in the area and would not adversely impact property, improvements or potential future development in the area. The project meets all development requirements. The proposed addition has conforming setbacks on all sides of the home. It has a maximum height of 23'-7", which is consistent with the height of other homes in the neighborhood. The addition will create an attractive home with an FAR of 43%, which is modest in scale, and fitting for the neighborhood.</p> |
| <p>4. <i>The project is in substantial compliance with applicable general and specific Standards for Review stated in Subsection 20.100.050.D.</i></p> | <p>The project as designed is in substantial compliance with the standards as stated, including access, architecture, natural features, coordination of design details, and privacy .</p> |

ATTACHMENT - 3

COMMUNITY DEVELOPMENT DEPARTMENT CONDITIONS OF APPROVAL

GENERAL PROJECT CONDITIONS

- Gen-1 **Project Approval.** This Design Review approval is for Heidi Settner, as substantially shown and described on the project plans, except as may be modified by conditions herein. Plans include preliminary master site plan prepared by Greg Armitage, date received April 9, 2009, architectural plans (project perspectives, building sections, and floor plans, all as presented to the Planning and Zoning Commission on May 12, 2009. For any condition herein that requires preparation of a Final Plan where the project developer has submitted a conceptual plan, the project developer shall submit final plan(s) in substantial conformance with the conceptual plan, but incorporate the modifications required by the conditions herein for approval by the City.
- GEN-2 **Project Approval Expiration.** This Design Review approval expire on May 26, 2010 (one year from the date on which this approval becomes effective) or at an alternate time specified as a condition of approval, unless [a building permit has been issued and construction diligently pursued; a certificate of occupancy has been issued; the use is established; the use permit, variance or design review approval is renewed]. The approval may be renewed by the Community Development Director for a period up to an additional two (2) years, provided that, at least ten (10) days before expiration of one (1) year from the date when the approval becomes effective, an application for renewal of the approval is filed with the Community Development Department. The Community Development Director may grant a renewal of an approval where there is no change in the original application, or there is no request to change any condition of approval.
- Gen-3 **FEES.** The applicant shall pay any and all City and other related fees applicable to the property, as may be modified by conditions herein. Fees shall be based on the current fee structure in effect at the time the relevant permits are secured, and shall be paid before issuance of said permit or before any City Council final action approval. Notice shall be taken specifically of Plan Check, Engineering, Fire and Inspection Fees. The project developer shall also reimburse the City for direct costs of planning; building and engineering plan check and inspection, as mutually agreed between the City and developer.
- GEN-4 **Appeals.** The Albany Municipal Code provides that any action of the Planning staff may be appealed to the Planning and Zoning Commission, and any action of the Planning and Zoning Commission may be appealed to the City Council as per the procedures described in Section 20.100.080. The City Clerk will then schedule the matter for the next available City Council meeting.
- GEN-5 **Requirement for Building Permit.** Approval granted by the Planning and Zoning Commission does not constitute a building permit or authorization to

begin any construction or demolish an existing structure. An appropriate permit issued by the Community Development Department must be obtained before constructing, enlarging, moving, converting, or demolishing any building or structure within the City.

- GEN-6 **Fire Department Approval.** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Albany Fire Department have, or will be, met to the satisfaction of the AFD.
- GEN-7 **Engineering Approval.** As part of a building permit application, the applicant shall submit written documentation that all requirements of the Public Works Department have, or will be, met to the satisfaction of the City Engineer.
- GEN-8 **Construction Hours.** Construction activity shall be restricted to the hours of 8:00 a.m. to 6:00 p.m. Mondays through Saturdays, and 10:00 a.m. to 6:00 p.m., Sundays and legal holidays, unless otherwise approved in writing by the City Engineer for general construction activity. Failure to comply with construction hours may result in stop work orders or other administrative actions.
- GEN-9 **Archeological Remains.** In the event subsurface archeological remains are discovered during any construction or preconstruction activities on the site, all land alteration work within 100 feet of the find shall be halted, the Community Development Department notified, and a professional archeologist, certified by the Society of California Archeology and/or the Society of Professional Archeology, shall be notified. Site work in this area shall not occur until the archeologist has had an opportunity to evaluate the significance of the find and to outline appropriate mitigation measures, if deemed necessary. If prehistoric archeological deposits are discovered during development of the site, local Native American organizations shall be consulted and involved in making resource management decisions.
- GEN-10 **Modifications to Approved Plans.** The project shall be constructed as approved. Planning staff may approve minor modifications in the project design, but not the permitted land use (per MC 20.12). A change in an item requiring discretionary approval and any other changes deemed appropriate by the Planning staff shall require further Planning and Zoning Commission approval through the Design Review process.
- GEN-11 **Hold Harmless Agreement.** Pursuant to Government Code Section 66474.9, the applicant (including any agent thereof) shall defend, indemnify, and hold harmless, the City of Albany and its agents, officers and employees, from any claim, action, or proceeding against the City or its agents, officers or employees to attack, set aside, void, or annul the City's approval concerning this application, which action is brought within the time period provide for in Section 66499.37. The City will promptly notify the applicant of any such claim action or proceeding and cooperate fully in the defense.

- GEN-12 **Public Improvements Standards.** Public improvements shall be designed and constructed in accordance with the City's Standard Specifications and Standard Details, unless specifically waived in writing by the City Engineer.
- GEN-13 **Title 24 Standards.** All construction shall be designed and built in accordance with California Title 24 handicap accessibility standards. Appropriate details and specifications shall be incorporated into the plans and submitted at time of building permit application.
- GEN-14 **Energy Conservation Standards.** All buildings shall be designed in accordance with the State of California energy conservation standards for non-residential buildings. The necessary plans and documentation shall be submitted at time of building permit application.

ARCHITECTURE CONDITION

- ARCH-1 **Material Samples.** Samples of final exterior materials and the proposed color palette shall be submitted for review and approval by the Community Development Department as part of building permit application.
- ARCH-2 **Final Architectural Drawings.** The applicant shall submit final architectural elevations, details and revisions for the review and approval of the Community Development Department as part of building permit application.
- ARCH-3 **Window Recess.** All new windows shall be recessed two inches from face of building to provide adequate shade and shadow and to promote visual relief. Final window details shall be submitted for review and approval at the time of building permit application.
- ARCH-4 **Non-Reflective Glazing.** Any glazing material shall be non-reflective.

LIGHTING CONDITIONS

- LGHT-1 **Exterior Lighting.** All exterior lighting shall be installed in such a manner that glare is directed away from surrounding properties and rights-of-way. If required, exterior light fixtures shall be equipped with "cut off" lenses to minimize light and glare spill over onto adjacent properties.
- LGHT-2 **Shielding of Lighting.** Prior to the certificate of occupancy, all accent lighting shall be directed downward and, if necessary, fixed with cut-off lenses to ensure that no glare spills onto neighboring properties.

LANDSCAPING CONDITIONS

- LNDS-1 **Street Tree Requirement.** The applicant shall apply for one street tree before the issuance of the building permit. The City's Environmental Resource Assistance will determine the type and location of the tree and may waive this requirement if site conditions will not reasonably support establishment of a new tree.

PUBLIC WORKS DEPARTMENT CONDITIONS

GENERAL ENGINEERING CONDITIONS

- ENGR-1 **Title Report.** A recent preliminary title report for the property, prepared within six months of the date of application, shall be submitted to the City Engineer for review. If any interior lot line(s) exist, the applicant must obtain approval of a minor lot line adjustment from the City to remove the interior lot line(s), and cause that lot line adjustment to be recorded before any building permits will be issued.
- ENGR-2 **Geo-Technical Report.** The applicant shall submit, as part of a building permit application, a geotechnical investigation report prepared by a California certified engineering geologist and geotechnical engineer, if determined necessary by the City Engineer. The investigation shall specifically address any hazards of surface fault rupture in accordance with the Alquist-Priolo Special Study Zones Act. Any mitigation measures or conditions requiring further review noted during the Planning process shall be fully addressed prior to plan check.
- ENGR-3 **Backflow Device.** Any required water service for fire protection purposes shall be equipped with a City approved backflow device. Services for irrigation purposes also require a separate City approved backflow prevention device.

GRADING CONDITIONS

- GRAD-1 **Grading Permit.** Any grading required in association with the project shall require a grading permit from the Community Development Department. To obtain this permit, the applicant shall submit a grading plan, indicating the extent and volumes of earth proposed to be moved. A grading permit is subject to 2001 California Building, Appendix 33.
- GRAD-2 **Demolition Permit.** Site demolition shall not occur until construction permits are issued for the development project. All demolition shall be in accordance with permits issued by the City and Bay Area Air Quality Management District (BAAQMD).
- GRAD-3 **Water on Site.** The site shall be graded so as to prevent rainfall runoff originating from improved areas on the project site from crossing onto adjoining private property. Building floor elevations shall be above the FEMA-mapped 100-year flood plain as established by a licensed civil engineer. Provide the elevation and compaction certificates during and upon the completion of grading required by the Uniform Building Code and in conformance with the recommendations of the geotechnical engineer's report. Shore and dewater all excavations in accordance with the requirements of the geotechnical engineer's report.
- GRAD-4 **Flooding Damages.** The project developer shall execute an assumption of risk, indemnification and hold harmless agreement as required by the City. The

agreement, in substance, shall state that the project developer, and any successor in interest, shall assume all risk for damages to the project and to project improvements, flooding caused by surface water intrusion, stormwater runoff, or water under the ground surface pressing on or flowing or seeping through foundations, walls, floors, or paved surfaces, basements, whether paved or not, or windows, doors or other openings, and shall indemnify and hold the City harmless from any claims of such damages, including third-party claims, of such damage or of such damages or of damages arising from rainfall runoff which is not prevented from leaving the project site in violation of Condition GRAD-3.

GRAD-5 **Dust Control Program.** A dust control program shall be prepared by the project developer and approved by the Community Development Department and City Engineer before issuance of a grading permit. The dust control plan shall address such items as covering stockpiled material, frequent watering of graded areas, revegetating graded areas, speed limits for grading equipment and similar items.

GRAD-6 **Stormwater Pollution Prevention Plan.** The project developer shall submit a Stormwater Pollution Prevention Plan (SWPPP) for review by the City before the issuance of a building or grading and/or building permit. The SWPPP shall be consistent with standards adopted by the Regional Water Quality Control Board and the City of Albany Clean Water Program and implemented by the project general contractor, all subcontractors and suppliers of material and equipment. Construction site cleanup and control of construction shall also be addressed in the SWPPP. The project developer shall be responsible for SWPPP compliance. A copy of the SWPPP shall be kept at the construction site at all times.

INFRASTRUCTURE CONDITIONS

INFR-1 **Sewer System Requirements.** The sewer system for the subject building shall comply with Chapter 15 of the Albany Municipal Code and to the satisfaction of the City Engineer before Final Inspection approval of the construction permit.

INFR-2 **Two-Way Cleanout.** Installation of a two-way curbside cleanout shall be required per Chapter 15 of the Albany City Code. This applies to all properties, including properties with a valid upper sewer lateral certificate of compliance. All 2-way curbside clean outs shall be fitted with a loose cap in accordance with the City's standard detail SS6.

INFR-3 **Property Run-off Requirements.** All runoff from impervious surfaces shall be intercepted at the project boundary and shall be collected and conducted via an approved drainage system through the project site to an approved storm drain facility, as determined by the City Engineer. Development that contributes additional water to the existing drainage system shall be required to complete a hydraulic study and make improvements to the system as required to accommodate the expected ultimate peak water flow and to stabilize erosive banks that could be impacted by additional storm water flow.

INFR-4 **Roof Drainage.** Roof drainage from the structure shall be collected via a closed pipe and conveyed to an approved storm drain system off the street curb. No

concentrated drainage of surface flow across sidewalks shall be permitted. Alternative natural treatment measures are subject review and approval by the City Engineer.

- INFR-5 **Hydraulic Calculations.** The applicant shall submit hydraulic calculations, prepared by a California licensed civil engineer, necessary to determine if the existing water and sewer mains that serve this lot have available capacity for the addition of the proposed development. If capacity is not available, sewer and water mains of adequate size shall be designed and secured prior to issuance of building permits and constructed in a manner acceptable to the City Engineer prior to occupancy release, unless determined otherwise by the City Engineer.
- INFR-6 **Completion of Off-Site Improvements.** Off-site improvements, as required by the City Engineer, shall be complete before issuance of a Certificate of Occupancy unless alternatives are approved in writing by the Albany City Engineer.

PUBLIC IMPROVEMENTS CONDITIONS

- PUBIM-1 **Encroachment Permit.** The applicant shall obtain an encroachment permit from the Engineering Division before commencing any construction activities within any public right-of-way or easement.
- PUBIM-2 **Debris Removal.** All mud, dirt or construction debris carried off the construction site onto adjacent streets shall be removed each day. No materials shall be discharged onto a sidewalk, street, gutter, storm drain or creek.
- PUBIM-3 **Damage to Street Improvements.** Any damage to street improvements now existing or done during construction on or adjacent to the subject property, shall be repaired to the satisfaction of the City Engineer at the full expense of the applicant. This shall include sidewalk repair, slurry seal, street reconstruction or others, as may be required by the City Engineer.
- PUBIM-4 **Right-of-Way Construction Standards.** All improvements within the public right-of-way, including curb, gutter, sidewalks, driveways, paving and utilities, shall be reconstructed in accordance with approved standards and/or plans and shall comply with the standard plans and specification of the Community Development Department and Chapter 14 of the City Code.

FIRE DEPARTMENT CONDITIONS

- FIRE-1 **Construction of 1,500 Square Feet or Greater.** 1500 sq. ft. or more or any addition, remodel, rehabilitation, etc. is 50% of the existing sq. ft.:
- a) This dwelling will be required install an Automatic Fire Extinguishing System throughout the entire dwelling. Ordinance No. 94-010, Albany Municipal Code, Chapter 11, Section 11-2.3a(3)(a).
 - b) Plans, information sheets on all sprinkler components and hydraulic calculations are required.

- c) A 110-volt interconnected smoke alarm system with a 10-year lithium batter back-up is acceptable with a fire suppression system.

FIRE-2 **Fire Rated Construction.** Any portion of a building five (5) feet or less from the property line shall comply with fire-rating requirements of the CBC.

FIRE-3 **Gallons-per-Minute Requirement.** The water system for fire protection shall comply with City of Albany Fire Department standards. Fire flow test data and water system plans must be provided at time of building plan check. The plans must include all equipment, components and layout of the system. Private fire protection water systems shall be supplied through an approved backflow device per City Engineering Division standards.

FIRE-5 **Distance From Fire Hydrant.** Before building permit issuance the distance from existing fire hydrants to the building shall be verified and if necessary a new hydrant shall be shown on the plans and installed prior to combustible construction.

STRUCTURAL CONTROL MEASURES

STRUC-1 **Illegal Dumping to Storm Drain Inlets and Waterways.** On-site storm drain inlets shall be clearly marked with the words “No Dumping! Flows to Bay,” or equivalent, using methods approved by the City of Albany.

STRUC-2 **Pesticide/Fertilizer Application** Landscaping shall be designed to minimize irrigation and runoff, promote surface infiltration where appropriate, and minimize the use of fertilizers and pesticides that can contribute to stormwater pollution. If a landscaping plan is required as part of a development project application, the plan shall meet the following conditions related to reduction of pesticide use on the project site:

- a) Where feasible, landscaping shall be designed and operated to treat stormwater runoff by incorporating elements that collect, detain, and infiltrate runoff. In areas that provide detention of water, plants that are tolerant of saturated soil conditions and prolonged exposure to water shall be specified.
- b) Plant materials selected shall be appropriate to site specific characteristics such as soil type, topography, climate, amount and timing of sunlight, prevailing winds, rainfall, air movement, patterns of land use, ecological consistency and plant interactions to ensure successful establishment.
- c) Existing native trees, shrubs, and ground cover shall be retained and incorporated into the landscape plan to the maximum extent practicable.
- d) Proper maintenance of landscaping, with minimal pesticide use, shall be the responsibility of the property owner.

OPERATIONAL BEST MANAGEMENT PRACTICES (BMPs)

BMP-GEN1 **Stormwater Pollution Prevention Control Measures.** The project plans shall include stormwater pollution prevention and control measures for the operation

and maintenance of the project during and after construction for the review and approval of the City or County Engineer. The project plan shall identify Best Management Practices (BMPs) appropriate to the uses conducted on-site in order to limit to the maximum extent practicable the entry of pollutants into stormwater runoff.

- BMP-GEN2 **Erosion Control Measures.** The project plan shall also include erosion control measures to prevent soil, dirt and debris from entering the storm drain system, in accordance with the practices outlined in the *ABAG Erosion and Sediment Control Handbook*, *California Storm Water Best Management Practice Handbooks*, and *Regional Water Quality Control Board's Erosion and Sediment Control Field Manual*
- BMP-GEN3 **Responsibility of Contractors.** The applicant is responsible for ensuring that all contractors and subcontractors are aware of and implement all stormwater quality control measures. Failure to comply with the approved construction BMPs shall result in the issuance of correction notices, citations and/or a project stop order.
- BMP-1 **Paved Sidewalks and Parking Lots.** Sidewalks and parking lots shall be swept regularly to prevent the accumulation of litter and debris. Debris resulting from pressure washing shall be trapped and collected to prevent entry into the storm drain system. Washwater containing any soap, cleaning agent or degreaser shall be collected and discharged to the sanitary sewer and shall not be discharged to a storm drain. The applicant shall contact the City Engineer for specific connection and discharge requirements.
- BMP-2A **Private Streets, Utilities and Common Areas.** The owner of private streets and storm drains shall prepare and implement a plan for street sweeping of paved private roads and cleaning of all storm drain inlets.

GENERAL CONSTRUCTION BEST MANAGEMENT PRACTICES (BMPs)

- BMP-CNST1 **Construction Access Routes.** Construction access routes shall be limited to those approved by the City Engineer and shall be shown on the approval grading plan.
- BMP-CNST2 **Collection of Construction Debris.** Gather all construction debris on a regular basis and place them in a dumpster or other container which is emptied or removed on a weekly basis. When appropriate, use tarps on the ground to collect fallen debris or splatters that could contribute to stormwater pollution.
- BMP-CNST3 **Removal of Waste.** Remove all dirt, gravel, rubbish, refuse and green waste from the sidewalk, street pavement, and storm drain system adjoining the project site. During wet weather, avoid driving vehicles off paved areas and other outdoor work.
- BMP-CNST4 **Sweeping of Public Right-of-Way.** Broom sweep the sidewalk and public street pavement adjoining the project site on a daily basis. Caked on mud or dirt shall be scraped from these areas before sweeping.

- BMP-CNST5 **Filter Materials at Storm Drain Inlet.** Install filter materials (such as sandbags, filter fabric, etc.) at the storm drain inlet nearest the downstream side of the project site prior to:
- a) start of the rainy season (October 1);
 - b) site dewatering activities;
 - c) street washing activities;
 - d) saw cutting asphalt or concrete; and
 - e) order to retain any debris or dirt flowing into the City storm drain system.
- Filter materials shall be maintained and/or replaced as necessary to ensure effectiveness and prevent street flooding. Dispose of filter particles in the trash.
- BMP-CNST6 **Containment of Materials.** Create a contained and covered area on the site for the storage of bags of cement, paints, flammables, oils, fertilizers, pesticides, or any other materials used on the project site that have the potential for being discharged to the storm drain system by wind or in the event of a material spill.
- BMP-CNST7 **Cleaning of Equipment.** Never clean machinery, tools, brushes, etc. or rinse containers into a street, gutter, storm drain or stream. See the *Building Maintenance/Remodeling* flyer for more information.
- BMP-CNST8 **Minimize Removal of Natural Vegetation.** Minimize removal of natural vegetation or ground cover from the site in order to minimize the potential for erosion and sedimentation problems. Replant the area as soon as possible. All cut and fill slopes shall be stabilized as soon as possible after grading is completed. No site grading shall occur between October 1 and April 15 unless approved erosion and sedimentation control measures are in place.

Special Conditions

- SPECIAL-1 **Tree Planting.** Removal of existing trees and planting of new trees shall follow approved plans, and new trees must be planted prior to issuance of a certificate of occupancy.
- SPECIAL-2 **Stair Details.** As part of the application for a building permit, the applicant shall provide detailed drawings of the stairs and landing, including guardrails.

Appeals: The Albany Municipal Code provides that any action of the Planning and Zoning Commission may be appealed to the City Council, if such appeal is filed within 14 days of the date of the action. Appeals may be filed in the Community Development Department by completing the required form and paying the required fee. The City Clerk will then schedule the matter for the next available City Council meeting.

Planning Application #: 09-023

Date Received: 4/9/09

Fee Paid: 560.00

Receipt #: 56684



City of Albany



PLANNING APPLICATION FORM FOR DESIGN REVIEW AND CONDITIONAL USE PERMITS FOR RESIDENTIAL PROJECTS

| | |
|--|------------------------|
| For PLANNING & ZONING COMMISSION action: | |
| <input checked="" type="checkbox"/> Design Review - residential additions or exterior modifications. | \$560* / Admin. \$400* |
| <input type="checkbox"/> Parking Exceptions/Reductions - see separate handout | \$620* |
| <input type="checkbox"/> Conditional Use Permit - Non-Conforming Wall(s) | \$1110 |

* When obtaining more than one planning approval, the full amount for the highest fee will apply and 1/2 fee will be charged for any other ones.

The City of Albany Municipal Code has certain requirements for approving Design Review of additions to Single Family Residences. Please complete the following application to initiate the process. Please be aware that staff may have additional questions for you based on your responses. You should anticipate that planning staff and/or Planning and Zoning Commissioners will visit your site prior to your Planning and Zoning Commission meeting.

| | | |
|--|--|----------------------------------|
| Job Site Address: <u>944 Bonona Ave</u> | | Zone: R1 R2 R3 R4 |
| | | Other overlays: |
| Property Owner(s) Name: <u>Heidi Stettner</u> | Phone: <u>510 922 3435</u> Fax: <u>510 922 3435</u> | Email: <u>heidi@pixal.com</u> |
| Mailing Address: <u>673 Peralta Ave</u> | City: <u>Berkeley</u> | State/Zip: <u>CA 94707</u> |
| Applicant(s) Name (contact person): <u>Same</u> | Phone: Fax: | Email: |
| Mailing Address: <u>Same</u> | City: | State/Zip: |

GENERAL INFORMATION (Please fill out this Chart - existing & proposed:) New SFD

| Item | Required | Existing | Proposed |
|--|-------------------------------|----------|------------|
| How big is your lot? Express in square feet. | N/A | 3600 | 3600 |
| What is the floor area of: your existing residence (see additional handout on how to measure this) | | | |
| any detached buildings--garage, sheds, etc. | | | |
| How many square feet is your addition? | N/A | N/A | |
| What is the Floor Area Ratio (FAR) ¹ (see additional handout on how to measure this) | 55% maximum allowed | | 43% |
| What is your lot coverage? ² | N/A | | 31.4% |
| What is the amount of impervious surface on the lot? | N/A | | 1132 sq ft |
| What is the maximum height of your residence? | 28 ft. maximum | | 23' 7" |
| How many dwelling units are on your site? | 1 (2 with special permit) | | 1 |
| How many parking spaces do you have in a garage? ³ | see note 3 below | | 1 |
| What are the interior dimensions of your garage? | 7'6" by 16' | | 15' x 20' |
| What is the narrowest width of your driveway? | 6.5' is the narrowest allowed | | 17' |

PROJECT ADDRESS: 444 Bruna Ave

| Item | Required | Existing | Proposed |
|--|---|----------|----------|
| Setbacks: | | | |
| Front yard: What is the minimum distance between the front wall of your house and the front property line? | 15 feet minimum | | 15' |
| Side yards: What is the shortest distance between a side wall of your house and a side property line? | 10% of lot width; min. 3 ft; max. 5 ft. Corner lot 7 ft. 6 in | | 3' |
| Rear Yards: What is the minimum distance between the rear wall of your house and the rear property line? | 20 feet minimum | | 40' |
| Hillside District only: What is the slope of your lot? | | | |

Notes:

- 1 Floor Area Ratio (FAR) applies to single family residential development in all zones. It is defined as the ratio between the gross floor area of a building(s) on a lot compared to gross square feet of lot (see FAR Handout).
- 2 Lot Coverage is defined as the land area covered by all structures except uncovered decks, porches, landings, balconies or stairways that are less than 6 feet above grade as well as eaves, trellises and similar structures that do not have solid roofs.
- 3 The Albany Municipal Code requires that every residential unit must have 2 off-street parking spaces. Some exceptions may apply in your situation. See the parking section of the Zoning Ordinance for a complete list of possible exceptions.

(Please use additional sheets to explain any of your responses to the following).

1. Will the construction of the addition require the removal of any mature trees? yes
If yes, please describe: 3 junipers at the front of the lot
2. Are the architecture, materials and colors of the proposed addition consistent with the existing dwelling?
If yes, please describe how: _____
3. Is the proposed addition sensitive to the size or mass of the surrounding properties? _____
If yes, please describe how: _____
4. If you have no garage, where do you park vehicles? one open space next to the garage



Story Poles - For new residential construction and exterior alterations that increase the height, an applicant is required to erect at least two "story poles", a temporary construction for the purpose of visually displaying the outer limits, including the height, of the proposed structural alterations. These poles shall be erected at least ten (10) days prior to the design review meeting, and shall be maintained in place through the date of the meeting.

The signature of the property owner is required for all projects. By executing this form you are affirming that you are the property owner.

[Signature] 4/7/09
Signature of Property Owner Date

Signature of Applicant (if different) Date

Community Development Department staff is available Monday, 8:30 AM to 7:00 PM, Tuesday through Thursday 8:30 AM to 5:00 PM, and Friday 8:30 AM to 12:30 PM at 979 San Pablo Avenue, 2nd Floor, Albany, CA 94706 (510) 528-5760.



944 POMONA AVE

ATTACHMENT #6



City of Albany

Green Building Program Rating System for Remodeling Projects* Supplemental Application Form

*Please obtain other appropriate Green Point Checklist for projects other than Single Family Residential Remodeling Projects

Project Address: 744 Pomona Ave.
 Checklist Prepared By: Heidi Settner
 Date Prepared: 4/7/09

MPLE RESOURCES ENERGY IAC POINT

A. Site

| | | | | | |
|--|----------------------|---|---|--|--|
| 1. Recycle Job Site Construction & Demolition Waste 65% = 1 point; 75% = 2 points; 80% = 4 points | up to 4 Resource pts | | 2 | | |
| 2. Salvage Reusable Building Materials | 4 Resource pts y=yes | | | | |
| 3. Remodel for Mixed Use, Adaptive Reuse, and Historic Preservation | 4 Resource pts y=yes | | | | |
| 4. Protect Native Soil | 2 Resource pts y=yes | y | 2 | | |
| 5. Minimize Disruption of Existing Plants & Trees | 1 Resource pt y=yes | y | 1 | | |
| 6. Implement Construction Site Stormwater Practices | 2 Resource pts y=yes | y | 2 | | |
| 7. Protect Water Quality with Landscape Design | 2 Resource pts y=yes | y | 2 | | |
| 8. Design Resource-Efficient Landscapes and Gardens | 4 Resource pts y=yes | y | 4 | | |
| 9. Reuse Materials/Use Recycled Content Materials for Landscape Areas | 2 Resource pts y=yes | y | 2 | | |
| 10. Install High-Efficiency Irrigation Systems | 2 Resource pts y=yes | y | 2 | | |
| 11. Provide for On-Site Water Catchment / Retention | 2 Resource pts y=yes | y | | | |

B. Foundation

| | | | | | |
|--|----------------------|---|---|--|--|
| 1. Incorporate Recycled Flyash in Concrete 25% Recycled Flyash = 2 points; Add 1 point for every 10% increase of flyash, up to 5 points | up to 5 Resource pts | | 2 | | |
| 2. Use Recycled Content Aggregate | 2 Resource pts y=yes | | | | |
| 3. Insulate Foundation/Slab before backfill | 3 Energy pts y=yes | y | 3 | | |

C. Structural Frame

| | | | | | |
|--|------------------------|---|---|--|--|
| 1. Substitute Solid Sawn Lumber with Engineered Lumber | 3 Resource pts y=yes | y | 3 | | |
| 2. Use FSC Certified Wood for framing (For every 10% of FSC lumber used = 2 points, up to 10) | up to 10 Resource pts. | | 2 | | |
| 3. Use Wood I-Joists for Floors and Ceilings | 2 Resource pts y=yes | y | 2 | | |
| 4. Use Web Floor Trusses | 2 Resource pts y=yes | | | | |
| 5. Design Energy Heels on Trusses 6" or more | 2 Energy pts y=yes | | | | |
| 6. Use Finger-Jointed Studs for Vertical Applications | 2 Resource pts y=yes | | | | |
| 7. Use Engineered Studs for Vertical Applications | 2 Resource pts y=yes | y | 2 | | |
| 8. Use Recycled Content Steel Studs for Interior Framing | 2 Resource pts y=yes | | | | |
| 9. Use Structural Insulated Panels (SIPs) | | | | | |
| a. Floors | 3 Energy pts y=yes | | | | |
| b. Wall | 3 Energy pts y=yes | y | 3 | | |
| c. Roof | 3 Energy pts y=yes | y | 3 | | |

2004 Checklist Modified by City of Albany Incentives - Approved July 2, 2007

ATTACHMENT # 7

| | NABT | Resources | Energy | IAQ/Health |
|--|----------------|-----------|--------|------------|
| 10. Apply Advanced Framing Techniques | 4 Resource pts | y=yes | | |
| 11. Use Reclaimed Lumber for Non Structural Applications | 3 Resource pts | y=yes | | |
| 12. Use OSB | | | | |
| a. Subfloors | 1 Resource pt | y=yes | Y | 1 |
| b. Sheathing | 1 Resource pt | y=yes | Y | 1 |

D. Exterior Finish

| | | | | |
|--|-----------------|-------|---|---|
| 1. Use Sustainable Decking Materials | | | | |
| a. Recycled content | 3 Resource pts | y=yes | Y | 3 |
| b. FSC Certified Wood | 3 Resource pts | y=yes | | |
| 2. Use Treated Wood That Does Not Contain Chromium/Arsenic | 1 IAQ/Health pt | y=yes | Y | 1 |
| 3. Install House Wrap under Siding | 1 IAQ/Health pt | y=yes | Y | 1 |
| 4. Use Fiber-Cement Siding Materials | 1 Resource pt | y=yes | | |

E. Plumbing

| | | | | |
|--|-------------------------|-------|---|---|
| 1. Install Water Heater Jacket | 1 Energy pt | y=yes | Y | |
| 2. Insulate Hot and Cold Water Pipes | 2 Energy pts | y=yes | Y | 2 |
| 3. Retrofit all Faucets and Showerheads with Flow Reducers | | | | |
| a. Faucets (1 point each, up to 2 points) | Up to 2 Resource pts. | | Y | 2 |
| b. Showerheads (1 point each, up to 2 points) | Up to 2 Resource pts. | | Y | 2 |
| 4. Replace Toilets with Ultra-Low Flush Toilets (1 point each, up to 3 points) | Up to 3 Resource pts. | | Y | 2 |
| 5. Install Chlorine Filter on Showerhead | 1 IAQ/Health pt | y=yes | | |
| 6. Convert Gas to Tankless Water Heater | 4 Energy pts | y=yes | | |
| 7. Install Water Filtration Units at Faucets (2 points each, up to 4 points) | Up to 4 IAQ/Health pts. | | | |
| 8. Install On-Demand Hot Water Circulation Pump | 4 Resource pts | y=yes | Y | 4 |

F. Electrical

| | | | | |
|--|---------------------|--|---|---|
| 1. Install Compact Fluorescent Light Bulbs (CFLs) (6 bulbs=2 points, 10 bulbs=3 points, 12 bulbs = 4 points) | Up to 4 Energy pts. | | Y | 4 |
| 2. Install IC-AT Recessed Fixtures with CFLs (1 point each, up to 5 points) | Up to 5 Energy pts. | | Y | 2 |
| 3. Install Lighting Controls (1 point per fixture, up to 4 points) | Up to 4 Energy pts. | | | |
| 4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points) | Up to 4 Energy pts. | | | |

G. Appliances

| | | | | |
|--|----------------|-------|---|---|
| 1. Install Energy Star Dishwasher | 1 Energy pt | y=yes | X | 1 |
| 2. Install Washing Machine with Water and Energy Conservation Features | 1 Energy pt | y=yes | Y | 1 |
| 3. Install Energy Star Refrigerator | 1 Energy pt | y=yes | Y | 1 |
| 4. Install Built-In Recycling Center | 3 Resource pts | y=yes | | |

H. Insulation

| | | | | |
|---|--------------|-------|---|---|
| 1. Upgrade Insulation to Exceed Title 24 Requirements | | | | |
| a. Walls | 2 Energy pts | y=yes | Y | 2 |
| b. Ceilings | 2 Energy pts | y=yes | Y | 2 |

| | IAQ/Health | Resource | Energy | IAQ/Health | |
|--|---------------------|----------|--------|--------------|---|
| 2. Install Floor Insulation over Crawl Space | 4 Energy pts | y=yes | Y | 4 | |
| 3. Install Recycled-Content, Fiberglass Insulation with No Added Formaldehyde | 3 IAQ/Health pts | y=yes | | | |
| 4. Use Advanced Infiltration Reduction Practices | 2 Energy pts | y=yes | Y | 2 | |
| 5. Use Cellulose Insulation | | | | | |
| a. Walls | 4 Resource pts | y=yes | | | |
| b. Ceilings | 4 Resource pts | y=yes | | | |
| 6. Alternative Insulation Products (Cotton, spray-foam) | | | | | |
| a. Walls | 4 Resource pts | y=yes | Y | | |
| b. Ceilings | 4 Resource pts | y=yes | Y | 4 | |
| I. Windows | | | | | |
| 1. Install Energy-Efficient Windows | | | | | |
| a. Double-Paned | 1 Energy pt | y=yes | Y | 1 | |
| b. Low-Emissivity (Low-E) | 2 Energy pts | y=yes | Y | 2 | |
| c. Low-Conductivity Frames | 2 Energy pts | y=yes | Y | 2 | |
| 2. Install Low Heat Transmission Glazing | 1 Energy pt | y=yes | Y | 1 | |
| J. Heating Ventilation and Air Conditioning | | | | | |
| 1. Use Duct Mastic on All Duct Joints | 2 Energy pts | y=yes | Y | | |
| 2. Install Ductwork within Conditioned Space | 3 Energy pts | y=yes | Y | 3 | |
| 3. Vent Range Hood to the Outside | 1 IAQ/Health pt | y=yes | ✓ | | 1 |
| 4. Clean all Ducts Before Occupancy | 2 IAQ/Health pts | y=yes | ✓ | | 2 |
| 5. Install Solar Attic Fan | 2 Energy pts | y=yes | | | |
| 6. Install Attic Ventilation Systems | 1 Energy pt | y=yes | | | |
| 7. Install Whole House Fan | 4 Energy pts | y=yes | | | |
| 8. Install Sealed Combustion Units | | | | | |
| a. Furnaces | 3 IAQ/Health pts | y=yes | | | |
| b. Water Heaters | 3 IAQ/Health pts | y=yes | ✓ | | 3 |
| 9. Replace Wall-Mounted Electric and Gas Heaters with Through-the-Wall Heat Pumps | 3 Energy pts | y=yes | | | |
| 10. Install 13 SEER/11 EER or higher AC with a TXV | 3 Energy pts | y=yes | | | |
| 11. Install AC with Non-HCFC Refrigerants | 2 Resource pts | y=yes | | | |
| 12. Install 90% Annual Fuel Utilization Efficiency (AFUE) Furnace | 2 Energy pts | y=yes | | | |
| 13. Retrofit Wood Burning Fireplaces | | | | | |
| a. Install EPA certified wood stoves/inserts | 1 IAQ/Health pt | y=yes | | | |
| b. Install/Replace Dampers | 1 Energy pt | y=yes | | | |
| c. Install Airtight Doors | 1 Energy pt | y=yes | | | |
| 14. Install Zoned, Hydronic Radiant Heating | 3 Energy pts | y=yes | | | |
| 15. Install High Efficiency Filter | 4 IAQ/Health pts | y=yes | | | |
| 16. Install Heat Recovery Ventilation Unit (HRV) | 5 IAQ/Health pts | y=yes | ✓ | | 5 |
| 17. Install Separate Garage Exhaust Fan | 3 IAQ/Health pts | y=yes | | | |
| K. Renewable Energy and Roofing | | | | | |
| 1. Pre-Plumb for Solar Water Heating | 4 Energy pts | y=yes | ✓ | | |
| 2. Install Solar Water Heating System | 10 Energy pts | y=yes | ✓ | | |
| 3. Pre-Wire for Future Photovoltaic (PV) Installation | 4 Energy pts | y=yes | ✓ | | |
| 4. Install Photovoltaic (PV) System (1.2 kw = 6 points, 2.4 kw = 12 points, 3.6 kw = 18 points) | Up to 18 Energy pts | | | 4 10 4 | |

| | | | NPLT | Resources | Energy | IAQ/Health |
|--|-----------------------|-------|------|-----------|--------|------------|
| 6. Select Safe and Durable Roofing Materials | 1 Resource pt | y=yes | ✓ | 1 | | |
| 7. Install Radiant Barrier | 3 Energy pts | y=yes | | | | |
| L. Natural Heating and Cooling | | | | | | |
| 1. Incorporate Passive Solar Heating | 5 Energy pts | y=yes | ✓ | | 3 | |
| 2. Install Overhangs or Awnings over South Facing Windows | 3 Energy pts | y=yes | ✓ | | | |
| 3. Plant Deciduous Trees on the West and South Sides | 3 Energy pts | y=yes | | | | |
| M. Indoor Air Quality and Finishes | | | | | | |
| 1. Use Low/No-VOC Paint | 1 IAQ/Health pts | y=yes | ✓ | | | 1 |
| 2. Use Low VOC, Water-Based Wood Finishes | 2 IAQ/Health pts | y=yes | ✓ | | | 1 |
| 3. Use Low/No VOC Adhesives | 3 IAQ/Health pts | y=yes | ✓ | | | 3 |
| 4. Use Salvaged Materials for Interior Finishes | 3 Resource pts | y=yes | | | | |
| 5. Use Engineered Sheet Goods with no added Urea Formaldehyde | 6 IAQ/Health pts | y=yes | | | | |
| 6. Use Exterior Grade Plywood for Interior Uses | 1 IAQ/Health pts | y=yes | | | | |
| 7. Seal all Exposed Particleboard or MDF | 4 IAQ/Health pts | y=yes | | | | |
| 8. Use FSC Certified Materials for Interior Finish | 4 Resource pts | y=yes | | | | |
| 9. Use Finger-Jointed or Recycled-Content Trim | 1 Resource pts | y=yes | | | | |
| 10. Install Whole House Vacuum System | 3 IAQ/Health pts | y=yes | | | | |
| N. Flooring | | | | | | |
| 1. Select FSC Certified Wood Flooring | 8 Resource pts | y=yes | | | | |
| 2. Use Rapidly Renewable Flooring Materials | 4 Resource pts | y=yes | ✓ | 4 | | |
| 3. Use Recycled Content Ceramic Tiles | 4 Resource pts | y=yes | | | | |
| 4. Install Natural Linoleum in Place of Vinyl | 5 IAQ/Health pts | y=yes | ✓ | | | 5 |
| 5. Use Exposed Concrete as Finished Floor | 4 Resource pts | y=yes | | | | |
| 6. Install Recycled Content Carpet with Low VOCs | 4 Resource pts | y=yes | | | | |
| O. City of Albany Incentives | | | | | | |
| 1. Additions less than 50% increase in floor area | 20 Resource pts | y=yes | | | | |
| 2. Additions less than 200sq.ft. or resulting in less than 1,500sq.ft. | 10 Resource pts | y=yes | | | | |
| 3. Seismic upgrade of existing building | 25 Resource pts | y=yes | | | | |
| 4. For having a hybrid or zero emissions vehicle | 2 IAQ/Health pts | y=yes | ✓ | | | 2 |
| 5. For having no automobile | 5 Resource pts | y=yes | | | | |
| 6. Plant more than one street tree when feasible | 2 IAQ/Health pts | y=yes | | | | |
| 7. Earthquake kit | 2 IAQ/Health pts | y=yes | ✓ | | | 2 |
| TOTAL POINTS ACCUMULATED: | 50 points total Req'd | | | 65 | 39 | 29 |
| (50 Points REQUIRED from all 3 columns) | | | | | | 151 |